



SANTA & COLE

**US Price List
Indoor 2018**

Dear friends,

We are pleased to present you our 2018 Price List, which will come into force on April 15th 2018. We hope you find it easy to use. Please distribute it among your personnel that work directly with our collection.

All of the **new catalogue** entries, including new products, materials, sizes and finishes, are highlighted in the content page to make them easier to find.

This year, we have increased our successful QUICK SHIP PROGRAM with a wider selection of our best selling products. Remember that all the products in the QSP have a lead time of 2 weeks to any final US destination and that drop ship is allowed.

You can download the QUICK SHIP Price List [here](#).

UL certification (USA and Canada): 100% of our collection is UL listed, this Price List only includes those products that fulfill with the UL requirements and therefore meet safety standards for the USA and Canada. For information on non-UL products please contact us at usinfo@santacole.com or visit our international website.

We remind you that Santa & Cole also offers the possibility to adapt our products in order to meet the needs of specific projects (Contract). A consultation and prior technical study will be necessary. As a new feature, we are offering a selection of products with a Contract version (specified in this price list) ensuring durability for public use in projects.

Please visit santacole.com for all technical details. An image gallery with high-resolution photos of the products in our catalogue can also be found on our website.

Santa & Cole reserves the right to change the prices in this price list without prior notice.

Santa & Cole's team is available for any queries you may have. Please contact us at usinfo@santacole.com

As usual, we greatly value your business.

Best wishes,
Roswell, GA, April 2018

Contents

7 Lighting

8 Table lamps

- 8 Americana
- 8 Asa  Quick Ship
- 9 Babel  Quick Ship
- 10 Básica M1  Quick Ship
- 11 Básica M2  Quick Ship
- 12 Básica Mínima  Quick Ship
- 13 BlancoWhite C1
- 13 BlancoWhite R3
- 13 BlancoWhite R1 Rotating
- 14 Cesta  Quick Ship
- 14 Cestita  Quick Ship
- 15 Cestita Batería **New Product**
- 16 Cesta Metálica  Quick Ship
- 17 Cestita Metálica  Quick Ship
- 18 Diana Menor  Quick Ship
- 19 Diana  Quick Ship
- 20 FAD
- 20 Gira  Quick Ship
- 21 Maija 15  Quick Ship
- 21 Moragas
- 22 Sin S
- 22 Sin L
- 23 TMD  Quick Ship
- 24 Trípode M3  Quick Ship
- 25 Trípode G6

26 Floor lamps

- 26 AJ Royal
- 27 Americana
- 28 Diana  Quick Ship
- 29 Diana Mayor
- 30 Dórica
- 31 FAD  Quick Ship
- 31 GATCPAC
- 32 Maija 30
- 33 Pie de Salón G1
- 34 Pie de Salón G2
- 35 Pie de Salón G3
- 36 TMC
- 36 TMD  Quick Ship
- 37 TMM **New Finish**  Quick Ship
- 38 Trípode G5  Quick Ship

39 Pendant lamps

- 39 Arne Domus  Quick Ship
- 40 BlancoWhite D1 ceiling / D1 ceiling Up&Down
- 41 BlancoWhite D2 ceiling / D2 ceiling Up&Down
- 42 BlancoWhite R3
- 43 BlancoWhite Golden Gate
- 44 Cirio Simple  Quick Ship
- 45 Cirio Múltiple
- 46 Cirio Cascada 5
- 47 Cirio Cascada 7
- 48 Cirio Cascada 9
- 49 Cirio Cascada 12
- 50 Cirio Circular S
- 51 Cirio Circular M
- 52 Cirio Circular L
- 54 Cirio Oval
- 56 Cirio Lineal
- 58 Cirio Chandelier S
- 60 Cirio Chandelier M
- 62 Cirio Chandelier L
- 64 Estadio 105 1 support
- 64 Estadio 105 3 supports
- 65 Estadio 150 1 support
- 65 Estadio 150 3 supports
- 66 Estadio 250 1 support
- 66 Estadio 250 3 supports
- 67 Línea Estadio
- 68 GT4
- 69 GT5
- 70 GT6
- 71 GT7  Quick Ship
- 72 GT1000
- 73 GT1500
- 74 HeadHat Bowl S **New Material**  Quick Ship
- 75 HeadHat Bowl L **New Material**
- 76 HeadHat Plate S
- 77 HeadHat Plate M
- 78 HeadHat Plate L
- 79 Leonardo 60
- 79 Leonardo 100
- 80 M64 **New Color**  Quick Ship
- 81 M68 **New Color**  Quick Ship
- 82 Maija 15
- 82 Maija 30
- 83 Moaré

- 84 Moaré Liviana S
- 85 Moaré Liviana M
- 85 Nagoya
- 86 Nimba 60
- 86 Nimba 90
- 87 Nimba 120
- 87 Nimba 180
- 88 Sexta
- 89 Sexta 12
- 90 Sistema Fonda
- 92 Sistema Gran Fonda
- 94 Sistema Sisisí PT1
- 95 Sistema Sisisí PT2
- 96 Sistema Sisisí MT1
- 97 Sistema Sisisí MT2
- 98 Sistema Sisisí GT1
- 99 Sistema Sisisí GT2
- 100 Sistema Sisisí GT3
- 101 Vaghe Stelle

102 Canopies

- 102 Sisisí canopy
- 102 Sisisí canopy dual lamp socket
- 103 S & C canopy
- 103 S & C Connection
- 103 Side entry adaptor
- 104 HeadLed System / LED Capsule S & C
- 104 HeadLed System / LED Canopy S & C
- 105 HeadLed System / S & C LED Lampshades **New Material**

106 Wall lamps

- 106 Aarhus
- 106 Americana
- 107 BC1
- 108 BC2
- 109 BC3
- 110 BlancoWhite C1 wall rotating
- 110 BlancoWhite C1 Wall rotating scene
- 111 BlancoWhite R1 wall
- 111 BlancoWhite R1 wall rotating
- 112 Comodín cuadrado  Quick Ship
- 113 Comodín rectangular  Quick Ship
- 114 Disco medium
- 114 Disco large
- 115 Estadio

- 115 Singular
- 116 TMM corto
- 116 TMM largo  Quick Ship
- 117 TMM Metálico
- 117 Wally  Quick Ship

120 Garden

- 120 Amigo  Quick Ship

122 Light sources

129 Furniture

130 Chairs, armchairs, sofas and ottomans


- 130 Belloch Chair
- 130 Ramón Chair
- 131 Digamma Armchair
- 131 Digamma ottoman
- 132 Cadaqués Lounge Chair
- 132 Two Seat Cadaqués Sofa
- 132 Three Seat Cadaqués Sofa
- 133 Cadaqués Ottoman
- 133 Ibiza Lounge Chair
- 134 Moragas Armchair
- 134 Moragas ottoman
- 134 Large Moragas ottoman

135 Tables

- 135 Belloch cuadrada
- 135 Belloch rectangular
- 136 Diana alta
- 136 Diana baja
- 136 Subeybaja

137 Shelves

- 137 Noa



Cesta


Miguel Milá. 1962

Lighting

Americana

Miguel Milá
1964

For further information on light sources go to p. 122



Composition

SAM22 + SAMP8 **\$ 765**

Code	Description	
SAM22	Satin nickel structure	\$ 620
SAMP8	White linen lampshade	\$ 145

Rotating arm.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Asa

Miguel Milá
1961

For further information on light sources go to p. 122

Quick Ship



Code	Structure	
ASA11	White	\$ 650
ASA12	Black	\$ 650

Metallic structure with matte finish.
White translucent methacrylate shade.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Babel

Àngel Jové
1971

For further information on light sources go to p. 122

 **Quick Ship**



Code	Description	
BAB01	Alabaster column	\$ 1,090

Dimmer included.



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:


Max. 60 W

Básica M1

Santiago Roqueta,
Santa & Cole Team
1987

For further information on light sources go to p. 122

 **Quick Ship**



Examples of composition

BASAx* + PM101	\$ 655
BASAx* + PM103	\$ 660
BASAx* + PM109	\$ 675
BASAx* + PML108	\$ 700
BASAx* + PM101 + 6BAS0x**	\$ 740
BASAx* + PM103 + 6BAS0x**	\$ 745
BASAx* + PM109 + 6BAS0x**	\$ 760
BASAx* + PML108 + 6BAS0x**	\$ 785

Code	Lampshade	
PM101	Stitched beige parchment	\$ 225
PM103	Natural ribbon	\$ 230
PM105	Red-amber ribbon	\$ 230
PM106	Black ribbon	\$ 230
PM107	Terracotta Raw Color ribbon	\$ 245
PM108	Mustard Raw Color ribbon	\$ 245
PM109	Green Raw Color ribbon	\$ 245
PML108	White linen	\$ 270

Base		
*BASA2	Nickel	\$ 430
*BASA3	Bronze	\$ 430

Stabilizing base (optional)		
**6BAS01	Nickel	\$ 85
**6BAS02	Bronze	\$ 85

Birch wood column with metallic base.

Dimmer included.



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:


Max. 100 W

Básica M2

Santiago Roqueta,
Santa & Cole Team
1987

For further information on light sources go to p. 122

 **Quick Ship**

**Composition**

BASAx* + PM201	\$ 695
BASAx* + PM201 + 6BAS0x**	\$ 780

Code	Lampshade	
PM201	Stitched beige parchment	\$ 265

Base		
*BASA2	Nickel	\$ 430
*BASA3	Bronze	\$ 430

Stabilizing base (optional)		
**6BAS01	Nickel	\$ 85
**6BAS02	Bronze	\$ 85

Birch wood column with metallic base.
Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:


Max. 100 W

Básica Mínima

Santiago Roqueta,
Santa & Cole Team
1994

For further information on light sources go to p. 122

 **Quick Ship**



Code	Base	Lampshade	
BAM01	Bronze	Beige parchment	\$ 485
BAM12	Nickel	Natural ribbon	\$ 485

Birch wood column with metallic base.
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E12 (Max. hgt. 85 mm / 3.3")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 40 W

BlancoWhite C1

Antoni Arola
2011

For further information on built-in LED go to p. 126



Code	Structure	
BWC101	White S&C	\$ 860
BWC102	Graphite	\$ 860

Metal structure with matte finish.
Dimmer included.


**Light source included (dimmable):**

Built-in LED 8 W

BlancoWhite R3

Antoni Arola
2011

For further information on built-in LED go to p. 126



Code	Structure	
BWR311	White S&C	\$ 1,490
BWR312	Graphite	\$ 1,490

Metal structure with matte finish.
Dimmer included.


**Light source included (dimmable):**

Built-in LED 33 W

BlancoWhite R1 Rotating

Antoni Arola
2013

For further information on built-in LED go to p. 126



Code	Description	
BWR112	Graphite metal structure with matte finish	\$ 1,215

Rotating head.
Dimmer included.

**Light source included (dimmable):**


Built-in LED 10 W

Cesta

Miguel Milá
1962

For further information on light sources go to p. 122

 Quick Ship



Code	Description	
CES01	Cherry wood structure White opal glass lampshade	\$ 1,285

Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:


Max. 75 W

Cestita

Miguel Milá
1962

For further information on light sources go to p. 122

 Quick Ship



Code	Lampshade	
CES11	White opal polyethylene	\$ 495
CES12	White opal glass	\$ 580

Sumatran pine wood structure.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

Cestita Batería

Miguel Milá
2017

For further information on built-in LED go to p. 126

New Product



Code	Description	
CES14	Cherry wood structure White opal glass lampshade	\$ 695

Lithium battery.

Range:

- 5h on high power
- 15h on medium power
- 30h on low power



Minimum purchase 6 units.

Light source included (dimmable):


Built-in LED 3 W

Cesta Metálica

Miguel Milá
1962

For further information on light sources go to p. 122

 **Quick Ship**



Code	Stainless steel structure	
CES02	Without leather handle	\$ 1,300
CES03	With natural colour leather handle	\$ 1,510

White opal glass lampshade.
Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimnable):

LED bulb 10 W

Other light sources:


Max. 60 W

Cestita Metálica

Miguel Milá
1962

For further information on light sources go to p. 122

 **Quick Ship**



Code	Description	
CES13	Stainless steel structure. White opal glass lampshade	\$ 1,025

Dimmer included.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W

Other light sources:

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

Diana Menor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 122

 **Quick Ship**



Examples of composition

DIA12 + DIAP8	\$ 1,110
DIA123 + DIAP6	\$ 1,270

Code Metallic structure

DIA12	Satin nickel	\$ 765
DIA123	Brass finish	\$ 900

	Lampshade	Upper diffuser ^[1]	
DIAP8	White linen	Translucent white parchment	\$ 345
DIAP6	Black linen	Stone parchment	\$ 370

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

2 x LED bulb 6 W

Other light sources:


Max. 2 x 40 W

Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 122

 **Quick Ship**

**Examples of composition**

DIA11 + DIAM8	\$ 1,195
DIA113 + DIAM6	\$ 1,370

Code	Metallic structure		
DIA11	Satin nickel		\$ 835
DIA113	Brass finish		\$ 990
	Lampshade	Upper diffuser ^[1]	
DIAM8	White linen	Translucent white parchment	\$ 360
DIAM6	Black linen	Stone parchment	\$ 380

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

2 x LED bulb 10 W


Other light sources:

Max. 2 x 50 W

FAD

Miguel Milá
1973

For further information on light sources go to p. 122

**Composition**

FAD12 + FADP8 **\$ 1,145**

Code Description

FAD12	Natural oak wood structure	\$ 820
FADP8	White linen lampshade	\$ 325

Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W

Other light sources:


Max. 100 W

Gira

Massana, Tremoleda, Ferrer
1978

For further information on light sources go to p. 122

Quick Ship

**Code Lampshade**


GIR21	Brass	\$ 630
GIR22	Black anodized aluminium	\$ 550
GIR23	Natural anodized aluminium	\$ 550

Chrome-plated structure.

Cast zamac grey base.



Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 110 mm / 4.3")

Reommended light sources:

LED bulb 9.5 W


Maximum bulb diameter: 60 mm / 2.36"

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 126

 **Quick Ship**



Code Metallic lampshades

MAI11L	White	\$ 1,125
MAI114L	Nude rose	\$ 1,165

Diffuser in white translucent methacrylate.
Brass legs finished in matte.
Dimmer included.




Light source included (dimmable):

Built-in LED 12 W

Moragas

Antoni de Moragas i Gallissà
1957

For further information on light sources go to p. 122



Composition

MOL01 + MOLP3	\$ 1,700
----------------------	----------

Code	Description	
MOL01	Sapele wood leg	\$ 1,050
MOLP3	Natural cotton ribbon lampshade with silk border	\$ 650

Dimmer included.



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

3 x LED bulb 6 W


Other light sources:

Max. 3 x 30 W

Sin S

Antoni Arola
2013

For further information on built-in LED go to p. 126



Examples of composition with lampshade

SIN21 + SINS2	\$ 1,880
SIN22 + SINSx*	\$ 1,955

Code	Structure	
SIN21	White S&C	\$ 1,500
SIN22	Graphite	\$ 1,550

Lampshade (optional)

SINS2	White opal methacrylate	\$ 380
*SINS1	White S&C aluminium	\$ 405
*SINS3	Graphite aluminium	\$ 405

Metal structure with matte finish.
Dimmer included.




Light source included (dimmable):

Built-in LED 12,5 W

Sin L

Antoni Arola
2013

For further information on built-in LED go to p. 126



Examples of composition with lampshade

SIN31 + SINL2	\$ 2,290
SIN32 + SINLx*	\$ 2,530

Code	Structure	
SIN31	White S&C	\$ 1,830
SIN32	Graphite	\$ 1,880

Lampshade (optional)

SINL2	White opal methacrylate	\$ 460
*SINL1	White S&C aluminium	\$ 650
*SINL3	Graphite aluminium	\$ 650

Metal structure with matte finish.
Dimmer included.




Light source included (dimmable):

Built-in LED 25 W

TMD
Miguel Milá
1996

For further information on light sources go to p. 122

 **Quick Ship**



Code	Description	
------	-------------	--

TME08	Satin nickel structure White linen lampshade	\$ 760
--------------	---	--------

Height-adjustable white linen lampshade.
The light is switched on/off by pulling lightly on the cable.



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Triépode M3

Santa & Cole Team
2011

For further information on light sources go to p. 122

 **Quick Ship**



Composition

TM311 + TM3Mx*	\$ 715
TM311 + TM3Mx**	\$ 735

Code Structure

TM311	Black metal	\$ 375
--------------	-------------	---------------

Ribbon lampshade

*TM3M3	Natural	\$ 340
*TM3M5	Red-amber	\$ 340
*TM3M6	Black	\$ 340
**TM3M7	Terracotta Raw Color	\$ 360
**TM3M8	Mustard Raw Color	\$ 360
**TM3M9	Green Raw Color	\$ 360

Black metal top cover.



Bulb socket:

E12 (Max. hgt. 85 mm / 3.3")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 40 W

Triode G6

Santa & Cole Team
2002

For further information on light sources go to p. 122



Composition

TG611 + TG6Mx*	\$ 945
TG611 + TG6Mx**	\$ 975

Code	Structure	
TG611	Black metal	\$ 535

Ribbon lampshade

*TG6M3	Natural	\$ 410
*TG6M5	Red-amber	\$ 410
*TG6M6	Black	\$ 410
**TG6M7	Terracotta Raw Color	\$ 440
**TG6M8	Mustard Raw Color	\$ 440
**TG6M9	Green Raw Color	\$ 440

Black metal top cover.

Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):


LED bulb 10 W

Other light sources:

Max. 100 W

AJ Royal
Arne Jacobsen
1956

For further information on light sources go to p. 122



Composition

JALB1 + JALP8 **\$ 1,360**

Code	Description	
JALB1	Stainless steel shaft and cast steel grey base	\$ 875
JALP8	White linen lampshade	\$ 485

Dimmer included.

Contact us for further details on the specifics of product versions for contract projects.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

2 x LED bulb 10 W


Other light sources:

Max. 2 x 100 W

Americana

Miguel Milá
2000

For further information on light sources go to p. 122



Composition

SAM32 + SAMP8 **\$ 980**

Code	Description	
SAM32	Satin nickel structure	\$ 835
SAMP8	White linen lampshade	\$ 145

Rotating arm.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 122

 **Quick Ship**

**Examples of composition**

DIA21 + DIAM8	\$ 1,690
DIA213 + DIAM6	\$ 1,790

Code Metallic structure

DIA21	Satin nickel	\$ 1,330
DIA213	Brass finish	\$ 1,410

	Lampshade	Upper diffuser^[1]	
DIAM8	White linen	Translucent white parchment	\$ 360
DIAM6	Black linen	Stone parchment	\$ 380

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

2 x LED bulb 13,5 W


Other light sources:

Max. 2 x 75 W

Diana Mayor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 122

**Examples of composition**

DIA31 + DIAG8	\$ 2,020
DIA313 + DIAG6	\$ 2,195

Code Metallic structure

DIA31	Satin nickel	\$ 1,565
DIA313	Brass finish	\$ 1,715

Lampshade

DIAG8	White linen	\$ 455
DIAG6	Black linen	\$ 480

Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimnable):

2 x LED bulb 13,5 W


Other light sources:

Max. 2 x 75 W

Dórica

Jordi Miralbell,
Mariona Raventós
1994

For further information on light sources go to p. 122



Composition

DOR03 + DORP3 + DOR00 **\$ 1,990**

Code Description

DOR03	Metal structure with dark brown finish	\$ 1,250
DORP3	Natural ribbon lampshade	\$ 490
DOR00	Dark brown base	\$ 250

Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):


3 x LED bulb 10 W

Other light sources:

Max. 3 x 50 W

FADMiguel Milá
1974

For further information on light sources go to p. 122

 **Quick Ship****Composition****FAD22 + FADG8** **\$ 1,585**

Code	Description	
FAD22	Natural oak wood structure	\$ 1,190
FADG8	White linen lampshade	\$ 395

Height-adjustable white linen lampshade.
Dimmer included.**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):


LED bulb 10 W

Other light sources:

Max. 100 W

GATCPACJosep Torres Clavé
1931

For further information on light sources go to p. 122



Code	Description	
TLC02	Polished aluminium structure and lampshade	\$ 1,545

Adjustable lampshade.
Dimmer included.**Bulb socket:**

E26 (Max. hgt. 160 mm / 6.3")

Recommended light source (dimmable):

LED bulb 13,5 W


Other light sources:

Max. 150 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 126



Code	Description	
MAI21L	Metallic lampshade finished in matte white Brass legs finished in matte	\$ 1,490

Diffuser in white translucent methacrylate.
Dimmer included.




Light source included (dimmable):
Built-in LED 24 W

Pie de Salón G1

Jaume Sans
1963

For further information on light sources go to p. 122



Examples of composition

PDS02 + PG101	\$ 1,525
PDS02 + PG103	\$ 1,515
PDS02 + PG107	\$ 1,560
PDS02 + PGL108	\$ 1,585
PDS03 + PG101	\$ 1,900
PDS03 + PG103	\$ 1,890
PDS03 + PG107	\$ 1,935
PDS03 + PGL108	\$ 1,960

Code	Metallic structure	
PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

	Lampshade	
PG101	Stitched beige parchment	\$ 320
PG103	Natural ribbon	\$ 310
PG105	Red-amber ribbon	\$ 310
PG106	Black ribbon	\$ 310
PG107	Terracotta Raw Color ribbon	\$ 355
PG108	Mustard Raw Color ribbon	\$ 355
PG109	Green Raw Color ribbon	\$ 355
PGL108	White linen	\$ 380

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

LED bulb 13,5 W

Other light sources:


Max. 100 W

Pie de Salón G2

Jaume Sans

1963

For further information on light sources go to p. 122



Composition

PDS02 + PG20x*	\$ 1,525
PDS02 + PG208	\$ 1,525
PDS03 + PG20x*	\$ 1,900
PDS03 + PG208	\$ 1,900

Code

Metallic structure

PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

Lampshade

*PG203	Natural ribbon	\$ 320
*PG205	Red-amber ribbon	\$ 320
*PG206	Black ribbon	\$ 320
PG208	White linen	\$ 320

Shaft covered in black leather.

Height-adjustable lampshade.

Dimmer included.



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

LED bulb 13,5 W


Other light sources:

Max. 100 W

Pie de Salón G3

Jaume Sans
1963

For further information on light sources go to p. 122



Examples of composition

PDS02 + PG303	\$ 1,455
PDS02 + PG307	\$ 1,500
PDS02 + PGL308	\$ 1,490
PDS03 + PG303	\$ 1,830
PDS03 + PG307	\$ 1,875
PDS03 + PGL308	\$ 1,865

Code	Metallic structure	
PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

	Lampshade	
PG303	Natural ribbon	\$ 250
PG305	Red-amber ribbon	\$ 250
PG306	Black ribbon	\$ 250
PG307	Terracotta Raw Color ribbon	\$ 295
PG308	Mustard Raw Color ribbon	\$ 295
PG309	Green Raw Color ribbon	\$ 295
PGL308	White linen	\$ 285

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):


LED bulb 13,5 W

Other light sources:

Max. 100 W

TMCMiguel Milá
1961

For further information on light sources go to p. 122

**Code Description**

TMC11	Two-part metal structure: upper half chrome-plated and lower half black.	\$ 1,450
--------------	--	-----------------

Height-adjustable white methacrylate lampshade.

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 125 mm / 4.9")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 100 W

TMDMiguel Milá
2005

For further information on light sources go to p. 122

Quick Ship

**Composition**

TMD21 + TMDP8	\$ 1,405
----------------------	-----------------

Code Description

TMD21	Satin nickel structure	\$ 845
TMDP8	White linen lampshade	\$ 560

Height-adjustable white linen lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 125 mm / 4.9")

Recommended light source:


LED bulb 10 W

Other light sources:

Max. 100 W

TMMMiguel Milá
1961

For further information on light sources go to p. 122

 **Quick Ship** **New Finish****Composition**

TMMHA + TMMPx*	\$ 1,115
TMMHA + TMMP2D	\$ 1,200
TMMCE + TMMPx*	\$ 1,150
TMMCE + TMMP2D	\$ 1,235
TMMNO + TMMPx*	\$ 1,255
TMMNO + TMMP2D	\$ 1,340
TMMRO + TMMPx*	\$ 1,150
TMMRO + TMMP2D	\$ 1,235
TMMNE + TMMPx*	\$ 1,150
TMMNE + TMMP2D	\$ 1,235

Code **Wooden structure**

TMMHA	Beech	\$ 620
TMMCE	Cherry	\$ 655
TMMNO	Walnut	\$ 760
TMMRO	Natural oak	\$ 655
TMMNE	Black oak	\$ 655

Parchment lampshade

*TMMP1	Beige	\$ 495
*TMMP2	White	\$ 495
TMMP2D	White with upper diffuser in white translucent methacrylate ^[1]	\$ 580

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

^[1] Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E26 (Max. hgt. 125 mm / 4.9")

Recommended light source:

LED bulb 10 W

Other light sources:


Max. 100 W

Tripede G5

Santa & Cole Team
1997

For further information on light sources go to p. 122

 **Quick Ship**



Composition

TG501 + TG5Px*	\$ 1,145
TG501 + TG5Px**	\$ 1,185

Code	Structure	
TG501	Black metal	\$ 665

Ribbon lampshade

*TG5P3	Natural	\$ 480
*TG5P5	Red-amber	\$ 480
*TG5P6	Black	\$ 480
**TG5P7	Terracotta Raw Color	\$ 520
**TG5P8	Mustard Raw Color	\$ 520
**TG5P9	Green Raw Color	\$ 520

Dimmer included.



Bulb socket:

E26 (Max. hgt. 160 mm / 6.3")

Recommended light source (dimnable):

LED bulb 13,5 W

Other light sources:


Max. 100 W

Arne Domus

Santa & Cole Team
2015

For further information on built-in LED go to p. 126

 **Quick Ship**



Code Structure and canopy

ARD11	S&C white	\$ 1,495
ARD12	Aluminium grey	\$ 1,495
ARD13	Mustard	\$ 1,495
ARD14	Dark green	\$ 1,495

Metallic structure with matte finish.

Acid-etched and tempered glass diffusor.

Metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for indoor and outdoor use (Dry and wet location).

Suitable for Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 6,2 kg / 13.6 lb

CE  IP 54
 US LISTED

Light source included (dimmable):

Built-in LED 33 W


BlancoWhite

D1 ceiling / D1 ceiling Up&Down


Antoni Arola
2013

For further information on built-in LED go to p. 126

D1 ceiling



D1 ceiling up&down



Composition

BWD102 + BWF102	\$ 1,545
BWD102 + BWF202 + BWPD12	\$ 1,990

Code	Structure	
BWD102	Graphite metal with matte finish	\$ 1,150
Canopy		
BWF102	Circular metal with power supply incorporated	\$ 395
Up&Down counterweight		
BWPD12	Optional	\$ 340
Up&Down canopy		
BWF202	Optional	\$ 500

Option of Up&Down counterweight to adjust height.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 3 kg / 6.6 lb

Weight with Up&Down counterweight : 4 kg / 8.8 lb



Light source included:

Built-in LED 22 W


BlancoWhite

D2 ceiling / D2 ceiling Up&Down


Antoni Arola
2013

For further information on built-in LED go to p. 126

D2 ceiling



D2 ceiling up&down



Composition

BWD202 + BWF102	\$ 1,695
BWD202 + BWF202 + BWPD22	\$ 2,225

Code	Structure	
BWD202	Graphite metal with matte finish	\$ 1,300
Canopy		
BWF102	Circular metal with power supply incorporated	\$ 395
Up&Down counterweight		
BWPD22	Optional	\$ 425
Up&Down canopy		
BWF202	Optional	\$ 500

Option of Up&Down counterweight to adjust height.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 4 kg / 8.8 lb

Weight with Up&Down counterweight : 5 kg / 11 lb



Light source included:

Built-in LED 28 W


BlancoWhite R3

Antoni Arola
2013

For further information on built-in LED go to p. 126

Code	Description	
BWR302	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	\$ 1,985

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Suitable for Junction Box.
Electric cable length: 3 m / 118.1"
Weight: 5,8 kg / 12.8 lb



Light source included (dimmable):
Built-in LED 33 W

BlancoWhite Golden Gate

Antoni Arola
2013

For further information on built-in LED go to p. 126

Code	Description	
BWGG02	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	\$ 3,350


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Includes counterweight to adjust height.

Electric cable length: 3 m / 118.1"

Weight: 17,5 kg / 38.5 lb



Light source included (dimmable):


Built-in LED 66 W

Cirio Simple

Antoni Arola
2010

For further information on built-in LED go to p. 126

 **Quick Ship**



Examples of composition

HEFD0x* + HEL03 + CIP06	\$ 985
HEFD0x* + HEL08 + CIP01	\$ 775

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V)

S&C LED capsule suitable with HeadLed System lampshades. (p. 105).


Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 1,1 Kg / 2.4 lb



Lampshades




Light source included (dimmable):

Built-in LED 7,7 W

Cirio Múltiple

Antoni Arola
2010

For further information on built-in LED go to p. 126



Examples of composition

CIF11 + 12 HEL03 + 12 CIP01	\$ 6,370
CIF12 + 8 HEL08 + 8 CIP06	\$ 6,730

Code Circular metal canopy + power supply

CIF11	Black surface dimmable 1-10 V	\$ 970
CIF11-DALI	Black surface dimmable DALI	\$ 970
CIF12	White surface dimmable 1-10 V	\$ 970
CIF12-DALI	White surface dimmable DALI	\$ 970

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

From 6 to a maximum of 12 light sources.

Suitable for dimming 1-10V / DALI

(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p. 105).


Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 8 Kg / 17.5 lb



Lampshades



Light sources included (dimmable):

Built-in LED 7,7 W


Cirio Cascada 5

Antoni Arola
2017

For further information on built-in LED go to p. 126

Spiral
composition

Random
composition



Composition

CIF41 + 5 HEL03 + 5 CIP01	\$ 2,975
CIF41 + 5 HEL08 + 5 CIP01	\$ 3,125
CIF41 + 5 HEL03 + 5 CIP05	\$ 2,875
CIF41 + 5 HEL08 + 5 CIP05	\$ 3,025
CIF41 + 5 HEL03 + 5 CIP06	\$ 4,175
CIF41 + 5 HEL08 + 5 CIP06	\$ 4,325

Code Circular metal canopy + power supply

CIF41 For 5 light sources \$ 725

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 7 Kg / 15.5 lb

8 m: 8 Kg / 17.6 lb



Lampshades



Light source included (dimmable):

5 x Built-in LED 7,7 W


Cirio Cascada 7

Antoni Arola
2017

For further information on built-in LED go to p. 126

Spiral
composition

Random
composition



Composition

CIF51 + 7 HEL03 + 7 CIP01	\$ 3,875
CIF51 + 7 HEL08 + 7 CIP01	\$ 4,085
CIF51 + 7 HEL03 + 7 CIP05	\$ 3,735
CIF51 + 7 HEL08 + 7 CIP05	\$ 3,945
CIF51 + 7 HEL03 + 7 CIP06	\$ 5,555
CIF51 + 7 HEL08 + 7 CIP06	\$ 5,765

Code Circular metal canopy + power supply

CIF51 For 7 light sources **\$ 725**

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 9 Kg / 19.8 lb

8 m: 10 Kg / 22 lb



Lampshades



Light source included (dimmable):

7 x Built-in LED 7,7 W


Cirio Cascada 9

Antoni Arola
2017

For further information on built-in LED go to p. 126

Spiral
composition

Random
composition



Composition

CIF61 + 9 HEL03 + 9 CIP01	\$ 4,850
CIF61 + 9 HEL08 + 9 CIP01	\$ 5,120
CIF61 + 9 HEL03 + 9 CIP05	\$ 4,670
CIF61 + 9 HEL08 + 9 CIP05	\$ 4,940
CIF61 + 9 HEL03 + 9 CIP06	\$ 7,010
CIF61 + 9 HEL08 + 9 CIP06	\$ 7,280

Code Circular metal canopy + power supply

CIF61	For 9 light sources	\$ 800
--------------	---------------------	---------------

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 12 Kg / 26.5 lb

8 m: 14 Kg / 30.9 lb



Lampshades




Light source included (dimmable):

9 x Built-in LED 7,7 W

Cirio Cascada 12

Antoni Arola
2017

For further information on built-in LED go to p. 126



Composition

CIF71 + 12 HEL03 + 12 CIP01	\$ 6,465
CIF71 + 12 HEL08 + 12 CIP01	\$ 6,825
CIF71 + 12 HEL03 + 12 CIP05	\$ 6,225
CIF71 + 12 HEL08 + 12 CIP05	\$ 6,585
CIF71 + 12 HEL03 + 12 CIP06	\$ 9,345
CIF71 + 12 HEL08 + 12 CIP06	\$ 9,705

Code Rectangular metal canopy + power supply

CIF71 For 12 light sources \$ 1,065

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 18 Kg / 39.7 lb

8 m: 20 Kg / 44 lb



Lampshades




Light source included (dimmable):

12 x Built-in LED 7,7 W

Cirio Circular S

Antoni Arola
2010

For further information on built-in LED go to p. 126



Examples of composition

CIR12 + CIF31 + 12 CIP05 \$ 7,995

Code	Black metal structure	Light sources	
CIR12	Circular Ø 130 cm / 51.1"	12	\$ 4,725

Black metal canopy + power supply

CIF31	Rectangular Dimming 1-10V		\$ 750
CIF31-DALI	Rectangular Dimming DALI		\$ 750

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 13 Kg / 28.6 lb



Lampshades




Light sources included (dimmable):

12 x Built-in LED 7,7 W

Cirio Circular M

Antoni Arola
2010

For further information on built-in LED go to p. 126



Examples of composition

CIR28 + 2 CIF31 + 28 CIP05 \$ 15,360

Code	Black metal structure	Light sources	
CIR28	Circular Ø 300 cm / 118,1"	28	\$ 7,980

Black metal canopy + power supply

CIF31	Rectangular Dimming 1-10V	\$ 750
CIF31-DALI	Rectangular Dimming DALI	\$ 750

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 33 Kg / 72.8 lb



Lampshades



Light sources included (dimmable):

28 x Built-in LED 7,7 W

Cirio Circular L

Antoni Arola
2010

For further information on built-in LED go to p. 126

Examples of composition

CIR42 + 3 CIF31 + 42 CIP05 **\$ 23,210**

Code	Black metal structure	Light sources		
CIR42	Circular Ø 520 cm / 204.7"	42	\$ 12,140	
Black metal canopy + power supply				
CIF31	Rectangular Dimming 1-10V		\$ 750	
CIF31-DALI	Rectangular Dimming DALI		\$ 750	
	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.


Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 47 Kg / 103.5 lb




Light sources included (dimmable):


42 x Built-in LED 7,7 W



Lampshades



Examples of composition: **S + M + L**



Cirio Oval
Antoni Arola
2010

For further information on built-in LED go to p. 126

Examples of composition

CIL05 + CII05 + CIR28 + 3 CIF31 + 4 CIN01 + 38 CIP05 **\$ 22,700**

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	\$ 2,075
CII05	End	5	B	\$ 2,075
CIR28	Circular Ø 300 cm / 118.1"	28	M	\$ 7,980

Black metal canopy + power supply

CIF31	Rectangular Dimming 1-10V			\$ 750
CIF31-DALI	Rectangular Dimming DALI			\$ 750

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Metal connector (to join modules)

CIN01	Linear			\$ 85
--------------	--------	--	--	--------------

Capsule with LED module, translucent white diffuser
and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Suitable for Junction Box.


Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 46 Kg / 101.5 lb




Light sources included (dimmable):

28 x Built-in LED 7,7 W



Lampshades



Cirio Lineal
Antoni Arola
2010

For further information on built-in LED go to p. 126

Examples of composition

CIL05 + CIF31 + 5 CIP06	\$ 5,175
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP01	\$ 10,595
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP05	\$ 10,295

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	\$ 2,075
CII05	End	5	B	\$ 2,075

Code	Black metal canopy + power supply	
CIF31	Rectangular Dimming 1-10V	\$ 750
CIF31-DALI	Rectangular Dimming DALI	\$ 750

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Metal connector (to join modules)

CIN01	Linear	\$ 85
--------------	--------	--------------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.



Composition instructions:

The installation of a new canopy is needed every 3 modules.
Suitable for dimming. (Not included external dimmer switch).
Suitable for Junction Box.



Electric cable length: 5 m / 196.8"

Weight Cirio Lineal (A) (with canopy and porcelain lampshade): 7,5 Kg / 16.5 lb


Weight Cirio Final (B) (with porcelain lampshade): 4,5 Kg / 10 lb

Light sources included (dimmable):

5 x Built-in LED 7,7 W



Lampshades



Cirio Chandelier S

Antoni Arola
2015

For further information on built-in LED go to p. 126

Composition

CIC20 + 20 CIP01	\$ 10,700
CIC20 + 20 CIP05	\$ 10,300
CIC20 + 20 CIP06	\$ 15,500

Code	Description			
CIC20	Black metal circular structure Ø100 cm / 39.4"			\$ 6,100
	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 25 Kg / 55 lb




Light sources included (dimmable):

20 x Built-in LED 5,7 W


A



B



Lampshades



Cirio Chandelier M

Antoni Arola
2015

For further information on built-in LED go to p. 126

Composition

CIC30 + 30 CIP01	\$ 16,000
CIC30 + 30 CIP05	\$ 15,400
CIC30 + 30 CIP06	\$ 23,200

Code Description

CIC30	Black metal circular structure Ø130 cm / 51.2"	\$ 9,100
--------------	--	-----------------

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 35 kg / 77 lb




Light sources included (dimmable):

30 x Built-in LED 5,7 W


A



B



Lampshades



Cirio Chandelier L

Antoni Arola
2015

For further information on built-in LED go to p. 126

Composition

CIC40 + 40 CIP01	\$ 21,100
CIC40 + 40 CIP05	\$ 20,300
CIC40 + 40 CIP06	\$ 30,700

Code Description

CIC40	Black metal circular structure Ø160 cm / 63"	\$ 11,900
--------------	--	------------------

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 50 kg / 110 lb




Light sources included (dimmable):

40 x Built-in LED 5,7 W


A



B



Lampshades




Estadio 105

1 support

Miguel Milá
1992

For further information on light sources go to p. 122



Composition

EST10 + FSCG1 **\$ 11,255**

Code	Description	
EST10	Black metal structure with glass block lampshade	\$ 8,900
FSCG1	1 support hanging system	\$ 2,355

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 93 kg / 205 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

12 x LED bulb 13,5 W

Other light sources:


Max. 12 x 75 W

Estadio 105

3 supports

Miguel Milá
1992

For further information on light sources go to p. 122



Composition

EST10 + FSCG3 **\$ 10,995**

Code	Description	
EST10	Black metal structure with glass block lampshade	\$ 8,900
FSCG3	3 supports hanging system	\$ 2,095

Stainless steel structure hanging system.

Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 93 Kg / 205 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

12 x LED bulb 13,5 W


Other light sources:

Max. 12 x 75 W

Estadio 150

1 support

Miguel Milá
1992



Composition

EST15 + FSCG1 **\$ 16,255**

Code	Description	
EST15	Black metal structure with glass block lampshade	\$ 13,900
FSCG1	1 support hanging system	\$ 2,355

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 158 Kg / 348 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

18 x LED bulb 13,5 W


Other light sources:

Max. 18 x 75 W

Estadio 150

3 supports

Miguel Milá
1992



For further information on light sources go to p. 122

Composition

EST15 + FSCG3 **\$ 15,995**

Code	Description	
EST15	Black metal structure with glass block lampshade	\$ 13,900
FSCG3	3 supports hanging system	\$ 2,095

Stainless steel structure hanging system.

Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.4"

Weight: 158 Kg / 348 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

18 x LED bulb 13,5 W

Other light sources:


Max. 18 x 75 W

Estadio 250

1 support

Miguel Milá
1992

For further information on light sources go to p. 122



Composition

EST24 + FSCG1 \$ 25,855

Code Description

EST24 Black metal structure with glass block lampshade \$ 23,500
FSCG1 1 support hanging system \$ 2,355

The structure is delivered in 2 parts.

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted

or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 330 Kg / 728 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

24 x LED bulb 13,5 W

Recommended light source:


Max. 24 x 75 W

Estadio 250

3 supports

Miguel Milá
2002

For further information on light sources go to p. 122



Composition

EST24 + FSCG3 \$ 25,595

Code Description

EST24 Black metal structure with glass block lampshade \$ 23,500
FSCG3 3 supports hanging system \$ 2,095

The structure is delivered in 2 parts. Stainless steel structure hanging system. Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 330 Kg / 728 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

24 x LED bulb 13,5 W




Other light sources:

Max. 24 x 75 W

Línea Estadio

Miguel Milá
2014

For further information on light sources go to p. 122




Examples of composition	Modules	Drawing	
ESTL1	1 module	A	\$ 5,800
ESTL1 + ESTL2	2 modules	A + B	\$ 10,900
ESTL1 + 2 ESTL2 + ESTL3	4 modules (with 75 W light source)	A + 2B + C	\$ 21,400

Code	Structure with hanging system		
ESTL1	Initial module	A	\$ 5,800
ESTL2	Alignment module	B	\$ 5,100
ESTL3	Power supply module (> 1200 W)	C	\$ 5,400


Black metal structure with glass block lampshade.
Stainless steel hanging system.
Satin nickel metallic canopy included.
Maximum 1200W per line (6A). One connection per line.
For more than 1200 W, use an extra power supply module (ESTL3).
Junction Box adaptor included Ø11,7 cm / 4.6"
This fixture must be mounted or supported independently of a Junction Box.
Electric cable length: 4 m / 157.5"
Weight (1 module): 52 kg / 115 lb



Examples of composition: **A + B**



Examples of composition with light source 75 W (> 1200 W): **A + 2B + C**




Bulb socket:
E26 (Max. hgt. 155 mm / 6.1")
Recommended light source:
5 x LED bulb 13,5 W
Other light sources:
Max. 5 x 75 W

GT4

Gabriel Ordeig Cole
1983

For further information on light sources go to p. 122

**Composition**

SIS13 + PGT41	\$ 900
SIS21B + PGT41	\$ 875
SIS21N + PGT41	\$ 875
SIS22 + PGT41	\$ 875

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PGT41	Stitched beige parchment	\$ 685
--------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p. 103).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 13,5 W

Other light sources:


Max. 60 W

GT5

Santa & Cole Team
1994

For further information on light sources go to p. 122

 **Quick Ship**

**Examples of composition**

SIS13 + GT513	\$ 780
SISD13 + GT507	\$ 955

Code	Sisisi canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190
SISD13	Satin nickel	Black	Double	\$ 330
SISD21B	Textured white finish	White	Double	\$ 310
SISD21N	Textured white finish	Black	Double	\$ 310
SISD22	Textured black finish	Black	Double	\$ 310

Ribbon lampshade

GT513	Natural	\$ 565
GT515	Red-amber	\$ 565
GT516	Black	\$ 565
GT507	Terracotta Raw Color	\$ 625
GT508	Mustard Raw Color	\$ 625
GT509	Green Raw Color	\$ 625

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Canopy suitable for side entry adaptor (p. 103).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source:

1 x / 2 x LED bulb 10 W

Other light sources:


Max. 1 x / 2 x 100 W

GT6

Santa & Cole Team
1994

For further information on light sources go to p. 122

 **Quick Ship**

**Examples of composition**

SIS13 + GT613	\$ 640
SISD13 + GT607	\$ 800

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190
SISD13	Satin nickel	Black	Double	\$ 330
SISD21B	Textured white finish	White	Double	\$ 310
SISD21N	Textured white finish	Black	Double	\$ 310
SISD22	Textured black finish	Black	Double	\$ 310

Lampshade

GT613	Natural ribbon	\$ 425
GT615	Red-amber ribbon	\$ 425
GT616	Black ribbon	\$ 425
GT607	Terracotta Raw Color ribbon	\$ 470
GT608	Mustard Raw Color ribbon	\$ 470
GT609	Green Raw Color ribbon	\$ 470
GT618	White linen	\$ 425

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor (p. 103).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 100 W

GT7

Santa & Cole Team
2000

For further information on light sources go to p. 122

**Composition**

GT701 + GT722 + GT7Px*	\$ 2,380
GT701 + GT722 + GT7Px**	\$ 2,500
GT701 + GT713 + GT7Px*	\$ 2,400
GT701 + GT713 + GT7Px**	\$ 2,520

Code Socket assembly

GT701	White with black cable	\$ 460
-------	------------------------	--------

Circular metal canopy

GT722	Black	\$ 170
GT713	Satin nickel	\$ 190

Ribbon lampshade

*GT7P3	Natural	\$ 1,750
*GT7P5	Red-amber	\$ 1,750
*GT7P6	Black	\$ 1,750
**GT7P7	Terracotta Raw Color	\$ 1,870
**GT7P8	Mustard Raw Color	\$ 1,870
**GT7P9	Green Raw Color	\$ 1,870

Black metal disc on the upper part: Ø 40 cm / 15.6"
and translucent white PVC diffuser disc on the lower part: Ø 60 cm / 23.7"
Ceiling rosette suitable for side entry adaptor (p. 103).
Suitable for Junction Box.
Electric cable length: 8 m / 315"
Weight: 7 Kg / 15 lb

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source:

3 x LED bulb 13,5 W


Other light sources:

Max. 3 x 60 W

GT1000

Santa & Cole Team
2013

For further information on built-in LED go to p. 126

**Composition**

GT1502 + GT10Px*	\$ 5,495
GT1502 + GT10Px**	\$ 5,680

Code Electrical structure + lamp socket

GT1502	LED	\$ 3,000
---------------	-----	-----------------

Ribbon lampshade

*GT10P3	Natural	\$ 2,495
*GT10P5	Red-amber	\$ 2,495
*GT10P6	Black	\$ 2,495
**GT10P7	Terracotta Raw Color	\$ 2,680
**GT10P8	Mustard Raw Color	\$ 2,680
**GT10P9	Green Raw Color	\$ 2,680

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 83 cm. / 32.7".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 8 m / 315"

Weight: 12 Kg / 26.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

GT1500

Santa & Cole Team
2011

For further information on built-in LED go to p. 126

**Composition**

GT1502 + GT15Px*	\$ 6,750
GT1502 + GT15xx**	\$ 7,020

Code Electrical structure + lamp socket

GT1502	LED	\$ 3,000
---------------	-----	-----------------

Ribbon lampshade

*GT15P3	Natural	\$ 3,750
*GT15P5	Red-amber	\$ 3,750
*GT15P6	Black	\$ 3,750
**GT15P7	Terracotta Raw Color	\$ 4,020
**GT15P8	Mustard Raw Color	\$ 4,020
**GT15P9	Green Raw Color	\$ 4,020

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 125 cm / 49.2".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 8 m / 315"

Weight: 17 Kg / 37.5 lb



Light source included (dimmable):


Built-in LED 78 W

HeadHat Bowl S

Santa & Cole Team
2013

For further information on built-in LED go to p. 126

 **Quick Ship** **New Material**



Examples of composition

HEFD0x* + HEL03 + HATS1x*	\$ 705
HEFD0x* + HEL08 + HATS1x*	\$ 735
HEFD0x* + HEL08 + HATS13	\$ 675

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Lampshade

*HATS12	White ceramic S	\$ 190
*HATS11	Black ceramic S	\$ 190
HATS13	White opal glass S	\$ 130

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105) and Cirio structures (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,1 kg / 2.4 lb



Light source included (dimmable):


Built-in LED 7,7 W

HeadHat Bowl L

Santa & Cole Team
2013

For further information on built-in LED go to p. 126

New Material



Examples of composition

HEFD0x* + HEL03 + HATL1x*	\$ 810
HEFD0x* + HEL08 + HATL1x*	\$ 840
HEFD0x* + HEL08 + HATL13	\$ 770

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Lampshade

*HATL12	White ceramic L	\$ 295
*HATL11	Black ceramic L	\$ 295
HATL13	White opal glass L	\$ 225

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105) and Cirio structures. (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,6 kg / 3.5 lb




Light source included (dimmable):

Built-in LED 7,7 W


HeadHat Plate S

Santa & Cole Team
2013

For further information on built-in LED go to p. 126



Diffuser



Examples of composition

HEFD0x* + HEL03 + HATS02 + 6HAT01	\$ 1,005
HEFD0x* + HEL08 + HATS02 + 6HAT01	\$ 1,035

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Metallic lampshade

HATS02	White S	\$ 390
--------	---------	--------

Diffuser

6HAT01	White methacrylate	\$ 100
--------	--------------------	--------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105) and Cirio structures (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,5 kg / 3 lb




Light source included (dimmable):

Built-in LED 7,7 W


HeadHat Plate M

Santa & Cole Team
2013

For further information on built-in LED go to p. 126



Diffuser



Examples of composition

HEFD0x* + HEL03 + HATM02 + 6HAT01	\$ 1,075
HEFD0x* + HEL08 + HATM02 + 6HAT01	\$ 1,105

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Metallic lampshade

HATM02	White M	\$ 460
---------------	---------	---------------

Diffuser

6HAT01	White methacrylate	\$ 100
---------------	--------------------	---------------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105) and Cirio structures (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,9 kg / 4.2 lb




Light source included (dimmable):

Built-in LED 7,7 W


HeadHat Plate L

Santa & Cole Team
2013

For further information on built-in LED go to p. 126



Diffuser



Examples of composition

HEFD0x* + HEL03 + HATL02 + 6HAT01	\$ 1,280
HEFD0x* + HEL08 + HATL02 + 6HAT01	\$ 1,310

Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Metallic lampshade

HATL02	White L	\$ 665
--------	---------	--------

Diffuser

6HAT01	White methacrylate	\$ 100
--------	--------------------	--------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105).

and Cirio structures (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 3 kg / 6.8 lb




Light source included (dimmable):

Built-in LED 7,7 W

Leonardo 60

Antoni Arola
2003

For further information on light sources go to p. 122



Code	Description	
LEO02	Slats of natural birch wood	\$ 3,570

Stainless steel inner structure.
White metallic circular canopy included.
Suitable for Junction Box.
Electric cable length: 3 m / 118.1"
Weight: 3 Kg / 6.6 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 13,5 W


Other light source:

Max. 150 W

Leonardo 100

Antoni Arola
2003

For further information on light sources go to p. 122



Code	Description	
LEO12	Slats of natural birch wood	\$ 6,925

Stainless steel inner structure.
White metallic circular canopy included.
Suitable for Junction Box.
Electric cable length: 3 m / 118.1"
Weight: 3,7 kg / 8.2 lb



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:


LED bulb 13,5 W

Other light source:

Max. 150 W

M64Miguel Milá
1964

For further information on built-in LED go to p. 126

 **Quick Ship** **New Color****Examples of composition**

HEFD0x** + HEL03 + M640x*	\$ 915
HEFD0x** + HEL08 + M6404	\$ 1,125

Code Circular metal canopy + power supply

**HEFD01	Black surface dimmable 1-10V	\$ 295
**HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Lampshade

*M6401	White matte aluminium	\$ 400
*M6402	Black matte aluminium	\$ 400
*M6403	Polished aluminium	\$ 400
*M6405	Brilliant red aluminium	\$ 400
M6404	Brass	\$ 580

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 105) and Cirio structures (p. 44-45).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1 - 8 m / 315"

Weight with brass lampshade: 1,35 kg / 2.98 lb

Weight with aluminium lampshade: 1 kg / 2.2 lb

**Light sources included (dimmable):**


Built-in LED 7,7 W

M68

Miguel Milá
1962

For further information on light sources go to p. 122

 **Quick Ship** **New Color**



Code	Lampshade	Circular canopy	
CAM02	White matte aluminium	White	\$ 885
CAM03	Polished aluminium	Chrome-plated	\$ 790
CAM05	Brilliant red aluminium	Red	\$ 885
CAM06	Black matte aluminium	Black	\$ 885

Canopy suitable for side entry adaptor (p. 103).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 1,6 kg / 3.5 lb



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 100 W

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 126



Code Metallic lampshades

MAI32L	White	\$ 890
MAI324L	Nude rose	\$ 920

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 1,4 kg / 3.1 lb




Light source included (dimmable):

Built-in LED 6 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 126



Code Metallic lampshades

MAI31L	Whites	\$ 1,220
---------------	--------	----------

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 2,9 kg / 6.4 lb




Light source included (dimmable):

Built-in LED 8,4 W





Moaré

Antoni Arola
2003

For further information on light sources go to p. 122



Lampshades



Examples of composition

MRE31 + MREmX*	\$ 1,320
MRE31 + MREmX* + MRESx*	\$ 1,630
MRE31 + MRELx*	\$ 1,510
MRE31 + MRELx* + MREmX*	\$ 2,040
MRE31 + MREXx*	\$ 1,990
MRE31 + MREXx* + MREmX*	\$ 2,520
MRE31 + MREXx* + MRELx*	\$ 2,710

Code	Structure	
MRE31	With cylindrical acrylsatiné methacrylate diffuser	\$ 790

Lampshade S

*MRES3	White	\$ 310
*MRES5	Red	\$ 310
*MRES6	Grey	\$ 310

Lampshade M

*MREM3	White	\$ 530
*MREM5	Red	\$ 530
*MREM6	Grey	\$ 530
*MREM7	Black	\$ 530

Lampshade L

*MREL3	White	\$ 720
*MREL5	Red	\$ 720
*MREL6	Grey	\$ 720
*MREL7	Black	\$ 720

Lampshade X

*MREX3	White	\$ 1,200
*MREX5	Red	\$ 1,200
*MREX6	Grey	\$ 1,200
*MREX7	Black	\$ 1,200

Metallic graphite black square canopy included.

Polyester lampshade.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

Recommended light source:

3 x LED bulb 10 W


Other light sources:

Max. 3 x 100 W

Moaré Liviana S

Antoni Arola
2017

For further information on light sources go to p. 122



Composition

SIS13 + MRESL3	\$ 695
SIS21B + MRESL3	\$ 670
SIS21N + MRESL3	\$ 670
SIS22 + MRESL3	\$ 670

Code	Sisísí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Polyester lampshade

MRESL3	White S	\$ 480
---------------	---------	---------------

White cardboard cylindrical diffuser.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Moaré Liviana M

Antoni Arola
2017

For further information on light sources go to p. 122

**Composition**

SIS13 + MREML3	\$ 935
SIS21B + MREML3	\$ 910
SIS21N + MREML3	\$ 910
SIS22 + MREML3	\$ 910

Code	Sisipi canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Polyester lampshade

MREML3	White M	\$ 720
---------------	---------	---------------

White cardboard cylindrical diffuser.
Suitable for Junction Box.
Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Nagoya

Ferran Freixa
1961

For further information on light sources go to p. 122



Code	Description	
NAGN3	Wood strips lampshade	\$ 765

With plug.
Electric cable length: 3 m / 118.1"
Weight: 1,1 kg / 2.4 lb

**Bulb socket:**

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Nimba 60

Antoni Arola
1997

For further information on built-in LED go to p. 126



Code	Stainless steel structure	
NIM06LED	Matte finish. Dimmable 1-10 V	\$ 3,980
NIM06LED-DALI	Matte finish. Dimmable DALI	\$ 3,980
NIM063LED	Golden finish. Dimmable 1-10 V	\$ 4,180
NIM063LED-DALI	Golden finish. Dimmable DALI	\$ 4,180

White PVC lampshade.
Black metallic circular canopy included
with power supply incorporated.
Suitable for dimming 1-10V / DALI.
(Not included external dimmer switch 1-10V / DALI).
Suitable for Junction Box.
Electric cable length: 5 m / 196.8"
Weight: 7,4 kg / 16.3 lb




Light source included (dimmable):

Built-in LED 45 W

Nimba 90

Antoni Arola
1997

For further information on built-in LED go to p. 126



Code	Stainless steel structure	
NIM09LED	Matte finish. Dimmable 1-10 V	\$ 5,500
NIM09LED-DALI	Matte finish. Dimmable DALI	\$ 5,500
NIM093LED	Golden finish. Dimmable 1-10 V	\$ 5,700
NIM093LED-DALI	Golden finish. Dimmable DALI	\$ 5,700

White PVC lampshade.
Black metallic circular canopy included
with power supply incorporated.
Suitable for dimming 1-10V / DALI.
(Not included external dimmer switch 1-10V / DALI).
Suitable for Junction Box.
Electric cable length: 5 m / 196.8"
Weight: 9,5 kg / 20.9 lb




Light source included (dimmable):

Built-in LED 65 W

Nimba 120

Antoni Arola
1997

For further information on built-in LED go to p. 126



Code	Stainless steel structure	
NIM12LED	Matte finish. Dimmable 1-10 V	\$ 8,530
NIM12LED-DALI	Matte finish. Dimmable DALI	\$ 8,530
NIM123LED	Golden finish. Dimmable 1-10 V	\$ 8,730
NIM123LED-DALI	Golden finish. Dimmable DALI	\$ 8,730

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 12,6 kg / 27.8 lb


**Light source included (dimmable):**

Built-in LED 95 W

Nimba 180

Antoni Arola
1997

For further information on built-in LED go to p. 126



Code	Stainless steel structure	
NIM18LED	Matte finish. Dimmable 1-10 V	\$ 14,250
NIM18LED-DALI	Matte finish. Dimmable DALI	\$ 14,250
NIM183LED	Golden finish. Dimmable 1-10 V	\$ 14,450
NIM183LED-DALI	Golden finish. Dimmable DALI	\$ 14,450

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 17 kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 140 W

Sexta

Miguel Milá
2003

For further information on light sources go to p. 122



Composition

SXT41 + SXT01	\$ 3,280
SXT41 + SXT02	\$ 3,305
SXT41 + SXT03	\$ 3,600
SXT41 + SXT00	\$ 2,930
SXT41 + SXT01 + 6SXT03	\$ 3,640
SXT41 + SXT02 + 6SXT03	\$ 3,665
SXT41 + SXT03 + 6SXT03	\$ 3,960
SXT41 + SXT00 + 6SXT03	\$ 3,290

Code 6 Lampshades

SXT41	White translucent PVC	\$ 2,750
-------	-----------------------	----------

6 Lower discs (optionals)

6SXT03	Translucent opal methacrylate	\$ 360
--------	-------------------------------	--------

Telescopic tube

SXT01	40 / 75 cm - 15.75 / 29.5"	\$ 530
SXT02	82 / 152 cm - 32.3 / 59.8"	\$ 555
SXT03	156 / 302 cm - 61.4 / 118.9"	\$ 850
SXT00	Without telescopic tube	\$ 180

Chrome-plated structure, pendulous and telescopic support.

Chrome-plated metallic circular canopy included.

Suitable for side entry adaptor (p. 103).

Junction Box adaptor included \varnothing 11.7 cm / 4.6".

Weight: 6 Kg / 13.2 lb



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source:

6 x LED bulb 10 W


Other light sources:

Max. 6 x 60 W

Sexta 12

Miguel Milá
2014

For further information on light sources go to p. 122



Code Structure and circular canopy

SXT12 Chrome-plated \$ 6,090

12 lower discs (optional)

6SXT04 Translucent opal methacrylate \$ 625

Hanging system of 1 support.
12 white translucent PVC lampshades.
Suitable for Junction Box.
Weight: 8,2 kg / 18 lb



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source:

12 x LED bulb 10 W

Other light sources:


Max. 12 x 60 W

Sistema Fonda


Gabriel Ordeig Cole
1990

For further information on light sources go to p. 122


AP1



AP2



AP3



Examples of composition

Examples of composition	Structure	Drawing	
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP101	3 Lampshades	AP1	\$ 1,875
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP201	3 Lampshades	AP2	\$ 1,950
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PM101	3 Lampshades	AM1	\$ 2,160
6 FON23 + 2 FONU3 + 4 FONA3 + CSF01 + FSC13 + 18 PP203	18 Lampshades		\$ 9,640

Code Structure

Code	Structure		
FON13	For 1 lampshade	B	\$ 365
FON23	For 3 lampshades	C	\$ 885

Lampshade P1

Code	Structure		
PP101	Stitched beige parchment	P1	\$ 130
PP103	Natural ribbon	P1	\$ 120
PP105	Red-amber ribbon	P1	\$ 120
PP106	Black ribbon	P1	\$ 120
PP107	Terracotta Raw Color ribbon	P1	\$ 155
PP108	Mustard Raw Color ribbon	P1	\$ 155
PP109	Green Raw Color ribbon	P1	\$ 155

Lampshade P2

Code	Structure		
PP201	Stitched beige parchment	P2	\$ 155
PP203	Natural ribbon	P2	\$ 145
PP208	White linen	P2	\$ 200

Lampshade M1

Code	Structure		
PM101	Stitched beige parchment	M1	\$ 225
PM103	Natural ribbon	M1	\$ 230
PM105	Red-amber ribbon	M1	\$ 230
PM106	Black ribbon	M1	\$ 230
PM107	Terracotta Raw Color ribbon	M1	\$ 245
PM108	Mustard Raw Color ribbon	M1	\$ 245
PM109	Green Raw Color ribbon	M1	\$ 245
PML108	White linen	M1	\$ 270

Connection


Code	Structure		
FONF3	End	D	\$ 180
FONU3	Intermediate	E	\$ 190
FONA3	90° angle	F	\$ 275

Canopy


Code	Structure		
CSF01	3 m / 118.1" electric cable		\$ 50
FSC13	S&C canopy		\$ 190



Lampshades



Structure



Satin nickel tubular structure with natural beech wood supports for 1 or 3 lampshades.
S&C satin nickel metallic canopy included.

Suitable for side entry adaptor.

Maximum 1200 W per line (6A). One connection per line.

Junction Box adaptor included \varnothing 11.7 cm / 4.6".

Weight structure for 3 lampshades (without lampshade): 2.7 kg / 5.9 lb

Weight structure for 18 lampshades (without lampshade): 13 kg / 29 lb

Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")


Recommended light source:

1 x / 3 x LED bulb 10 W

Other light sources:

Max. 1 x / 3 x 100 W

Examples of composition



Sistema Gran Fonda

Gabriel Ordeig Cole
1990

For further information on light sources go to p. 122

Examples of composition		Structure	
FON18 + 2 FONF3 + PGF15 + FSC13 + CSF01		For 1 lampshade	\$ 1,495
FON18 + FON28 + 2 FONF3 + FONU3 + 3 PGF13 + FSC13 + CSF01		For 3 lampshades	\$ 3,390
Code	Structure	Drawing	
FON18	For 1 lampshade	B	\$ 460
FON28	For 2 lampshades	C	\$ 835
Lampshade			
PGF13	Natural ribbon	D	\$ 435
PGF15	Red-amber ribbon	D	\$ 435
PGF16	Black ribbon	D	\$ 435
PGF17	Terracotta Raw Color ribbon	D	\$ 485
PGF18	Mustard Raw Color ribbon	D	\$ 485
PGF19	Green Raw Color ribbon	D	\$ 485
PGFL18	White linen	D	\$ 435
Connection			
FONF3	End	E	\$ 180
FONU3	Intermediate	F	\$ 190
FONA3	90° angle	G	\$ 275
Canopy			
CSF01	3 m / 118.1" electric cable		\$ 50
FSC13	S&C canopy		\$ 190

Satin nickel tubular structure for 1 or 2 lampshades.

Each lampshade includes a translucent white diffuser disk.

S&C satin nickel metallic canopy included.

Suitable for side entry adaptor.

Maximum 1200W per line (6A). One connection per line.

Electric cable length: 3 m / 118.1"

Junction Box adaptor included Ø 11.7 cm / 4.6".

Weight structure with 1 lampshade: 4 kg / 8.8 lb

Weight structure for 3 lampshades: 6,3 kg / 14 lb



Bulb socket:

E26 (Max. hgt. 125 mm / 4.9")


Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 100 W


Lampshade




Three lampshades composition



Structure




Examples of composition



Sistema Sisisí PT1

Santa & Cole Team
1993

For further information on light sources go to p. 122



Examples of composition

SIS13 + PPT11	\$ 460
SIS21B + PPT13	\$ 430
SIS22 + PPT17	\$ 455

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PPT11	Stitched beige parchment	\$ 245
PPT13	Natural ribbon	\$ 240
PPT15	Red-amber ribbon	\$ 240
PPT16	Black ribbon	\$ 240
PPT17	Terracotta Raw Color ribbon	\$ 265
PPT18	Mustard Raw Color ribbon	\$ 265
PPT19	Green Raw Color ribbon	\$ 265

Canopy suitable for side entry adaptor (p. 103).
Junction Box adaptor included $\text{Ø} 11,7 \text{ cm} / 4,6''$.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí PT2

Santa & Cole Team
1993

For further information on light sources go to p. 122



Composition

SIS13 + PPT21	\$ 480
SIS21B + PPT21	\$ 455
SIS21N + PPT21	\$ 455
SIS22 + PPT21	\$ 455
SIS13 + PPT23	\$ 470
SIS21B + PPT23	\$ 445
SIS21N + PPT23	\$ 445
SIS22 + PPT23	\$ 445

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PPT21	Stitched beige parchment	\$ 265
PPT23	Natural ribbon	\$ 255



Canopy suitable for side entry adaptor (p. 103).

Junction Box adaptor included Ø 11.7 cm / 4.6".

Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí MT1

Santa & Cole Team
1993

For further information on light sources go to p. 122



Examples of composition

SIS13 + PMT11	\$ 440
SIS21B + PMT13	\$ 420
SIS22 + PMT17	\$ 435

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PMT11	Stitched beige parchment	\$ 225
PMT13	Natural ribbon	\$ 230
PMT15	Red-amber ribbon	\$ 230
PMT16	Black ribbon	\$ 230
PMT17	Terracotta Raw Color ribbon	\$ 245
PMT18	Mustard Raw Color ribbon	\$ 245
PMT19	Green Raw Color ribbon	\$ 245
PMTL18	White linen	\$ 270

Canopy suitable for side entry adaptor (p. 103).
Junction Box adaptor included $\text{Ø} 11.7 \text{ cm} / 4.6''$.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí MT2

Santa & Cole Team
1993

For further information on light sources go to p. 122



Composition

SIS13 + PMT21	\$ 480
SIS21B + PMT21	\$ 455
SIS21N + PMT21	\$ 455
SIS22 + PMT21	\$ 455

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PMT21	Stitched beige parchment	\$ 265
--------------	--------------------------	--------

Canopy suitable for side entry adaptor (p. 103).
Junction Box adaptor included $\varnothing 11,7$ cm / 4.6".



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Sistema Sisisí GT1

Santa & Cole Team
1993

For further information on light sources go to p. 122



Examples of composition

SIS13 + PGT11	\$ 635
SISD13 + PGT17	\$ 780

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190
SISD13	Satin nickel	Black	Double	\$ 330
SISD21B	Textured white finish	White	Double	\$ 310
SISD21N	Textured white finish	Black	Double	\$ 310
SISD22	Textured black finish	Black	Double	\$ 310

Lampshade

PGT11	Stitched beige parchment	\$ 420
PGT13	Natural ribbon	\$ 410
PGT15	Red-amber ribbon	\$ 410
PGT16	Black ribbon	\$ 410
PGT17	Terracotta Raw Color ribbon	\$ 450
PGT18	Mustard Raw Color ribbon	\$ 450
PGT19	Green Raw Color ribbon	\$ 450
PGTL18	White linen	\$ 480

Canopy suitable for side entry adaptor (p. 103).
Junction Box adaptor included \varnothing 11.7 cm / 4.6".



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT2

Santa & Cole Team
1993

For further information on light sources go to p. 122



Examples of composition

SIS13 + PGT23	\$ 635
SISD13 + PGT28	\$ 750

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190
SISD13	Satin nickel	Black	Double	\$ 330
SISD21B	Textured white finish	White	Double	\$ 310
SISD21N	Textured white finish	Black	Double	\$ 310
SISD22	Textured black finish	Black	Double	\$ 310

Lampshade

PGT23	Natural ribbon	\$ 420
PGT25	Red-amber ribbon	\$ 420
PGT26	Black ribbon	\$ 420
PGT28	White linen	\$ 420

Canopy suitable for side entry adaptor (p. 103).

Junction Box adaptor included Ø 11.7 cm / 4.6".



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT3

Santa & Cole Team
1993

For further information on light sources go to p. 122



Examples of composition

SIS13 + PGT31	\$ 575
SIS21B + PGT33	\$ 540
SIS22 + PGT37	\$ 570

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Lampshade

PGT31	Stitched beige parchment	\$ 360
PGT33	Natural ribbon	\$ 350
PGT35	Red-amber ribbon	\$ 350
PGT36	Black ribbon	\$ 350
PGT37	Terracotta Raw Color ribbon	\$ 380
PGT38	Mustard Raw Color ribbon	\$ 380
PGT39	Green Raw Color ribbon	\$ 380
PGTL38	White linen	\$ 390

Canopy suitable for side entry adaptor (p. 103).
Junction Box adaptor included Ø 11.7 cm / 4.6".



Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 13,5 W


Other light sources:

Max. 60 W

Vaghe Stelle

Antoni de Moragas i Spà
1983

For further information on light sources go to p. 122



Code Description

VGS01	Structure, socket, central ring and circular canopy made of polished varnished brass. Pyrex tubes. Transparent electrical cable.	\$ 5,690
--------------	--	-----------------

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 10 Kg / 22 lb



Bulb socket:

E12 (Max. hgt. 155 mm / 6.1")


Recommended light source:

18 x Filament tubular incandescent bulbs 25 W

Sisisí canopy

Gabriel Ordeig Cole

1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215
SIS21B	Textured white finish	White	Simple	\$ 190
SIS21N	Textured white finish	Black	Simple	\$ 190
SIS22	Textured black finish	Black	Simple	\$ 190

Black or white PVC cable (depending on model), with lamp holder and support for lampshade.

Suitable for side entry adaptor (p. 103).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 0,5 kg / 1.1 lb



Bulb socket:

E26 (Max. hgt. depending on shade)

Recommended light source:

LED bulb 10 or 13,5 W

Other light sources:


Max. 60 W

Sisisí canopy

Dual lamp socket

Gabriel Ordeig Cole

1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SISD13	Satin nickel	Black	Double	\$ 330
SISD21B	Textured white finish	White	Double	\$ 310
SISD21N	Textured white finish	Black	Double	\$ 310
SISD22	Textured black finish	Black	Double	\$ 310

Black or white PVC cable (depending on model), with 2 lamp holders and support for lampshade.

Suitable for side entry adaptor (p. 103).

Can be combined with GT1, GT2, GT5 and GT6 lampshades.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 0,7 kg / 1.5 lb



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

Recommended light source:


2 x LED bulb 10 or 13,5 W

Other light sources:

Max. 2 x 100 W

S & C canopy

Gabriel Ordeig
1993



Code	Metallic structure	
FSC13	Satin nickel	\$ 190
FSC21	Textured white finish	\$ 145
FSC22	Textured black finish	\$ 145

Suitable for side entry adaptor (p. 103).

Junction Box adaptor included Ø 11.7 cm / 4.6".

S & C Connection

Santa & Cole Team
1997



Code	Length	Color	
CSC01	3 m / 118.1"	Black	\$ 75
CSC02	8 m / 315"	Black	\$ 130
CSC01B	3 m / 118.1"	White	\$ 75
CSC02B	8 m / 315"	White	\$ 130

Black or white PVC cable (depending on model),
with lamp holder and support for lampshade.



Bulb socket:

E26 (Max. hgt. depending on shade)


Recommended light source:

LED bulb 10 or 13,5 W

Other light sources:

Max. 60 W


Side entry adaptor



Code	Description	
6FSC01	Side entry adaptor	\$ 70

HeadLed System S & C LED Capsule

Santa & Cole Team
2013



Code LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable with HeadLed System lampshades (p. 105).




Light source included:

Built-in LED 7,7 W

HeadLed System S & C LED canopy

Santa & Cole Team
2013



Code Circular metal canopy + power supply

HEFD01	Black surface – 7,7 W dimmable 1-10V	\$ 295
HEFD02	White surface – 7,7 W dimmable 1-10V	\$ 295

Metallic circular canopy with a smooth matte finish and power supply incorporated.






Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).



Headled System S & C LED Lampshades

New Material

Santa & Cole Team
2013



Code	Lampshade	Finish	Drawing	
	Cirio			
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

HeadHat				
HATS12	White ceramic S	Matte interior and gloss exterior	SC	\$ 190
HATS11	Black ceramic S	Matte interior and gloss exterior	SC	\$ 190
HATS13	White opal glass S	Matte	SC	\$ 130
HATL12	White ceramic L	Matte interior and gloss exterior	LC	\$ 295
HATL11	Black ceramic L	Matte interior and gloss exterior	LC	\$ 295
HATL13	White opal glass L	Matte	SC	\$ 225

HATS02	White metallic S ^[1]	Matte	SM	\$ 390
HATM02	White metallic M ^[1]	Matte	MM	\$ 460
HATL02	White metallic L ^[1]	Matte	LM	\$ 665




6HAT01	White methacrylate diffuser		D	\$ 100
--------	-----------------------------	--	---	--------

M64				
M6401	White aluminium	Matte	M64	\$ 400
M6402	Black aluminium	Matte	M64	\$ 400
M6403	Aluminium	Polished	M64	\$ 400
M6404	Brass	Polished	M64	\$ 580
M6405	Red aluminium	Brilliant	M64	\$ 400

Suitable for S&C LED capsule and Cirio structures.


^[1] Metallic lampshades (HATS02, HATM02 y HATL02) include coupling washer in white methacrylate.

^[2] Optional diffuser only for metallic lampshades: HATS02, HATM02 and HATL02.



Aarhus

Arne Jacobsen, Erik Møller
1946



For further information on light sources go to p. 122

Code	Description	
JAA01	Satin nickel structure White opal glass lampshade	\$ 650

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 40 W

Americana

Miguel Milá
1999



For further information on light sources go to p. 122

Composition

SAM12 + SAMP8		\$ 685
----------------------	--	---------------

Code	Description	
SAM12	Satin nickel structure	\$ 540
SAMP8	White linen lampshade	\$ 145

Rotating arm.

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

BC1

Santa & Cole Team
1995

For further information on light sources go to p. 122

**Examples of composition**

BC102 + PP101	\$ 675
BC102 + PP103	\$ 665
BC102 + PP107	\$ 700

Code	Structure	
BC102	Satin nickel and beech wood handle	\$ 545

Lampshade

PP101	Stitched beige parchment	\$ 130
PP103	Natural ribbon	\$ 120
PP105	Red-amber ribbon	\$ 120
PP106	Black ribbon	\$ 120
PP107	Terracotta Raw Color ribbon	\$ 155
PP108	Mustard Raw Color ribbon	\$ 155
PP109	Green Raw Color ribbon	\$ 155

Moveable arm with plug.

Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W


Other light sources:

Max. 60 W

BC2

Santa & Cole Team
1995

For further information on light sources go to p. 122

**Examples of composition**

BC202 + PP101	\$ 530
BC202 + PP103	\$ 520
BC202 + PP107	\$ 555

Code	Structure	
BC202	Satin nickel and beech wood handle	\$ 400

Lampshade

PP101	Stitched beige parchment	\$ 130
PP103	Natural ribbon	\$ 120
PP105	Red-amber ribbon	\$ 120
PP106	Black ribbon	\$ 120
PP107	Terracotta Raw Color ribbon	\$ 155
PP108	Mustard Raw Color ribbon	\$ 155
PP109	Green Raw Color ribbon	\$ 155

Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

BC3

Santa & Cole Team
1995

For further information on light sources go to p. 122

**Examples of composition**

BC302 + PP101	\$ 675
BC302 + PP103	\$ 665
BC302 + PP107	\$ 700

Code	Structure	
BC302	Satin nickel and beech wood handle	\$ 545

Lampshade

PP101	Stitched beige parchment	\$ 130
PP103	Natural ribbon	\$ 120
PP105	Red-amber ribbon	\$ 120
PP106	Black ribbon	\$ 120
PP107	Terracotta Raw Color ribbon	\$ 155
PP108	Mustard Raw Color ribbon	\$ 155
PP109	Green Raw Color ribbon	\$ 155

Moveable arm.
Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 60 W

BlancoWhite C1 wall rotating

Antoni Arola
2013



For further information on built-in LED go to p. 126

Code	Description	
BWC132	Graphite metal structure with matte finish with power supply incorporated	\$ 1,015

Rotating head.
Suitable for Outlet Box.




Light source included:

Built-in LED 8 W

BlancoWhite C1 wall rotating scene

Antoni Arola
2013



For further information on built-in LED go to p. 126

Code	Description	
BWC132-S5	Graphite metal structure with matte finish with power supply incorporated	\$ 1,110

Rotating head.
Wall Scene red sheet.
Suitable for Outlet Box.




Light source included:

Built-in LED 8 W

BlancoWhite R1 wall

Antoni Arola
2013

For further information on built-in LED go to p. 126



Code	Description	
BWR122	Graphite metal structure with matte finish with power supply incorporated	\$ 985

Suitable for Outlet Box.




Light source included:
Built-in LED 10 W

BlancoWhite R1 wall rotating

Antoni Arola
2013

For further information on built-in LED go to p. 126



Code	Description	
BWR132	Graphite metal structure with matte finish with power supply incorporated	\$ 1,150

Rotating head.
Suitable for Outlet Box.




Light source included:
Built-in LED 10 W

Comodín cuadrado

Santa & Cole Team
1994

For further information on light sources go to p. 122

 **Quick Ship**



Examples of composition

COM01 + COM19	\$ 475
COM01 + COM39	\$ 500

Code	Structure	
COM01	Chrome-plated	\$ 240

Lampshade		
COM18	Stitched beige parchment	\$ 245
COM19	Natural ribbon	\$ 235
COM35	Red-amber ribbon	\$ 235
COM36	Black ribbon	\$ 235
COM37	Terracotta Raw Color ribbon	\$ 260
COM38	Mustard Raw Color ribbon	\$ 260
COM39	Green Raw Color ribbon	\$ 260

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Comodín rectangular

Santa & Cole Team
1994

For further information on light sources go to p. 122

 **Quick Ship**



Examples of composition

COM01 + COM29	\$ 505
COM01 + COM47	\$ 530

Code	Structure	
COM01	Chrome-plated	\$ 240

Lampshade

COM28	Stitched beige parchment	\$ 290
COM29	Natural ribbon	\$ 265
COM45	Red-amber ribbon	\$ 265
COM46	Black ribbon	\$ 265
COM47	Terracotta Raw Color ribbon	\$ 290
COM48	Mustard Raw Color ribbon	\$ 290
COM49	Green Raw Color ribbon	\$ 290

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Disco medium

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p. 126



Code	Description	
DIS04L	Satin nickel structure and lampshade	\$ 640

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.
Suitable for Outlet Box.




Light source included (dimmable):

Built-in LED: 9 W

Disco large

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p. 126



Code	Description	
DIS06L	Satin nickel structure and lampshade	\$ 815

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.
Suitable for Outlet Box.




Light source included (dimmable):

Built-in LED: 9 W

Estadio

Miguel Milá
2015

For further information on light sources go to p. 122



Code	Description	
ESTA1	Black metal structure with white matte reflector 7 glass block shades	\$ 1,150

Diffuser in white translucent methacrylate.
Suitable for Outlet Box.
Weight: 11 kg / 24.25 lb



Bulb socket:

E26 (Max. hgt. 160 mm / 6.3")

Recommended light source:

LED bulb 13,5 W


Other light sources:

Max. 75 W

Singular

Miguel Milá
2000

For further information on light sources go to p. 122



Composition	
COM01 + SIN28	\$ 440

Code	Description	
COM01	Chrome-plated structure	\$ 240
SIN28	White linen lampshade	\$ 200

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W



Other light sources:

Max. 60 W

TMM corto

Miguel Milá
1964

For further information on light sources go to p. 122



Code	Parchment lampshade	Connection	
ATM01	Beige	With plug ^[1]	\$ 585
ATM02	White	With plug ^[1]	\$ 585
ATM31	Beige	Direct wall ^[2]	\$ 565
ATM32	White	Direct wall ^[2]	\$ 565
ATM32D	White with upper diffuser in white translucent methacrylate ^[3]	Direct wall ^[2]	\$ 595

Beech wood structure.

^[1] The light is switched on/off by pulling lightly on the cable.

^[2] Suitable for Outlet Box.

^[3] Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

TMM largo

Miguel Milá
1964

For further information on light sources go to p. 122

Quick Ship



Code	Parchment lampshade	
ATL01	Beige	\$ 595
ATL02	White	\$ 595

Beech wood structure.

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 60 W

TMM MetálicoMiguel Milá
2002

For further information on light sources go to p. 122



Code	Description	
ATL15	Satin nickel structure White methacrylate shade	\$ 535

Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

WallyMiguel Milá
1962

For further information on light sources go to p. 122

Quick Ship



Code	Metallic structure	
WLY01	Bronze finish	\$ 670
WLY02	Matte white	\$ 670

White opal glass lampshade.
Suitable for indoor and outdoor use.
Suitable for Outlet Box.**Bulb socket:**


E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:

Max. 40 W



Amigo


Gonzalo Milá, Miguel Milá. 2009

Amigo

Gonzalo Milá
Miguel Milá
2009

For further information on built-in LED go to p. 126

 **Quick Ship**



Code	Description	
AMA21L	White metallic structure Cylindrical translucent methacrylate diffuser	\$ 950

Suitable for dimming systems 1-10V.
(External dimmer switch 1-10V not included).
Suitable for indoor and outdoor use (Dry and wet location).
Suitable for Outlet Box.

CE  IP 55

 **UL US LISTED**

Light source included (dimmable):
Built-in LED 40 W

Light sources

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others

Table lamps

Americana	1 u.	6W	Max. 60W
Asa	1 u.	6W	Max. 60W
Babel	1 u.	10W	Max. 60W
Básica, M1, M2	1 u.	10W	Max. 100W
Básica Mínima	1 u.	6W	Max. 40W
Cesta	1 u.	10W	Max. 75W
Cestita	1 u.	6W	Max. 7W
Cesta Metálica	1 u.	10W	Max. 60W
Cestita Metálica	1 u.	6W	Max. 40W
Diana Menor	2 u.	6W	Max. 40W (With diffuser: Max. 25W)
Diana	2 u.	10W	Max. 50W (With diffuser: Max. 25W)
FAD	1 u.	6W	Max. 100W
Gira	1 u.	7,2W	
Moragas	3 u.	6W	Max. 30W
TMD	1 u.	6W	Max. 60W
Trípode M3	1 u.	6W	Max. 40W
Trípode G6	1 u.	10W	Max. 100W

Floor lamps

AJ Royal	2 u.	10W	Max. 100W
Americana	1 u.	6W	Max. 60W
Diana	2 u.	13,5W	Max. 75W (With diffuser: Max. 25W)
Diana Mayor	2 u.	13,5W	Max. 75W
Dórica	3 u.	10W	Max. 50W
FAD	1 u.	10W	Max. 100W
GATCPAC	1 u.	13,5W	Max. 150W
Pie de Salón G1, G2, G3	1 u.	13,5W	Max. 100W
TMC	1 u.	10W	Max. 100W
TMD	1 u.	10W	Max. 100W
TMM	1 u.	10W	Max. 100W (With diffuser: Max. 25W)
Trípode G5	1 u.	13,5W	Max. 100W

Wall lamps

Aarhus	1 u.	6W	Max. 40W
Americana	1 u.	6W	Max. 60W
BC1	1 u.	6W	Max. 60W
BC2	1 u.	6W	Max. 60W
BC3	1 u.	6W	Max. 60W
Comodin cuadrado/rectangular	1 u.	6W	Max. 60W
Estadio	1 u.	13,5W	Max. 75W
Singular	1 u.	6W	Max. 60W
TMM corto / largo	1 u.	6W	Max. 60W (With diffuser: Max. 25W)
TMM Metálico	1 u.	6W	Max. 60W
Wally	1 u.	6W	Max. 7W

Recommended Light Sources

Bulb socket	Maximum height (mm / in.)	Dimmer on the luminaire (adjustable light source)*	Product page
E26	105 mm / 4.1"		p. 8
E26	105 mm / 4.1"		p. 8
E26	115 mm / 4.5"	X	p. 9
E26	115 mm / 4.5"	X	p. 10-11
E12	85 mm / 3.3"		p. 12
E26	130 mm / 5.1"	X	p. 14
E26	105 mm / 4.1"	X	p. 14
E26	130 mm / 5.1"	X	p. 16
E26	105 mm / 4.1"	X	p. 17
E26	105 mm / 4.1"	X	p. 18
E26	130 mm / 5.1"	X	p. 19
E26	105 mm / 4.1"	X	p. 20
E26	110 mm / 4.3"		p. 20
E26	115 mm / 4.5"	X	p. 21
E26	105 mm / 4.1"		p. 23
E12	85 mm / 3.3"		p. 24
E26	130 mm / 5.1"	X	p. 25
E26	130 mm / 5.1"	UL Market	p. 26
E26	105 mm / 4.1"		p. 27
E26	137 mm / 5.4"	X	p. 28
E26	137 mm / 5.4"	X	p. 29
E26	130 mm / 5.1"	X	p. 30
E26	130 mm / 5.1"	X	p. 31
E26	160 mm / 6.3"	X	p. 31
E26	137 mm / 5.4"	X	p. 33-34-35
E26	125 mm / 4.9"		p. 36
E26	125 mm / 4.9"		p. 36
E26	125 mm / 4.9"		p. 37
E26	160 mm / 6.3"	X	p. 38
E26	105 mm / 4.1"		p. 106
E26	105 mm / 4.1"		p. 106
E26	105 mm / 4.1"	X	p. 107
E26	105 mm / 4.1"		p. 108
E26	105 mm / 4.1"		p. 109
E26	105 mm / 4.1"		p. 112-113
E26	160 mm / 6.3"		p. 115
E26	105 mm / 4.1"		p. 115
E26	105 mm / 4.1"		p. 116
E26	105 mm / 4.1"		p. 117
E26	105 mm / 4.1"		p. 117

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others

Hanging lamps

Estadio 105	12 u.	13,5W	Max. 75W
Estadio 150	18 u.	13,5W	Max. 75W
Estadio 250	24 u.	13,5W	Max. 75W
Línea Estadio	5 u.	13,5W	Max. 75W
GT4	1 u.	13,5W	Max. 60W
GT5	1 u. / 2 u.	10W	Max. 100W
GT6	1 u. / 2 u.	10W	Max. 100W
GT7	3 u.	13,5W	Max. 60W
Leonardo 60, 100	1 u.	13,5W	Max. 150W
M68	1 u.	10W	Max. 100W
Moaré	3 u.	10W	Max. 100W
Moaré Liviana S, M	1 u.	10W	Max. 60W
Nagoya	1 u.	10W	Max. 60W
Sexta	6 u.	10W	Max. 60W
Sexta 12	12 u.	10W	Max. 60W
Sistema Fonda P1, P2	1 u. / 3 u.	10W	Max. 100W
Sistema Gran Fonda	1 u. / 2 u.	10W	Max. 100W
Sistema Sisisí PT1	1 u.	6W	Max. 60W
Sistema Sisisí PT2	1 u.	6W	Max. 60W
Sistema Sisisí MT1	1 u.	6W	Max. 60W
Sistema Sisisí MT2	1 u.	10W	Max. 60W
Sistema Sisisí GT1	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT2	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT3	1 u.	13,5W	Max. 60W
Vaghe Stelle	18 u.	2W	Max. 25W

Recommended Light Sources

Bulb socket	Maximum height (mm / in.)	Dimmer on the luminaire (adjustable light source)*	Product page
E26	155 mm / 6.1"		p. 64
E26	155 mm / 6.1"		p. 65
E26	155 mm / 6.1"		p. 66
E26	155 mm / 6.1"		p. 67
E26	155 mm / 6.1"		p. 68
E26	130 mm / 5.1"		p. 69
E26	130 mm / 5.1"		p. 70
E26	137 mm / 5.4"		p. 71
E26	155 mm / 6.1"		p. 79
E26	130 mm / 5.1"		p. 81
E26	130 mm / 5.1"		p. 83
E26	155 mm / 6.1"		p. 84-85
E26	115 mm / 4.5"		p. 85
E26	115 mm / 4.5"		p. 88
E26	115 mm / 4.5"		p. 89
E26	115 mm / 4.5"		p. 90
E26	125 mm / 4.9"		p. 92
E26	105 mm / 4.1"		p. 94
E26	105 mm / 4.1"		p. 95
E26	105 mm / 4.1"		p. 96
E26	155 mm / 6.1"		p. 97
E26	115 mm / 4.5"		p. 98
E26	115 mm / 4.5"		p. 99
E26	155 mm / 6.1"		p. 100
E12	155 mm / 6.1"		p. 101

For dimming systems to work properly, (dimmer luminaire / installation), the compact fluorescent and LED light sources must be adjustable.

Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
---------	------------------	-------------------------	------------------------	---------------------

Table lamps

BlancoWhite C1	8W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		100 – 230
BlancoWhite R1 table Rotating	10W	12VDC		100 – 230
Cestita Bateria	3,7W	2,9VDC		100 – 240
Majja 15 LED	12W	24VDC		90 – 264
Sin S	12,5W	24VDC		100 – 230
Sin L	25W	24VDC		100 – 230

Floor lamps

Majja 30 LED	24W	24VDC		90 – 305
--------------	-----	-------	--	----------

Hanging lamps

Arne Domus	33W		700mA	90 – 305
BlancoWhite D1 ceiling / D1 ceiling up&down	22W	12VDC		100 – 230
BlancoWhite D2 ceiling / D2 ceiling up&down	28W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		110 – 277
BlancoWhite Golden Gate	66W	12VDC		110 – 230
Cirio simple	7,7W		700 mA	100 – 277
Cirio múltiple	46,2 – 92,4W = (6u. – 12u.)		700mA	120 – 277
Cirio Cascada 5	46W		700mA	120 – 277
Cirio Cascada 7	65W		700mA	120 – 277
Cirio Cascada 9	83W		700mA	120 – 277
Cirio Cascada 12	110W		700mA	120 – 277
Cirio circular S	92,4W (12u.)		700 mA	120 – 277
Cirio circular M	215,6W (28u.)		700 mA	120 – 277
Cirio circular L	323,4W (42u.)		700 mA	120 – 277
Cirio oval	292,6W (28u. + 5u. + 5u.)		700 mA	120 – 277
Cirio lineal	38,5W (5u.)		700 mA	120 – 277
Cirio Chandelier S	114W (20u.)		530mA	120 – 277
Cirio Chandelier M	171W (30u.)		530mA	120 – 277
Cirio Chandelier L	228W (40u.)		530mA	120 – 277
GT1000	78W		1.400mA	90 – 305
GT1500	78W		1.400mA	90 – 305
HeadHat Bowl / Plate	7,7W		700 mA	100 – 277
M64	7,7W		700 mA	100 – 277
Majja 15	6W		500mA	90 – 305
Majja 30	8,4W		700mA	90 – 305
Nimba 60	45W	24VDC		100 – 277
Nimba 90	65W	24VDC		100 – 277
Nimba 120	95W	24VDC		100 – 277
Nimba 180	140W	24VDC		100 – 277

Wall lamps

BlancoWhite C1 Wall	8W	12VDC		90 – 264
BlancoWhite R1 Wall	10W	12VDC		90 – 264
Disco medium	9W			USA 120
Disco large	9W			USA 120


Garden

Amigo	40W		700mA	90 – 305
-------	-----	--	-------	----------

Luminaires with built-in LED

T ^a Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Product page
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
2.700K	90	40.000h	3 Intensidades de salida de luz	p. 15
2.700K	90	40.000h	Dimmer on the luminaire	p. 21
2.700K	90	40.000h	Dimmer on the luminaire	p. 22
2.700K	90	40.000h	Dimmer on the luminaire	p. 22
2.700K	90	40.000h	Dimmer on the luminaire	p. 32
2.700K	90	40.000h	1-10V	p. 39
3.000K	90	40.000h		p. 40
3.000K	90	40.000h		p. 41
3.000K	90	40.000h	1-10V	p. 42
3.000K	90	40.000h	1-10V	p. 43
2.700K	90	40.000h	1-10V (700mA)	p. 44
2.700K	90	40.000h	1-10V - DALI	p. 45
2.700K	90	40.000h	1-10V - DALI	p. 46
2.700K	90	40.000h	1-10V - DALI	p. 47
2.700K	90	40.000h	1-10V - DALI	p. 48
2.700K	90	40.000h	1-10V - DALI	p. 49
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 50
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 51
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 52
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 54
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 56
2.700K	90	40.000h	1-10V - DALI	p. 58
2.700K	90	40.000h	1-10V - DALI	p. 60
2.700K	90	40.000h	1-10V - DALI	p. 62
2.700K	90	40.000h	1-10V	p. 72
2.700K	90	40.000h	1-10V	p. 73
2.700K	90	40.000h	1-10V	p. 74-75-76-77-78
2.700K	90	40.000h	1-10V	p. 80
2.700K	90	40.000h	1-10V	p. 82
2.700K	90	40.000h	1-10V	p. 82
2.700K	90	40.000h	1-10V - DALI	p. 86
2.700K	90	40.000h	1-10V - DALI	p. 86
2.700K	90	40.000h	1-10V - DALI	p. 87
2.700K	90	40.000h	1-10V - DALI	p. 87
3.000K	90	40.000h		p. 110
3.000K	90	40.000h		p. 111
2.700K	90	40.000h	By phase cut	p. 114
2.700K	90	40.000h	By phase cut	p. 114
2.700K	90	40.000h	1-10V	p. 120

*Voltage adapted to the country of destination.




Subeybaja

Robert Heritage, Roger Webb. 1979

Belloch Chair

Lagranja Design
2009



Code	Color	Legs	
BES11	White	Natural beech wood	\$ 355
BES12	Grey	Natural beech wood	\$ 355
BES14	Black	Natural beech wood	\$ 355
BES16	Green	Natural beech wood	\$ 355
BES17	Red	Natural beech wood	\$ 355
BES21	White	Matte anodized aluminium ^[1]	\$ 380
BES22	Grey	Matte anodized aluminium ^[1]	\$ 380

Polypropylene (PP) + glass fiber seat and back.

Stackable.

^[1] For indoor and outdoor.


Minimum order: 4 units.



ANSI BIFMA 5.1 X

Ramón Chair

Ramón Bigas
1975



Code	Seat and backrest	
RAS13	Natural	\$ 690
RAS14	White	\$ 690

White metallic structure.

Seat and back made of hand-woven synthetic rattan.

Stackable.

For indoor and outdoor.


Minimum order: 4 units.



Digamma Armchair

Ignazio Gardella

1957



Code	Upholstered	
DIB00	Customer's fabric ^[1]	\$ 6,285
DIB01	Black or silk grey Digamma fabric	\$ 7,415

Black metallic legs and polished brass feet.

Upholstered seat, backrest and arms.

3-position reclining back.

Plain fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.

^[1] To be validated by S&C.


On special request also available in CMHR foam with a 5% price increase.



Digamma ottoman

Ignazio Gardella

1957



Code	Upholstered	
DIP00	Customer's fabric ^[1]	\$ 2,380
DIP01	Black or silk grey Digamma fabric	\$ 2,640

Black metallic legs and polished brass feet.

Upholstered seat.

Plain fabric measures: 0,85 m / 0.93 yd long by 1,40 m / 1.53 yd wide.

^[1] To be validated by S&C.

On special request also available in CMHR foam with a 5% price increase.




Cadaqués Lounge Chair

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD10	Customer's fabric	\$ 4,520
CAD11	Kvadrat's fabric ^[1]	\$ 5,120

Beech wood legs with a wenge colour finish.

Plain fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Two Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD20	Customer's fabric	\$ 6,345
CAD21	Kvadrat's fabric ^[1]	\$ 7,620

Beech wood legs with a wenge colour finish.

Plain fabric measures: 8 m / 8.75 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Three Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD30	Customer's fabric	\$ 7,995
CAD31	Kvadrat's fabric ^[1]	\$ 9,920

Beech wood legs with a wenge colour finish.

Plain fabric measures: 12 m / 13.1 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Cadaqués Ottoman

Federico Correa

Alfonso Milá

2010



Code	Upholstered	
CAP00	Customer's fabric	\$ 2,760
CAP01	Kvadrat's fabric ^[1]	\$ 3,410

Beech wood legs with a wenge colour finish.

Plain fabric measures: 1,80 m / 1.97 yd long by 1,40 m / 1.53 yd wide.

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.



Ibiza Lounge Chair

Germán Rodríguez Arias

1957



Code	Upholstered	
IBB00	Customer's fabric	\$ 2,735
IBB01	Kvadrat's fabric ^[1]	\$ 2,925

Chrome-plated steel tube structure.

Plain fabric measures: 1,40 m / 1.53 yd long (70 cm / 0.76 yd seat and 70 cm / 0.76 yd back) and 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.



Moragas Armchair

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOS00	Customer's fabric	\$ 3,920
MOS01	Kvadrat's fabric ^[1]	\$ 4,410

Beech legs with cherry wood colour finish.

Fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOP00	Customer's fabric	\$ 890
MOP01	Kvadrat's fabric ^[1]	\$ 1,040

Beech legs with cherry wood colour finish.

Fabric measures: 2 m / 2.19 yd long by 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

Large Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOP10	Customer's fabric	\$ 1,295
MOP11	Kvadrat's fabric ^[1]	\$ 1,550

Beech legs with cherry wood colour finish.

Fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.



On special request also available in CMHR foam with a 5% price increase.

CE

Belloch cuadrada

Lagranja Design

2009

**Code Description**



BEM11	White metallic structure with natural beech wood legs Color Core white colour top	\$ 2,950
--------------	--	-----------------

CE

Belloch rectangular

Lagranja Design

2009

**Code Description**

BEM21	White metallic structure with natural beech wood legs Color Core white colour top	\$ 3,850
--------------	--	-----------------

CE


Diana alta

Federico Correa

Alfonso Milá

Miguel Milá

1996



Code	Description	
DIA01	Satin nickel structure Safety glass top	\$ 1,020

CE


Diana baja

Federico Correa

Alfonso Milá

Miguel Milá

1996




Code	Description	
DIA02	Satin nickel structure Safety glass top	\$ 1,190

CE

Subeybaja

Robert Heritage, Roger Webb

1979





Code	Structure and top	
SUB03	Natural oak	\$ 2,650
SUB05	Black oak	\$ 2,650

Adjustable to 7 heights, from 39 cm / 15.3" to 72 cm / 28.3".

CE

Noa

Carme Pinós
2007

**Code Structure (2 units)**

NOA21	Grey	\$ 415
NOA22	White	\$ 415

2 metal structure shelves.

20 cm / 7.9" depth.

Each shelf can bear a maximum load of 20kg.

The maximum load may vary depending
on the type of wall it is fitted to.

Shelving unit weight: 5kg / 11lb.



Classification and regulations

EC Regulations

CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



Classification and regulations

Classification of luminaires

CE

· Luminaire classification according to protection against electrical shock:

CLASE I. In addition to being electrically insulated, these luminaires are also provided with an earthing point.



CLASE II. These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



CLASE III. Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

Classification and regulations

Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

Primera cifra:

IP 0 - No protection.

IP 1 - Protected against solid objects > 50 mm.

IP 2 - Protected against solid objects > 12 mm.

IP 3 - Protected against solid objects > 2.5 mm.

IP 4 - Protected against the solid objects of 1 mm.

IP 5 - Protected against dust.

IP 6 - Protected against dust (totally).

Second digit:

IP - 0 No protection.

IP - 1 Protected against water falling vertically.

IP - 2 Protected against direct water drips up to 15° from vertical.

IP - 3 Protected against direct sprays up to 60° from vertical.

IP - 4 Protected against sprays from all directions

IP - 5 Protected against low-pressure jets from all directions.

IP - 6 Protected against high-pressure jets from all directions.

IP - 7 Protected against immersion between 15 cm and 1 m.

IP - 8 Protected against immersion under pressure.

Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

· Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

· Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

· Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

Quality Management System

ISO 9001 is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



Environmental Management System

ISO 14001 ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

1. ORDERS

1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes. Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order.

4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

General conditions of sale

6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: aftersales@santacole.com.

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit.

9. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

10. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

11. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.



Sales US

East and Central

2005 Charleston Trace
Roswell, GA 30075
T. +1 404 858 4610
manuelm@santacole.com

West

3627 Hughes Avenue, Unit 402
Los Angeles, CA 90034
T. +1 424 303 3010
jordi.nadal@santacole.com

New York and Chicago Metro Areas

T. +1 347 852 0810
cindy.rossell@santacole.com

General Inquiries

T. +1 404 858 4610
usinfo@santacole.com

After sales US

usaftersales@santacole.com

Sales Europe

Spain

T. +34 902 460 010
F. +34 902 460 020
ventas@santacole.com

UK - London

T. +44 (0) 7596 831 942
london.uk@santacole.com

HEADQUARTERS

Parc de Belloch
Ctra. C-251, Km 5,6
E-08430 La Roca (Barcelona)
T. +34 938 619 100
F. +34 938 711 767
info@santacole.com
www.santacole.com

Follow us

Facebook, Twitter, Instagram,
Pinterest: @santacole

Last updated on April 2018.

Santa & Cole reserves the right to change prices as necessary.
santacole.com

Excite with simplicity