



SANTA & COLE

Quick Ship
US Price List – Indoor 2018

Dear friends,

We are pleased to present you our **Quick Ship Program**, which comes into force next **15th April 2018**. We hope you find it quick and easy to use.

The Santa & Cole Quick Ship Program includes a selection of our bestseller fixtures from table lamps to pendant and our most iconic floor lamps that can be shipped within 2 weeks from the date we receive your purchasing order.

In this document you will find the list of products and versions available, please be aware that not all versions are part of the program. This selection will also be highlighted in our general Price List for your perusal.

Applicable to products shipped within the US.

This program is designed to fulfil our client needs and meet the challenges of time-sensitive projects.

Your contact for order processing continues to be Vania Armani; you can contact her at vania.armani@santacole.com

As usual, we greatly value your business.

Best wishes,
Roswell, GA, April 2018







8 **Asa**



19 **Maija**



9 **Babel**



20 **TMD**



10 **Básica**
M1
M2



21 **Trípode M3**



11 **Básica Mínima**



22 **Diana**



12 **Cesta Family**
Cesta
Cestita
Cesta Metálica
Cestita Metálica



23 **FAD**



16 **Diana**
Diana Menor
Diana



24 **TMD**



18 **Gira**



25 **TMM**



33 **M64**



26 **Trípode G5**



34 **M68**



27 **Arne Domus**



35 **Comodín**
Cuadrado
Rectangular



28 **Cirio Simple**



36 **TMM Largo**



29 **GT**
GT5
GT6
GT7




37 **Wally**



32 **HeadHat**
Bowl S



38 **Amigo**



Asa

Miguel Milá
1961

Code

ASA12

Description

Black metal structure with matte finish
White translucent methacrylate lampshade

\$ 650



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")


Recommended light source:

LED bulb 6 W

Other light sources:

Max. 60 W





Babel

Àngel Jové
1971

Code	Description	
BAB01	Alabaster column	\$ 1,090

Dimmer included.



Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")


Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 60 W





Básica M1

Santiago Roqueta, Santa & Cole Team
1987

Composition

BASA2 + PM101	\$ 655
BASA2 + PM101 + 6BAS01	\$ 740

Code	Description	
PM101	Stitched beige parchment lampshade	\$ 225
BASA2	Nickel base	\$ 430
6BAS01	Nickel stabilizing base (optional)	\$ 85

Birch wood column with metallic base.
Dimmer included.



Bulb socket:


E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 100 W



Básica M2

Santiago Roqueta, Santa & Cole Team
1987

Composition

BASAx* + PM201	\$ 695
BASAx* + PM201 + 6BAS0x**	\$ 780

Code	Description	
PM201	Stitched beige parchment lampshade	\$ 265
BASA2	Nickel base	\$ 430
6BAS01	Nickel stabilizing base (optional)	\$ 85

Birch wood column with metallic base.
Dimmer included.



Bulb socket:


E26 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 100 W



Básica mínima

Santiago Roqueta, Santa & Cole Team
1994

Code	Base	Lampshade	
BAM01	Bronze	Beige parchment	\$ 485
BAM12	Nickel	Natural ribbon	\$ 485

Birch wood column with metallic base.
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:


E12 (Max. hgt. 85 mm / 3.3")


Recommended light sources:

LED bulb 6 W

Other light sources:

Max. 40 W





Cesta

Miguel Milá
1962

Code	Description	
CES01	Cherry wood structure White opal glass lampshade	\$ 1,285

Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")


Recommended light source (dimmable):

LED bulb: 10 W

Other light sources:

Max. 75 W





Cestita

Miguel Milá
1962

Code	Description	
CES01	Sumatran pine wood structure White opal glass lampshade	\$ 580

Maximum bulb diameter: 60 mm / 2.36"



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"





Cesta Metálica

Miguel Milá
1962

Code

Stainless steel structure

CES02

Without leather handle

\$ 1,300

CES03

With natural colour leather handle

\$ 1,510

White opal glass lampshade.
Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")


Recommended light source (dimmable):

LED bulb: 10 W

Other light sources:

Max. 60 W





Cestita Metálica

Miguel Milá
1962

Code	Description	
CES13	Stainless steel structure White opal glass lampshade	\$ 1,025

Dimmer included.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):


LED bulb: 6 W

Other light sources:

Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"





Diana Menor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

Composition

DIA12 + DIAP8 **\$ 1,110**

Code	Description	
DIA12	Metal structure with satin nickel finish	\$ 765
DIAP8	White linen lampshade with translucent white parchment upper diffuser	\$ 345

Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:


E26 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

2 x LED bulb 6 W

Other light sources:

Max. 2 x 40 W



Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

Composition

DIA11 + DIAM8 **\$ 1,195**

Code	Description	
DIA11	Metal structure with satin nickel finish	\$ 835
DIAM8	White linen lampshade with translucent white parchment upper diffuser	\$ 360

Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")


Recommended light source (dimmable):

2 x LED bulb 10 W

Other light sources:

Max. 2 x 50 W





Gira

Massana, Tremoleda, Ferrer
1978

Code	Lampshade	
GIR21	Brass	\$ 630
GIR22	Black anodized aluminium	\$ 550
GIR23	Natural anodized aluminium	\$ 550

Chrome-plated structure.
Cast zamac grey base.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:


E26 (Max. hgt. 110 mm / 4.3")

Light source included:

LED bulb 9.5 W

Maximum bulb diameter: 60 mm / 2.36"





Maija 15

Ilmari Tapiovaara
1955


Code	Description	
MAI11L	Metallic lampshade finished in matte white Brass legs finished in matte	\$ 1,125

Diffuser in white translucent methacrylate.
Dimmer included.



Light source included (dimmable):

Built-in LED: 12 W



TMD

Miguel Milá

1996

Code	Description	
TME08	Satin nickel structure White linen lampshade	\$ 760

Height-adjustable white linen lampshade.
The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")


Recommended light sources:

LED bulb: 6 W

Other light sources:

Max. 60 W





Trípode M3

Santa & Cole Team
2011

Composition

TM311 + TM3Mx*	\$ 715
TM311 + TM3Mx**	\$ 735

Code	Description	
TM311	Black metal	\$ 375

Ribbon lampshade

*TM3M3	Natural	\$ 340
*TM3M5	Red-amber	\$ 340
*TM3M6	Black	\$ 340
**TM3M7	Terracotta Raw Color	\$ 360
**TM3M8	Mustard Raw Color	\$ 360
**TM3M9	Green Raw Color	\$ 360

Black metal top cover.



Bulb socket:

E12 (Max. hgt. 85 mm / 3.3")


Recommended light source:

LED bulb: 6 W

Other light sources:

Max. 40 W





Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

Composition

DIA21 + DIAM8 **\$ 1,690**

Code	Description	
------	-------------	--

DIA21	Metal structure with satin nickel finish	\$ 1,330
DIAM8	White linen lampshade with translucent white parchment upper diffuser	\$ 360

Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")


Recommended light source (dimmable):

2 x LED bulb 13,5 W

Other light sources:

Max. 2 x 75 W





FAD

Miguel Milá
1974

Composition

FAD22 + FADG8 **\$ 1,585**

Code	Description	
FAD22	Natural oak wood structure	\$ 1,190
FADG8	White linen lampshade	\$ 395

Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1


Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 100 W





TMD

Miguel Milá
2005

Composition

TMD21 + TMDP8 **\$ 1,405**

Code	Description	
TMD21	Satin nickel structure	\$ 845
TMDP8	White linen lampshade	\$ 560

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.



Bulb socket:

E26 (Max. hgt. 125 mm / 4.9")


Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 100 W





TMM

Miguel Milá
1961

Composition

TMMHA + TMMPx*	\$ 1,115
TMMCE + TMMPx*	\$ 1,150
TMMNO + TMMPx*	\$ 1,255
TMMRO + TMMPx*	\$ 1,150
TMMNE + TMMPx*	\$ 1,150

Code Wooden structure

TMMHA	Beech	\$ 620
TMMCE	Cherry	\$ 655
TMMNO	Walnut	\$ 760
TMMRO	Natural oak	\$ 655
TMMNE	Black oak	\$ 655

Parchment lampshade

*TMMP1	Beige	\$ 495
*TMMP2	White	\$ 495

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.



Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")


Recommended light source (dimmable):

2 x LED bulb 13,5 W

Other light sources:

Max. 2 x 75 W





Tripode G5

Santa & Cole Team
1997

Composition

TG501 + TG5Px*	\$ 1,145
TG501 + TG5Px**	\$ 1,185

Code	Structure	
TG501	Black metal	\$ 665

Ribbon lampshade

*TG5P3	Natural	\$ 480
*TG5P5	Red-amber	\$ 480
*TG5P6	Black	\$ 480
**TG5P7	Terracotta Raw Color	\$ 520
**TG5P8	Mustard Raw Color	\$ 520
**TG5P9	Green Raw Color	\$ 520

Dimmer included.

Bulb socket:

E26 (Max. hgt. 160 mm / 6.3")


Recommended light sources (dimmable):

LED bulb: 13,5 W

Other light sources:

Max. 100 W





Arne Domus

Santa & Cole Team
2015

Code	Structure and canopy	
ARD12	Aluminium grey	\$ 1,495
ARD14	Dark green	\$ 1,495


Metallic structure with matte finish.
Acid-etched and tempered glass diffuser.
Metallic circular canopy included with power supply incorporated.
Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Suitable for indoor and outdoor use (Dry and wet location).
Suitable for Junction Box.
Electric cable length: 4 m / 157.5"
Weight: 6,2 kg / 13.6 lb



Light source included (dimmable):

Built-in LED 33 W





Cirio Simple

Antoni Arola
2010

Composition

HEFD0x* + HEL03 + CIP01 **\$ 985**

Code **Circular metal canopy + power supply**

***HEFD01** Black surface dimmable 1-10V **\$ 295**

***HEFD02** White surface dimmable 1-10V **\$ 295**

LED capsule with electric black cable

HEL03 3 m / 118.1" **\$ 220**

	Lampshade	Finish	
CIP01	White porcelain	Matte interior and gloss exterior	\$ 230

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight: 1,1 Kg / 2.4 lb



Light source included (dimmable):

Built-in LED: 7,7 W





GT5

Santa & Cole Team
1994

Composition

SIS13 + GT51X*	\$ 780
SIS13 + GT50X**	\$ 840

Code	Sisis canopy (metallic structure) ^[1]	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215

Ribbon lampshade

*GT513	Natural	\$ 565
*GT515	Red-amber	\$ 565
*GT516	Black	\$ 565
**GT507	Terracotta Raw Color	\$ 625
**GT508	Mustard Raw Color	\$ 625
**GT509	Green Raw Color	\$ 625

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Canopy suitable for side entry adaptor.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")



Recommended light source:

1 x / 2 x LED bulb 10 W

Other light sources:

Max. 1 x / 2 x 100 W





GT6

Santa & Cole Team
1994

Composition

SIS13 + GT61X*	\$ 640
SIS13 + GT60X**	\$ 685

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	\$ 215

Lampshade

*GT613	Natural ribbon	\$ 425
*GT615	Red-amber ribbon	\$ 425
*GT616	Black ribbon	\$ 425
**GT607	Terracotta Raw Color ribbon	\$ 470
**GT608	Mustard Raw Color ribbon	\$ 470
**GT609	Green Raw Color ribbon	\$ 470
*GT618	White linen	\$ 425

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"



Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")


Recommended light source:

1 x / 2 x LED bulb 10 W

Other light sources:

Max. 1 x / 2 x 100 W



**GT7**

Santa & Cole Team
2000

Composition

GT701 + GT713 + GT7P3 **\$ 2,400**

Code	Socket assembly	
GT701	White with black cable.	\$ 460

	Circular metal canopy	
GT713	Satin nickel	\$ 190

	Ribbon lampshade	
GT7P3	Natural	\$ 1,750

Black metal disc on the upper part: Ø 40 cm / 15.6" and translucent white PVC diffuser disc on the lower part: Ø 60 cm / 23.7".
Ceiling rosette suitable for side entry adaptor.
Suitable for Junction Box.
Electric cable length: 8 m / 315"
Weight: 7 Kg / 15 lb

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")


Recommended light source:

3 x LED bulb 13,5 W

Other light sources:

Max. 3 x 60 W





HeadHat Bowl S

Santa & Cole Team
2013

Composition

HEFD0x* + HEL03 + HATS12 **\$ 705**

Code Circular metal canopy + power supply

***HEFD01** Black surface dimmable 1-10V **\$ 295**
***HEFD02** White surface dimmable 1-10V **\$ 295**

LED capsule with electric black cable

HEL03 3 m / 118.1" **\$ 220**

Lampshade

HATS12 White ceramic S **\$ 190**

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades and Cirio structures.

Suitable for Junction Box.


Electric cable length: 3 m / 118.1"

Weight: 1,1 kg / 2.4 lb

Light source included:

Built-in LED: 7,7 W





M64

Miguel Milá
1964

Composition

HEFD0x** + HEL03 + M640x*	\$ 915
HEFD0x** + HEL03 + M6404	\$ 1,095

Code	Circular metal canopy + power supply	
**HEFD01	Black surface dimmable 1-10V	\$ 295
**HEFD02	White surface dimmable 1-10V	\$ 295

LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
-------	--------------	--------

Lampshade

*M6401	White matte aluminium	\$ 400
*M6402	Black matte aluminium	\$ 400
*M6403	Polished aluminium	\$ 400
M6404	Brass	\$ 580

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades and Cirio structures.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight with brass lampshade: 1,35 kg / 2.98 lb


Weight with aluminium lampshade: 1 kg / 2.2 lb



Light source included:

Built-in LED: 7,7 W





M68

Miguel Milá
1962

Code	Lampshade	Circular canopy	
CAM02	White matte aluminium	White	\$ 885
CAM03	Polished aluminium	Chrome-plated	\$ 790

Canopy suitable for side entry adaptor.
 Suitable for Junction Box.
 Electric cable length: 3 m / 118.1"
 Weight: 1,6 kg / 3.5 lb



BulBulb socket:


E26 (Max. hgt. 130 mm / 5.1")

Recommended light source:

LED bulb 10 W

Other light sources:

Max. 100 W



Comodín cuadrado

Santa & Cole Team
1994

Composition

COM01 + COM19 **\$ 475**

Code	Description	
COM01	Chrome-plated structure	\$ 240
COM19	Natural ribbon lampshade	\$ 235


Suitable for Outlet Box.



Bulb socket:
E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:
LED bulb 6 W

Other light sources:
Max. 60 W



Comodín rectangular

Santa & Cole Team
1994

Composition

COM01 + COM29 **\$ 505**

Code	Description	
COM01	Chrome-plated structure	\$ 240
COM29	Natural ribbon lampshade	\$ 265

Suitable for Outlet Box.




Bulb socket:
E26 (Max. hgt. 105 mm / 4.1")

Recommended light source:
LED bulb 6 W

Other light sources:
Max. 60 W





TMM largo

Miguel Milá
1964

Code	Description	
ATL01	Beech wood structure Lampshade in beige parchment	\$ 595

Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")


Recommended light source:

LED bulb 6 W

Other light sources:

Max. 60 W





Wally

Miguel Milá
1962

Code	Metallic structure	
WLY01	Bronze finish	\$ 670
WLY02	Matte white	\$ 670

White opal glass lampshade.
Suitable for indoor and outdoor use.
Suitable for Outlet Box.



Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")


Recommended light source:

LED bulb 6 W

Other light sources:

Max. 40 W





Amigo

Gonzalo Milá, Miguel Milá
2009

Code	Description	
AMA21L	White metallic structure Cylindrical translucent methacrylate diffuser	\$ 950

Suitable for dimming systems 1-10V.
(External dimmer switch 1-10V not included).
Suitable for indoor and outdoor use (Dry and wet location).
Suitable for Outlet Box

CE IP 55
cUL US LISTED

Light source included (dimmable):

Built-in LED 40 W



Classification and regulations

EC Regulations

CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



Classification and regulations

Classification of luminaires

CE

· Luminaire classification according to protection against electrical shock:

CLASE I. In addition to being electrically insulated, these luminaires are also provided with an earthing point.



CLASE II. These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



CLASE III. Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

Classification and regulations

Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

Primera cifra:

IP 0 - No protection.

IP 1 - Protected against solid objects > 50 mm.

IP 2 - Protected against solid objects > 12 mm.

IP 3 - Protected against solid objects > 2.5 mm.

IP 4 - Protected against the solid objects of 1 mm.

IP 5 - Protected against dust.

IP 6 - Protected against dust (totally).

Second digit:

IP - 0 No protection.

IP - 1 Protected against water falling vertically.

IP - 2 Protected against direct water drips up to 15° from vertical.

IP - 3 Protected against direct sprays up to 60° from vertical.

IP - 4 Protected against sprays from all directions

IP - 5 Protected against low-pressure jets from all directions.

IP - 6 Protected against high-pressure jets from all directions.

IP - 7 Protected against immersion between 15 cm and 1 m.

IP - 8 Protected against immersion under pressure.

Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

· Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

· Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

· Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

Quality Management System

ISO 9001 is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



Environmental Management System

ISO 14001 ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

1. ORDERS

1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes. Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order

4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

General conditions of sale

6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: aftersales@santacole.com.

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit..

9. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

10. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

11. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.



Sales US

East and Central

2005 Charleston Trace
Roswell, GA 30075
T. +1 404 858 4610
manuelm@santacole.com

West

3627 Hughes Avenue, Unit 402
Los Angeles, CA 90034
T. +1 424 303 3010
jordi.nadal@santacole.com

New York and Chicago Metro Areas

T. +1 347 852 0810
cindy.rossell@santacole.com

General Inquiries

T. +1 404 858 4610
usinfo@santacole.com

After sales US

usaftersales@santacole.com

Sales Europe

Spain

T. +34 902 460 010
F. +34 902 460 020
ventas@santacole.com

UK - London

T. +44 (0) 7596 831 942
london.uk@santacole.com

HEADQUARTERS

Parc de Belloch
Ctra. C-251, Km 5,6
E-08430 La Roca (Barcelona)
T. +34 938 619 100
F. +34 938 711 767
info@santacole.com
www.santacole.com

Follow us

Facebook, Twitter, Instagram,
Pinterest: @santacole

Last updated on April 2018.

Santa & Cole reserves the right to change prices as necessary.
santacole.com

Excite with simplicity