



SANTA & COLE

**Singapore Price List
Indoor 2019-1**

Dear friends,

We are pleased to present you our 2018 price list, which comes into force on March 1st 2018. We hope you find it quick and easy to use.

All of the **new catalogue** entries, including new products, materials, sizes and finishes, are highlighted in the contents page to make them easier to find.

We should remind you that Santa & Cole also offer you the possibility to adapt our products in order to meet the needs of specific projects (contracts). A consultation and prior technical study will be necessary. As a new feature, we are offering a selection of products for specific contracts (specified in the price breakdown) ensuring durability for public use in projects.

Regarding upholstery we have four Kvadrat samplers (HARALD 3 –by Raf Simons, STAR 2, TONUS MEADOW and HERO), as well as your choice of fabric, and we also offer personal advice.

Please visit santacole.com for all technical details. An image gallery with high-resolution photos of the products in our catalogue can also be found on our website.

Santa & Cole reserves the right to change the prices in this price list without prior notice. W. Atelier's team is available for any queries you may have.

You can phone us on +65 6270 8828 or write to us at enquiry@watelier.com.

The addresses of W. Atelier's showrooms are:

Main Showroom
201 Henderson Road #03-01
Singapore 159545

Showroom
75 Bukit Timah Road #01-01/02
Singapore 229833

We thank you for your kind cooperation, and we remain at your disposal.

Barcelona, February 2018

Contents

7 Lighting

8 Table lamps

- 8 Americana
- 8 Asa
- 9 Babel
- 10 Básica M1
- 11 Básica M2
- 12 Básica Mínima
- 13 BlancoWhite C1
- 13 BlancoWhite R3
- 13 BlancoWhite R1 Rotating
- 14 Cesta
- 14 Cestita
- 15 Cestita Batería **New Product**
- 16 Cesta Metálica
- 17 Cestita Metálica
- 18 Diana Menor
- 19 Diana
- 20 FAD
- 20 Gira
- 21 Maija 15
- 21 Moragas
- 22 Sin S
- 22 Sin L
- 23 TMD
- 24 Trípode M3
- 25 Trípode G6

26 Floor lamps

- 26 AJ Royal
- 27 Americana
- 28 Diana
- 29 Diana Mayor
- 30 Dórica
- 31 FAD
- 31 GATCPAC
- 32 Maija 30
- 33 Moaré
- 34 Pie de Salón G1
- 35 Pie de Salón G2
- 36 Pie de Salón G3
- 37 TMC
- 38 TMD
- 39 TMM **New Finish**
- 40 Trípode G5

41 Pendant lamps

- 41 Arne Domus
- 42 BlancoWhite D1 ceiling / D1 ceiling Up&Down
- 43 BlancoWhite D2 ceiling / D2 ceiling Up&Down
- 44 BlancoWhite R3
- 45 BlancoWhite Golden Gate
- 46 Cirio Simple
- 47 Cirio Múltiple
- 48 Cirio Cascada 5
- 49 Cirio Cascada 7
- 50 Cirio Cascada 9
- 51 Cirio Cascada 12
- 52 Cirio Circular S
- 53 Cirio Circular M
- 54 Cirio Circular L
- 56 Cirio Oval
- 58 Cirio Lineal
- 60 Cirio Chandelier S
- 62 Cirio Chandelier M
- 64 Cirio Chandelier L
- 66 Estadio 105 1 support
- 66 Estadio 105 3 supports
- 67 Estadio 150 1 support
- 67 Estadio 150 3 supports
- 68 Estadio 250 1 support
- 68 Estadio 250 3 supports
- 69 Línea Estadio
- 70 Flúor
- 71 Sistema Flúor
- 72 GT4
- 73 GT5
- 74 GT6
- 75 GT7
- 76 GT1000
- 77 GT1500
- 78 HeadHat Bowl S **New Material**
- 79 HeadHat Bowl L **New Material**
- 80 HeadHat Plate S
- 81 HeadHat Plate M
- 82 HeadHat Plate L
- 83 La Colilla
- 84 Leonardo 60
- 84 Leonardo 100
- 85 Liceo 70
- 85 Liceo 120

- 86 M64 **New Color**
- 87 M68 **New Color**
- 88 Maija 15
- 88 Maija 30
- 89 Moaré
- 90 Moaré Liviana S
- 91 Moaré Liviana M
- 91 Nagoya
- 92 Nimba 60
- 92 Nimba 90
- 93 Nimba 120
- 93 Nimba 180
- 94 Sexta
- 95 Sexta 12
- 96 Sistema Fonda
- 98 Sistema Gran Fonda
- 100 Sistema Sisisí PT1
- 101 Sistema Sisisí PT2
- 102 Sistema Sisisí MT1
- 103 Sistema Sisisí MT2
- 104 Sistema Sisisí GT1
- 105 Sistema Sisisí GT2
- 106 Sistema Sisisí GT3
- 107 Vaghe Stelle

108 Canopies

- 108 Sisisí canopy
- 108 Sisisí canopy dual lamp socket
- 109 S & C canopy
- 109 S & C Connection
- 109 Side entry adaptor
- 110 HeadLed System / LED Capsule S & C
- 110 HeadLed System / LED Canopy S & C
- 111 HeadLed System / S & C LED Lampshades **New Material**

112 Wall lamps

- 112 Aarhus
- 112 Americana
- 113 BC1
- 114 BC2
- 115 BC3
- 116 BlancoWhite C1 wall rotating
- 116 BlancoWhite C1 Wall rotating scene
- 117 BlancoWhite R1 wall
- 117 BlancoWhite R1 wall rotating

- 118 Comodín cuadrado
- 119 Comodín rectangular
- 120 Corso
- 121 Disco medium
- 121 Disco large
- 122 Estadio
- 123 Singular
- 124 TMM corto
- 124 TMM largo
- 125 TMM Metálico
- 125 Wally

127 Garden

- 128 Amigo
- 129 Oco 33
- 129 Oco 55

131 Light sources

139 Furniture

140 Chairs, armchairs, sofas and ottomans


- 140 Belloch Chair
- 140 Ramón Chair
- 141 Digamma Armchair
- 141 Digamma ottoman
- 142 Cadaqués Lounge Chair
- 142 Two Seat Cadaqués Sofa
- 142 Three Seat Cadaqués Sofa
- 143 Cadaqués Ottoman
- 143 Ibiza Lounge Chair
- 144 Moragas Armchair
- 144 Moragas ottoman
- 144 Large Moragas ottoman

145 Tables

- 145 Belloch cuadrada
- 145 Belloch rectangular
- 146 Diana alta
- 146 Diana baja
- 146 Subeybaja

147 Shelves

- 147 Noa



Cesta


Miguel Milá. 1962

Lighting

Americana

Miguel Milá
1964

For further information on light sources go to p. 132



Composition

SAM22 + SAMP8 SGD 855

Code	Description	
SAM22	Satin nickel structure	SGD 710
SAMP8	White linen lampshade	SGD 145

Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Rotating arm.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Asa

Miguel Milá
1961

For further information on light sources go to p. 132



Code	Structure	
ASA11	White	SGD 685
ASA12	Black	SGD 685

Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Metallic structure with matte finish.
White translucent methacrylate shade.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Babel

Àngel Jové

1971

For further information on light sources go to p. 132



Code	Description	
BAB01	Alabaster column	SGD 1.345
	Light source (dimmable)	
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Dimmer included.

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W


Other light sources:

Max. 60 W

Básica M1

Santiago Roqueta,
Santa & Cole Team
1987

For further information on light sources go to p. 132



Examples of composition

BASAx* + PM101	SGD 590
BASAx* + PM103	SGD 580
BASAx* + PM109	SGD 615
BASAx* + PML108	SGD 640
BASAx* + PM101 + 6BAS0x**	SGD 675
BASAx* + PM103 + 6BAS0x**	SGD 660
BASAx* + PM109 + 6BAS0x**	SGD 700
BASAx* + PML108 + 6BAS0x**	SGD 720

Code	Lampshade	
PM101	Stitched beige parchment	SGD 145
PM103	Natural ribbon	SGD 135
PM105	Red-amber ribbon	SGD 135
PM106	Black ribbon	SGD 135
PM107	Terracotta Raw Color ribbon	SGD 170
PM108	Mustard Raw Color ribbon	SGD 170
PM109	Green Raw Color ribbon	SGD 170
PML108	White linen	SGD 195

Base		
*BASA2	Nickel	SGD 445
*BASA3	Bronze	SGD 445

Stabilizing base (optional)		
**6BAS01	Nickel	SGD 85
**6BAS02	Bronze	SGD 85

Light source (dimmable)		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Birch wood column with metallic base.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W


Other light sources:

Max. 100 W

Básica M2

Santiago Roqueta,
Santa & Cole Team
1987

For further information on light sources go to p. 132

**Composition**

BASAx* + PM201	SGD 615
BASAx* + PM201 + 6BAS0x**	SGD 700

Code	Lampshade	
PM201	Stitched beige parchment	SGD 170

Base		
*BASA2	Nickel	SGD 445
*BASA3	Bronze	SGD 445

Stabilizing base (optional)		
**6BAS01	Nickel	SGD 85
**6BAS02	Bronze	SGD 85

Light source (dimmable)		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Birch wood column with metallic base.
Dimmer included.

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

LED bulb 10 W


Other light sources:

Max. 100 W

Básica Mínima

Santiago Roqueta,
Santa & Cole Team
1994

For further information on light sources go to p. 132



Code	Base	Lampshade	
BAM01	Bronze	Beige parchment	SGD 505
BAM12	Nickel	Natural ribbon	SGD 505
Light source			
6BOM44	LED bulb 6 W - 2.700 K		SGD 24

Birch wood column with metallic base.
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 40 W

BlancoWhite C1

Antoni Arola
2011

For further information on built-in LED go to p. 136



Code	Structure	
BWC101	White S&C	SGD 1.045
BWC102	Graphite	SGD 1.045

Metal structure with matte finish.
Dimmer included.


**Light source included (dimmable):**

Built-in LED 8 W

BlancoWhite R3

Antoni Arola
2011

For further information on built-in LED go to p. 136



Code	Structure	
BWR311	White S&C	SGD 1.900
BWR312	Graphite	SGD 1.900

Metal structure with matte finish.
Dimmer included.


**Light source included (dimmable):**

Built-in LED 33 W

BlancoWhite R1 Rotating

Antoni Arola
2013

For further information on built-in LED go to p. 136



Code	Description	
BWR112	Graphite metal structure with matte finish	SGD 1.860

Rotating head.
Dimmer included.


**Light source included (dimmable):**

Built-in LED 10 W

Cesta

Miguel Milá
1962

For further information on light sources go to p. 132



Code	Description	
CES01	Cherry wood structure White opal glass lampshade	SGD 1.345
Light source (dimmable)		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

LED bulb 10 W


Other light sources:

Max. 75 W

Cestita

Miguel Milá
1962

For further information on light sources go to p. 132



Code	Lampshade	
CES11	White opal polyethylene	SGD 530
CES12	White opal glass	SGD 615
Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Sumatran pine wood structure.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

Cestita Batería

Miguel Milá
2017

For further information on built-in LED go to p. 136

New Product



Code	Description	
CES14	Cherry wood structure White opal glass lampshade	SGD 855

Lithium battery.

Range:

- 5h on high power
- 15h on medium power
- 30h on low power



Minimum purchase 6 units.

Light source included (dimmable):


Built-in LED 3 W

Cesta Metálica

Miguel Milá

1962

For further information on light sources go to p. 132



Code	Stainless steel structure	
CES02	Without leather handle	SGD 1.430
CES03	With natural colour leather handle	SGD 1.705
Light source (dimmable)		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

White opal glass lampshade.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:


Max. 60 W

Cestita Metálica

Miguel Milá

1962

For further information on light sources go to p. 132



Code	Description	
CES13	Stainless steel structure. White opal glass lampshade	SGD 1.180
Light source (dimmable)		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Dimmer included.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W

Other light sources:


Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"

Diana Menor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 132



Examples of composition

DIA12 + DIAP8	SGD 1.180
DIA123 + DIAP6	SGD 1.310

Code	Metallic structure		
DIA12	Satin nickel		SGD 880
DIA123	Brass finish		SGD 985
	Lampshade	Upper diffuser ^[1]	
DIAP8	White linen	Translucent white parchment	SGD 300
DIAP6	Black linen	Stone parchment	SGD 325
Light source (dimmable)			
6BOM45	LED bulb 6 W - 2.700 K		SGD 24

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

2 x LED bulb 6 W


Other light sources:

Max. 2 x 40 W

Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 132



Examples of composition

DIA11 + DIAM8	SGD 1.320
DIA113 + DIAM6	SGD 1.465

Code Metallic structure

DIA11	Satin nickel	SGD 1.000
DIA113	Brass finish	SGD 1.120

	Lampshade	Upper diffuser ^[1]	
DIAM8	White linen	Translucent white parchment	SGD 325
DIAM6	Black linen	Stone parchment	SGD 350

Light source (dimmable)

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

2 x LED bulb 10 W


Other light sources:

Max. 2 x 50 W

FAD

Miguel Milá
1973

For further information on light sources go to p. 132

**Composition**

FAD12 + FADP8 **SGD 1.180**

Code	Description	
FAD12	Natural oak wood structure	SGD 940
FADP8	White linen lampshade	SGD 240

Light source (dimmable)

6BOM45 LED bulb 6 W - 2.700 K **SGD 24**

Dimmer included.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W


Other light sources:

Max. 100 W

Gira

Massana, Tremoleda, Ferrer
1978

For further information on light sources go to p. 132



Code	Lampshade	
GIR21	Brass	SGD 780
GIR22	Black anodized aluminium	SGD 640
GIR23	Natural anodized aluminium	SGD 640

Chrome-plated structure.

Cast steel grey base.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 110 mm / 4.3")

Light source included:


LED bulb 7.2 W

Maximum bulb diameter: 60 mm / 2.36"

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 136



Code Metallic lampshades

MAI11L	White	SGD 1.275
MAI114L	Nude rose	SGD 1.275

Diffuser in white translucent methacrylate.
Brass legs finished in matte.
Dimmer included.




Light source included (dimmable):

Built-in LED 12 W

Moragas

Antoni de Moragas i Gallissà
1957

For further information on light sources go to p. 132



Composition

MOL01 + MOLP3	SGD 1.910
----------------------	------------------

Code	Description	
MOL01	Sapele wood leg	SGD 1.140
MOLP3	Natural cotton ribbon lampshade with silk border	SGD 770

Light source (dimmable)

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (dimmable):

3 x LED bulb 6 W


Other light sources:

Max. 3 x 30 W

Sin S

Antoni Arola
2013

For further information on built-in LED go to p. 136



Examples of composition with lampshade

SIN21 + SINS2	SGD 2.475
SIN22 + SINSx*	SGD 2.545

Code	Structure	
SIN21	White S&C	SGD 2.065
SIN22	Graphite	SGD 2.115

Lampshade (optional)		
SINS2	White opal methacrylate	SGD 410
*SINS1	White S&C aluminium	SGD 435
*SINS3	Graphite aluminium	SGD 435

Metal structure with matte finish.
Dimmer included.




Light source included (dimmable):

Built-in LED 12,5 W

Sin L

Antoni Arola
2013

For further information on built-in LED go to p. 136



Examples of composition with lampshade

SIN31 + SINL2	SGD 2.835
SIN32 + SINLx*	SGD 3.110

Code	Structure	
SIN31	White S&C	SGD 2.365
SIN32	Graphite	SGD 2.415

Lampshade (optional)		
SINL2	White opal methacrylate	SGD 470
*SINL1	White S&C aluminium	SGD 700
*SINL3	Graphite aluminium	SGD 700

Metal structure with matte finish.
Dimmer included.




Light source included (dimmable):

Built-in LED 25 W

TMD

Miguel Milá
1996

For further information on light sources go to p. 132



Code	Description	
TME08	Satin nickel structure White linen lampshade	SGD 770
Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Height-adjustable white linen lampshade.
The light is switched on/off by pulling lightly on the cable.



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Triépode M3

Santa & Cole Team
2011

For further information on light sources go to p. 132



Composition

TM311 + TM3Mx*	SGD 735
TM311 + TM3Mx**	SGD 760

Code Structure

TM311	Black metal	SGD 420
--------------	-------------	---------

Ribbon lampshade

*TM3M3	Natural	SGD 315
*TM3M5	Red-amber	SGD 315
*TM3M6	Black	SGD 315
**TM3M7	Terracotta Raw Color	SGD 340
**TM3M8	Mustard Raw Color	SGD 340
**TM3M9	Green Raw Color	SGD 340

Light source

6BOM44	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	--------

Black metal top cover.



Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 40 W

Triode G6

Santa & Cole Team
2002

For further information on light sources go to p. 132



Composition

TG611 + TG6Mx*	SGD 890
TG611 + TG6Mx**	SGD 940

Code Structure

TG611	Black metal	SGD 495
-------	-------------	---------

Ribbon lampshade

*TG6M3	Natural	SGD 400
*TG6M5	Red-amber	SGD 400
*TG6M6	Black	SGD 400
**TG6M7	Terracotta Raw Color	SGD 445
**TG6M8	Mustard Raw Color	SGD 445
**TG6M9	Green Raw Color	SGD 445

Light source (dimmable)

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
--------	-------------------------	--------

Black metal top cover.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):


LED bulb 10 W

Other light sources:

Max. 100 W

AJ Royal
Arne Jacobsen
1956

For further information on light sources go to p. 132



Composition

JALB1 + JALP8 **SGD 1.585**

Code	Description	
JALB1	Stainless steel shaft and cast steel grey base	SGD 1.250
JALP8	White linen lampshade	SGD 340

Light source		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Double switch.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source:

2 x LED bulb 10 W


Other light sources:

Max. 2 x 100 W

Americana

Miguel Milá
2000

For further information on light sources go to p. 132



Composition

SAM32 + SAMP8 **SGD 1.200**

Code	Description	
SAM32	Satin nickel structure	SGD 1.060
SAMP8	White linen lampshade	SGD 145

Light source

6BOM45 **SGD 24**
LED bulb 6 W - 2.700 K

Rotating arm.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 132



Examples of composition

DIA21 + DIAM8	SGD 1.755
DIA213 + DIAM6	SGD 1.860

Code	Metallic structure		
DIA21	Satin nickel		SGD 1.430
DIA213	Brass finish		SGD 1.515
	Lampshade	Upper diffuser ^[1]	
DIAM8	White linen	Translucent white parchment	SGD 325
DIAM6	Black linen	Stone parchment	SGD 350
	Light source (dimmable)		
6BOM41	LED bulb 13,5 W - 2.700 K		SGD 72

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

2 x LED bulb 13,5 W


Other light sources:

Max. 2 x 75 W

Diana Mayor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p. 132



Examples of composition

DIA31 + DIAG8	SGD 2.080
DIA313 + DIAG6	SGD 2.260

Code Metallic structure

DIA31	Satin nickel	SGD 1.645
DIA313	Brass finish	SGD 1.800

Lampshade

DIAG8	White linen	SGD 435
DIAG6	Black linen	SGD 460

Light source (dimmable)

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

2 x LED bulb 13,5 W


Other light sources:

Max. 2 x 75 W

Dórica

Jordi Miralbell,
Mariona Raventós
1994

For further information on light sources go to p. 132



Composition

DOR03 + DORP3	SGD 1.970
DOR03 + DORP3 + DOR00	SGD 2.245

Code	Description	
DOR03	Metal structure with dark brown finish	SGD 1.455
DORP3	Natural ribbon lampshade	SGD 520

Stabilizing base (optional)

DOR00	Dark brown	SGD 280
--------------	------------	----------------

Light source (dimmable)

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Dimmer included.



Bulb socket:


E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

3 x LED bulb 10 W

Other light sources:

Max. 3 x 50 W

FADMiguel Milá
1974

For further information on light sources go to p. 132

Composition**FAD22 + FADG8** **SGD 1.635**

Code	Description	
FAD22	Natural oak wood structure	SGD 1.360
FADG8	White linen lampshade	SGD 280

Light source (dimmable)**6BOM40** LED bulb 10 W - 2.700 K **SGD 36**Height-adjustable white linen lampshade.
Dimmer included.**Bulb socket:**


E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

LED bulb 10 W

Other light sources:

Max. 100 W

GATCPACJosep Torres Clavé
1931

For further information on light sources go to p. 132

Code	Description	
TLC02	Polished aluminium structure and lampshade	SGD 2.150

Light source (dimmable)**6BOM41** LED bulb 13,5 W - 2.700 K **SGD 72**Adjustable lampshade.
Dimmer included.**Bulb socket:**

E27 (Max. hgt. 160 mm / 6.3")

Recommended light source (dimmable):

LED bulb 13,5 W


Other light sources:

Max. 150 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 136



Code	Description
------	-------------

MAI21L	Metallic lampshade finished in matte white Brass legs finished in matte
---------------	--

SGD 1.790

Diffuser in white translucent methacrylate.
Dimmer included.




Light source included (dimmable):

Built-in LED 24 W



Moaré

Antoni Arola
2003

For further information on light sources go to p. 132



Lampshades



Examples of composition

MRE21 + MRELx*	SGD 3.100
MRE21 + MREXx*	SGD 3.590
MRE21 + MREMx* + MRELx*	SGD 3.640
MRE21 + MREMx* + MREXx*	SGD 4.130
MRE21 + MRELx* + MREXx*	SGD 4.320

Code	Structure	
MRE21	Aluminium with graphite black finish and cast aluminium base	SGD 2.365

Lampshade M

*MREM3	White	SGD 540
*MREM5	Red	SGD 540
*MREM6	Grey	SGD 540
*MREM7	Black	SGD 540

Lampshade L

*MREL3	White	SGD 735
*MREL5	Red	SGD 735
*MREL6	Grey	SGD 735
*MREL7	Black	SGD 735

Lampshade X

*MREX3	White	SGD 1.225
*MREX5	Red	SGD 1.225
*MREX6	Grey	SGD 1.225
*MREX7	Black	SGD 1.225

Light source (dimmable)

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Acrylsatiné methacrylate cylindrical diffuser.
Polyester lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (dimmable):

3 x LED bulb 10 W


Other light sources:

Max. 3 x 50 W

Pie de Salón G1

Jaume Sans
1963

For further information on light sources go to p. 132



Examples of composition

PDS02 + PG101	SGD 1.585
PDS02 + PG103	SGD 1.575
PDS02 + PG107	SGD 1.620
PDS02 + PGL108	SGD 1.645
PDS03 + PG101	SGD 1.995
PDS03 + PG103	SGD 1.980
PDS03 + PG107	SGD 2.030
PDS03 + PGL108	SGD 2.055

Code	Metallic structure	
PDS02	Chrome-plated	SGD 1.260
PDS03	Polished brass	SGD 1.670

Lampshade		
PG101	Stitched beige parchment	SGD 325
PG103	Natural ribbon	SGD 315
PG105	Red-amber ribbon	SGD 315
PG106	Black ribbon	SGD 315
PG107	Terracotta Raw Color ribbon	SGD 360
PG108	Mustard Raw Color ribbon	SGD 360
PG109	Green Raw Color ribbon	SGD 360
PGL108	White linen	SGD 385

Light source (dimmable)		
6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

LED bulb 13,5 W

Other light sources:


Max. 100 W

Pie de Salón G2

Jaume Sans

1963

For further information on light sources go to p. 132



Composition

PDS02 + PG20x*	SGD 1.585
PDS02 + PG208	SGD 1.645
PDS03 + PG20x*	SGD 1.995
PDS03 + PG208	SGD 2.055

Code	Metallic structure	
PDS02	Chrome-plated	SGD 1.260
PDS03	Polished brass	SGD 1.670

	Lampshade	
*PG203	Natural ribbon	SGD 325
*PG205	Red-amber ribbon	SGD 325
*PG206	Black ribbon	SGD 325
PG208	White linen	SGD 385

	Light source (dimmable)	
6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

LED bulb 13,5 W

Other light sources:


Max. 100 W

Pie de Salón G3

Jaume Sans

1963

For further information on light sources go to p. 132



Examples of composition

PDS02 + PG303	SGD 1.515
PDS02 + PG307	SGD 1.560
PDS02 + PGL308	SGD 1.550
PDS03 + PG303	SGD 1.920
PDS03 + PG307	SGD 1.970
PDS03 + PGL308	SGD 1.960

Code	Metallic structure	
PDS02	Chrome-plated	SGD 1.260
PDS03	Polished brass	SGD 1.670

	Lampshade	
PG303	Natural ribbon	SGD 255
PG305	Red-amber ribbon	SGD 255
PG306	Black ribbon	SGD 255
PG307	Terracotta Raw Color ribbon	SGD 300
PG308	Mustard Raw Color ribbon	SGD 300
PG309	Green Raw Color ribbon	SGD 300
PGL308	White linen	SGD 290

	Light source (dimmable)	
6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source (dimmable):

LED bulb 13,5 W


Other light sources:

Max. 100 W

TMC

Miguel Milá
1961

For further information on light sources go to p. 132



Code	Description	
TMC11	Two-part metal structure: upper half chrome-plated and lower half black. Height-adjustable white methacrylate lampshade.	SGD 1.620
Light source		
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

The light is switched on/off by pulling lightly on the cable.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 100 W

TMD

Miguel Milá
2005

For further information on light sources go to p. 132



Composition

TMD21 + TMDP8 **SGD 1.575**

Code	Description	
TMD21	Satin nickel structure	SGD 985
TMDP8	White linen lampshade	SGD 590

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Height-adjustable white linen lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

Recommended light source:

LED bulb 10 W

Other light sources:


Max. 100 W

TMM

Miguel Milá
1961

For further information on light sources go to p. 132

New Finish



Composition

TMMHA + TMMPx*	SGD 1.155
TMMHA + TMMP2D	SGD 1.215
TMMCE + TMMPx*	SGD 1.190
TMMCE + TMMP2D	SGD 1.250
TMMNO + TMMPx*	SGD 1.300
TMMNO + TMMP2D	SGD 1.360
TMMRO + TMMPx*	SGD 1.190
TMMRO + TMMP2D	SGD 1.250
TMMNE + TMMPx*	SGD 1.190
TMMNE + TMMP2D	SGD 1.250

Code Wooden structure

TMMHA	Beech	SGD 625
TMMCE	Cherry	SGD 660
TMMNO	Walnut	SGD 770
TMMRO	Natural oak	SGD 660
TMMNE	Black oak	SGD 660

Parchment lampshade

*TMMP1	Beige	SGD 530
*TMMP2	White	SGD 530
TMMP2D	White with upper diffuser in white translucent methacrylate ^[1]	SGD 590

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	--------

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

^[1]Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 100 W

Tripode G5

Santa & Cole Team
1997

For further information on light sources go to p. 132



Composition

TG501 + TG5Px*	SGD 1.105
TG501 + TG5Px**	SGD 1.155

Code	Structure	
TG501	Black metal	SGD 700

Ribbon lampshade

*TG5P3	Natural	SGD 410
*TG5P5	Red-amber	SGD 410
*TG5P6	Black	SGD 410
**TG5P7	Terracotta Raw Color	SGD 460
**TG5P8	Mustard Raw Color	SGD 460
**TG5P9	Green Raw Color	SGD 460

Light source (dimmable)

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Dimmer included.



Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

Recommended light source (dimmable):

LED bulb 13,5 W


Other light sources:

Max. 100 W

Arne Domus

Santa & Cole Team
2015

For further information on built-in LED go to p. 136



Code	Structure and canopy	
ARD11	S&C white	SGD 1.850
ARD12	Aluminium grey	SGD 1.850
ARD13	Mustard	SGD 1.850
ARD14	Dark green	SGD 1.850

Metallic structure with matte finish.
Acid-etched and tempered glass diffusor.
Metallic circular canopy included with power supply incorporated.
Suitable for dimming 1-10V.
(Not included external dimmer switch 1-10V).
Suitable for indoor and outdoor use.
Electric cable length: 4 m / 157.5"
Weight: 6,2 kg / 13.6 lb



UL US LISTED

Light source included (dimmable):
Built-in LED 33 W


BlancoWhite

D1 ceiling / D1 ceiling Up&Down


Antoni Arola
2013

For further information on built-in LED go to p. 136

D1 ceiling



D1 ceiling up&down



Composition

BWD102 + BWF102	SGD 1.995
BWD102 + BWF202 + BWPD12	SGD 2.520

Code	Structure	
BWD102	Graphite metal with matte finish	SGD 1.540
Canopy		
BWF102	Circular metal with power supply incorporated	SGD 460
Up&Down counterweight		
BWPD12	Optional	SGD 420
Up&Down canopy		
BWF202	Optional	SGD 565

Option of Up&Down counterweight to adjust height.

Electric cable length: 3 m / 118.1"

Weight: 3 kg / 6.6 lb

Weight with Up&Down counterweight : 4 kg / 8.8 lb



Light source included:

Built-in LED 22 W


BlancoWhite

D2 ceiling / D2 ceiling Up&Down


Antoni Arola
2013

For further information on built-in LED go to p. 136

D2 ceiling



D2 ceiling up&down



Composition

BWD202 + BWF102	SGD 2.260
BWD202 + BWF202 + BWPD22	SGD 2.905

Code	Structure	
BWD202	Graphite metal with matte finish	SGD 1.800
Canopy		
BWF102	Circular metal with power supply incorporated	SGD 460
Up&Down counterweight		
BWPD22	Optional	SGD 540
Up&Down canopy		
BWF202	Optional	SGD 565

Option of Up&Down counterweight to adjust height.

Electric cable length: 3 m / 118.1"

Weight: 4 kg / 8.8 lb

Weight with Up&Down counterweight : 5 kg / 11 lb



Light source included:

Built-in LED 28 W


BlancoWhite R3

Antoni Arola
2013

For further information on built-in LED go to p. 136

Code	Description	
BWR302	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	SGD 2.605

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Electric cable length: 3 m / 118.1"
Weight: 5,8 kg / 12.8 lb



Light source included (dimmable):

Built-in LED 33 W


BlancoWhite Golden Gate

Antoni Arola
2013

For further information on built-in LED go to p. 136

Code	Description	
BWGG02	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	SGD 4.550

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Includes counterweight to adjust height.
Electric cable length: 3 m / 118.1"
Weight: 17,5 kg / 38.5 lb





Light source included (dimmable):
Built-in LED 66 W

Cirio Simple

Antoni Arola
2010

For further information on built-in LED go to p. 136

Ceiling rosettes



Examples of composition

HEFxx* + HEL03 + CIP01	SGD 745
HEFxx* + HEL08 + CIP05	SGD 795
HEFD0x** + HEL03 + CIP06	SGD 1.215
HEFD0x** + HEL08 + CIP01	SGD 1.000

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V)


S&C LED capsule suitable with HeadLed System lampshades. (p. 111).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 1,1 Kg / 2.4 lb



Lampshades



Light source included:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

Cirio Múltiple

Antoni Arola
2010

For further information on built-in LED go to p. 136



Examples of composition

CIF11 + 12 HEL03 + 12 CIP01	SGD 7.480
CIF22 + 6 HEL08 + 6 CIP05	SGD 4.815
CIF12 + 8 HEL08 + 8 CIP06	SGD 8.390

Code Circular metal canopy + power supply

CIF11	Black surface dimmable 1-10 V	SGD 1.575
CIF11-DALI	Black surface dimmable DALI	SGD 1.575
CIF12	White surface dimmable 1-10 V	SGD 1.575
CIF12-DALI	White surface dimmable DALI	SGD 1.575
CIF22	White built-in dimmable 1-10 V	SGD 1.575
CIF22-DALI	White built-in dimmable DALI	SGD 1.575

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.



From 6 to a maximum of 12 light sources.

Suitable for dimming 1-10V / DALI


(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p. 111).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 8 Kg / 17.5 lb

Lampshades



Light sources included (dimmable):

Built-in LED 7,7 W


Cirio Cascada 5

Antoni Arola
2017

For further information on built-in LED go to p. 136

Spiral
composition

Random
composition



Composition

CIF41 + 5 HEL03 + 5 CIP01	SGD 3.625
CIF41 + 5 HEL08 + 5 CIP01	SGD 3.985
CIF41 + 5 HEL03 + 5 CIP05	SGD 3.505
CIF41 + 5 HEL08 + 5 CIP05	SGD 3.865
CIF41 + 5 HEL03 + 5 CIP06	SGD 5.065
CIF41 + 5 HEL08 + 5 CIP06	SGD 5.425

Code Circular metal canopy + power supply

CIF41 For 5 light sources **SGD 1.165**

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 7 Kg / 15.5 lb

8 m: 8 Kg / 17.6 lb



Lampshades



Light source included (dimmable):

5 x Built-in LED 7,7 W


Cirio Cascada 7

Antoni Arola
2017

For further information on built-in LED go to p. 136

Spiral
composition

Random
composition



Composition

CIF51 + 7 HEL03 + 7 CIP01	SGD 4.610
CIF51 + 7 HEL08 + 7 CIP01	SGD 5.115
CIF51 + 7 HEL03 + 7 CIP05	SGD 4.440
CIF51 + 7 HEL08 + 7 CIP05	SGD 4.945
CIF51 + 7 HEL03 + 7 CIP06	SGD 6.625
CIF51 + 7 HEL08 + 7 CIP06	SGD 7.130

Code Circular metal canopy + power supply

CIF51 For 7 light sources **SGD 1.165**

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 9 Kg / 19.8 lb

8 m: 10 Kg / 22 lb



Lampshades



Light source included (dimmable):

7 x Built-in LED 7,7 W


Cirio Cascada 9

Antoni Arola
2017

For further information on built-in LED go to p. 136

Spiral
composition

Random
composition



Composition

CIF61 + 9 HEL03 + 9 CIP01	SGD 5.725
CIF61 + 9 HEL08 + 9 CIP01	SGD 6.375
CIF61 + 9 HEL03 + 9 CIP05	SGD 5.510
CIF61 + 9 HEL08 + 9 CIP05	SGD 6.160
CIF61 + 9 HEL03 + 9 CIP06	SGD 8.320
CIF61 + 9 HEL08 + 9 CIP06	SGD 8.965

Code Circular metal canopy + power supply

CIF61 For 9 light sources **SGD 1.300**

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 12 Kg / 26.5 lb

8 m: 14 Kg / 30.9 lb



Lampshades




Light source included (dimmable):

9 x Built-in LED 7,7 W

Cirio Cascada 12

Antoni Arola
2017

For further information on built-in LED go to p. 136



Composition

CIF71 + 12 HEL03 + 12 CIP01	SGD 7.610
CIF71 + 12 HEL08 + 12 CIP01	SGD 8.475
CIF71 + 12 HEL03 + 12 CIP05	SGD 7.320
CIF71 + 12 HEL08 + 12 CIP05	SGD 8.185
CIF71 + 12 HEL03 + 12 CIP06	SGD 11.065
CIF71 + 12 HEL08 + 12 CIP06	SGD 11.930

Code Rectangular metal canopy + power supply

CIF71 For 12 light sources **SGD 1.705**

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 18 Kg / 39.7 lb

8 m: 20 Kg / 44 lb



Lampshades




Light source included (dimmable):

12 x Built-in LED 7,7 W

Cirio Circular M

Antoni Arola
2010

For further information on built-in LED go to p. 136



Examples of composition

CIR28 + 2 CIF01 + 28 CIP01	SGD 17.750
CIR28 + 2 CIF31 + 28 CIP05	SGD 16.815

Code	Black metal structure	Light sources	
CIR28	Circular Ø 300 cm / 118,1"	28	SGD 8.150

	Black metal canopy + power supply	Drawing	
CIF01	Circular Dimming DALI / DSI / SWITCH DIM	C	SGD 940
CIF31	Rectangular Dimming 1-10V	R	SGD 805
CIF31	Rectangular	R	SGD 805
DALI	Dimming DALI		

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming.


(Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 33 Kg / 72.8 lb



Lampshades



Ceiling rosettes



Light sources included (dimmable):

Circular canopy (CIF01): 28 x Built-in LED 3,7 W

Rectangular canopy (CIF31 / CIF31-DALI): 28 x Built-in LED 7,7 W

Cirio Circular L

Antoni Arola
2010

For further information on built-in LED go to p. 136

Examples of composition

CIR42 + 3 CIF01 + 42 CIP01	SGD 28.060
CIR42 + 3 CIF31 + 42 CIP05	SGD 26.655

Code	Black metal structure	Light sources		
CIR42	Circular Ø 520 cm / 204.7"	42		SGD 13.660
Black metal canopy + power supply			Drawing	
CIF01	Circular Dimming DALI / DSI / SWITCH DIM		C	SGD 940
CIF31	Rectangular Dimming 1-10V		R	SGD 805
CIF31-DALI	Rectangular Dimming DALI		R	SGD 805
Lampshade		Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 47 Kg / 103.5 lb




Light sources included (dimmable):


Circular canopy (CIF01): 42 x Built-in LED 3,7 W

Rectangular canopy (CIF31 / CIF31-DALI): 42 x Built-in LED 7,7 W


Examples of composition: **S + M + L**



Lampshades



Ceiling rosettes



Cirio Oval
Antoni Arola
2010

For further information on built-in LED go to p. 136

Examples of composition

CIL05 + CII05 + CIR28 + 3 CIF01 + 4 CIN01 + 38 CIP01	SGD 27.445
CIL05 + CII05 + CIR28 + 3 CIF31 + 4 CIN01 + 38 CIP05	SGD 26.140

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	SGD 2.835
CII05	End	5	B	SGD 2.835
CIR28	Circular Ø 300 cm / 118.1"	28	M	SGD 8.150

Black metal canopy + power supply

CIF01	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 940
CIF02	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 940
CIF31	Rectangular Dimming 1-10V	R	SGD 805
CIF31-DALI	Rectangular Dimming DALI	R	SGD 805

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Metal connector (to join modules)

CIN01	Linear	SGD 85
--------------	--------	---------------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 46 Kg / 101.5 lb



Light sources included (dimmable):


Circular canopy (CIF01): 28 x Built-in LED 3,7 W

Rectangular canopy (CIF31 / CIF31-DALI): 28 x Built-in LED 7,7 W



Lampshades

Ceiling rosettes



Cirio Lineal
Antoni Arola
2010

For further information on built-in LED go to p. 136

Examples of composition

CIL05 + CIF02 + 5 CIP01	SGD 5.150
CIL05 + CIF31 + 5 CIP06	SGD 6.460
CIL05 + 2 CII05 + CIF01 + 2 CIN01 + 15 CIP01	SGD 13.740
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP01	SGD 13.610
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP05	SGD 13.250

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	SGD 2.835
CII05	End	5	B	SGD 2.835

Code Black metal canopy + power supply

CIF01	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 940
CIF02	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	D	SGD 940
CIF31	Rectangular Dimming 1-10V	R	SGD 805
CIF31-DALI	Rectangular Dimming DALI	R	SGD 805

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Metal connector (to join modules)

CIN01	Linear	SGD 85
--------------	--------	---------------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.





Composition instructions:

Circular canopy: For 1 module use CIF02. For 2 or 3 modules use CIF01.
Rectangular canopy: The installation of a new canopy is needed every 3 modules.
Suitable for dimming. (Not included external dimmer switch).
Electric cable length: 5 m / 196.8"
Weight Cirio Lineal (A) (with canopy and porcelain lampshade): 7,5 Kg / 16.5 lb
Weight Cirio Final (B) (with porcelain lampshade): 4,5 Kg / 10 lb



Light sources included (dimmable):

Circular canopy (CIF01 / CIF02): 5 x Built-in LED 3,7 W
Rectangular canopy (CIF31 / CIF31-DALI): 5 x Built-in LED 7,7 W



Lampshades

Ceiling rosettes



Cirio Chandelier S

Antoni Arola
2015

For further information on built-in LED go to p. 136

Composition

CIC20 + 20 CIP01	SGD 13.670
CIC20 + 20 CIP05	SGD 13.190
CIC20 + 20 CIP06	SGD 19.430

Code	Description	
CIC20	Black metal circular structure Ø100 cm / 39.4"	SGD 8.150

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 25 Kg / 55 lb




Light sources included (dimmable):

20 x Built-in LED 5,7 W


A



B



Lampshades



Cirio Chandelier M

Antoni Arola
2015

For further information on built-in LED go to p. 136

Composition

CIC30 + 30 CIP01	SGD 20.270
CIC30 + 30 CIP05	SGD 19.550
CIC30 + 30 CIP06	SGD 28.910

Code Description

CIC30	Black metal circular structure Ø130 cm / 51.2"	SGD 11.990
--------------	--	-------------------

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 35 kg / 77 lb




Light sources included (dimmable):

30 x Built-in LED 5,7 W


A



B



Lampshades



Cirio Chandelier L

Antoni Arola
2015

For further information on built-in LED go to p. 136

Composition

CIC40 + 40 CIP01	SGD 27.040
CIC40 + 40 CIP05	SGD 26.080
CIC40 + 40 CIP06	SGD 38.560

Code Description

CIC40	Black metal circular structure Ø160 cm / 63"	SGD 16.000
--------------	--	-------------------

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"



Weight (with porcelain lampshade): 50 kg / 110 lb





Light sources included (dimmable):

40 x Built-in LED 5,7 W


A



B



Lampshades




Estadio 105

1 support

Miguel Milá
1992

For further information on light sources go to p. 132



Composition

EST10 + FSCG1 **SGD 14.330**

Code	Description	
EST10	Black metal structure with glass block lampshade	SGD 11.570
FSCG1	1 support hanging system	SGD 2.760

Light source

6BOM41 LED bulb 13,5 W - 2.700 K **SGD 72**

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 93 kg / 205 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

12 x LED bulb 13,5 W

Other light sources:


Max. 12 x 75 W

Estadio 105

3 supports

Miguel Milá
1992

For further information on light sources go to p. 132



Composition

EST10 + FSCG3 **SGD 13.705**

Code	Description	
EST10	Black metal structure with glass block lampshade	SGD 11.570
FSCG3	3 supports hanging system	SGD 2.140

Light source

6BOM41 LED bulb 13,5 W - 2.700 K **SGD 72**

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 93 Kg / 205 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

12 x LED bulb 13,5 W


Other light sources:

Max. 12 x 75 W

Estadio 150

1 support

Miguel Milá
1992



Composition

EST15 + FSCG1 **SGD 18.855**

Code	Description	
------	-------------	--

EST15	Black metal structure with glass block lampshade	SGD 16.095
FSCG1	1 support hanging system	SGD 2.760

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 158 Kg / 348 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

18 x LED bulb 13,5 W


Other light sources:

Max. 18 x 75 W

Estadio 150

3 supports

Miguel Milá
1992



For further information on light sources go to p. 132

Composition

EST15 + FSCG3 **SGD 18.230**

Code	Description	
------	-------------	--

EST15	Black metal structure with glass block lampshade	SGD 16.095
FSCG3	3 supports hanging system	SGD 2.140

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.4"
Weight: 158 Kg / 348 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

18 x LED bulb 13,5 W

Other light sources:


Max. 18 x 75 W

Estadio 250

1 support

Miguel Milá
1992

For further information on light sources go to p. 132



Composition

EST24 + FSCG1 **SGD 31.095**

Code Description

EST24 Black metal structure with glass block lampshade **SGD 28.335**
FSCG1 1 support hanging system **SGD 2.760**

Light source

6BOM41 LED bulb 13,5 W - 2.700 K **SGD 72**

The structure is delivered in 2 parts.
 Stainless steel structure hanging system.
 Satin nickel canopy included.
 Electric cable length: 4 m / 157.5"
 Weight: 330 Kg / 728 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

24 x LED bulb 13,5 W

Recommended light source:


Max. 24 x 75 W

Estadio 250

3 supports

Miguel Milá
1992

For further information on light sources go to p. 132



Composition

EST24 + FSCG3 **SGD 30.470**

Code Description

EST24 Black metal structure with glass block lampshade **SGD 28.335**
FSCG3 3 supports hanging system **SGD 2.140**

Light source

6BOM41 LED bulb 13,5 W - 2.700 K **SGD 72**

The structure is delivered in 2 parts.
 Stainless steel structure hanging system.
 Satin nickel canopy included.
 Electric cable length: 4 m / 157.5"
 Weight: 330 Kg / 728 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

24 x LED bulb 13,5 W

Other light sources:


Max. 24 x 75 W

Línea Estadio

Miguel Milá

2014

For further information on light sources go to p. 132



Examples of composition	Modules	Drawing	
ESTL1	1 module	A	SGD 6.600
ESTL1 + ESTL2	2 modules	A + B	SGD 12.350
ESTL1 + 2 ESTL2 + ESTL3	4 modules (with 75 W light source)	A + 2B + C	SGD 24.700

Code	Structure with hanging system		
ESTL1	Initial module	A	SGD 6.600
ESTL2	Alignment module	B	SGD 5.750
ESTL3	Power supply module (> 1200 W)	C	SGD 6.600

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
--------	---------------------------	--------

Black metal structure with glass block lampshade.

Stainless steel hanging system.

Satin nickel metallic canopy included.

Maximum 1200W per line (6A). One connection per line.


For more than 1200 W, use an extra power supply module (ESTL3).

Electric cable length: 4 m / 157.5"


Weight (1 module): 52 kg / 115 lb



Examples of composition: **A + B**



Examples of composition with light source 75 W (> 1200 W): **A + 2B + C**



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

5 x LED bulb 13,5 W

Other light sources:

Max. 5 x 75 W

Flúor
Antoni Arola
2007

For further information on light sources go to p. 132

Composition

FLC12 + FLCP2 **SGD 840**

Code	Description	
FLC12	Grey aluminium structure	SGD 555
FLCP2	Transparent methacrylate shade with fire-resistant fabric and white diffuser screen	SGD 290

Light source


6BOM13 **SGD 22**
Fluorescent 80 W

Satin nickel metallic circular canopy included.

Suitable for side entry adaptor. (p. 109).

Electric cable length: 2 m / 78.7"

Weight: 4 Kg / 8.8 lb



Bulb socket: G5

Recommended light source:

Fluorescent. T5. Linear 80 W

Sistema Flúor

Antoni Arola
2007

For further information on light sources go to p. 132

Examples of composition	Modules	
FLC21 + 2 FLCP1	2 modules of 54W	SGD 1.465
FLC21 + FLC31 + 3 FLCP1	3 modules of 54W	SGD 2.140
FLC21 + 3 FLC31 + 5 FLCP1	5 modules of 54W	SGD 3.480
Code	Grey tubular aluminium structure	
FLC21	Double initial and end	SGD 940
FLC31	Intermediate	SGD 410
	Lampshade	
FLCP1	Transparent methacrylate shade with fire-resistant fabric and white diffuser screen	SGD 265
	Light source	
6BOM11	Fluorescent 54 W	SGD 17


Satin nickel metallic circular canopy included.



Suitable for side entry adaptor. (p. 109).

Electric cable length: 2 m / 78.7"

Weight Sistema Flúor Lineal-Final: 7 Kg / 15 lb



Bulb socket: G5


Recommended light source:

Fluorescent. T5. Linear 54 W

GT4

Gabriel Ordeig Cole
1983

For further information on light sources go to p. 132

**Composition**

SIS13 + PGT41	SGD 915
SIS21B + PGT41	SGD 900
SIS21N + PGT41	SGD 900
SIS22 + PGT41	SGD 900

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PGT41	Stitched beige parchment	SGD 700
--------------	--------------------------	----------------

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 13,5 W


Other light sources:

Max. 60 W

GT5

Santa & Cole Team
1994

For further information on light sources go to p. 132

**Examples of composition**

SIS13 + GT513	SGD 795
SISD13 + GT507	SGD 975

Code	Sisisi canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205
SISD13	Satin nickel	Black	Double	SGD 340
SISD21B	Textured white finish	White	Double	SGD 315
SISD21N	Textured white finish	Black	Double	SGD 315
SISD22	Textured black finish	Black	Double	SGD 315

Ribbon lampshade

GT513	Natural	SGD 580
GT515	Red-amber	SGD 580
GT516	Black	SGD 580
GT507	Terracotta Raw Color	SGD 640
GT508	Mustard Raw Color	SGD 640
GT509	Green Raw Color	SGD 640

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Canopy suitable for side entry adaptor (p. 109).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 100 W

GT6

Santa & Cole Team
1994

For further information on light sources go to p. 132

**Examples of composition**

SIS13 + GT613	SGD 650
SISD13 + GT607	SGD 820

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205
SISD13	Satin nickel	Black	Double	SGD 340
SISD21B	Textured white finish	White	Double	SGD 315
SISD21N	Textured white finish	Black	Double	SGD 315
SISD22	Textured black finish	Black	Double	SGD 315

Lampshade

GT613	Natural ribbon	SGD 435
GT615	Red-amber ribbon	SGD 435
GT616	Black ribbon	SGD 435
GT607	Terracotta Raw Color ribbon	SGD 480
GT608	Mustard Raw Color ribbon	SGD 480
GT609	Green Raw Color ribbon	SGD 480
GT618	White linen	SGD 435

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor (p. 109).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 100 W

GT7

Santa & Cole Team
2000

For further information on light sources go to p. 132

**Composition**

GT701 + GT722 + GT7Px*	SGD 1.790
GT701 + GT722 + GT7Px**	SGD 1.910
GT701 + GT713 + GT7Px*	SGD 1.815
GT701 + GT713 + GT7Px**	SGD 1.935

Code Socket assembly

GT701	White with black cable	SGD 470
--------------	------------------------	----------------

Circular metal canopy

GT722	Black	SGD 170
GT713	Satin nickel	SGD 195

Ribbon lampshade

*GT7P3	Natural	SGD 1.155
*GT7P5	Red-amber	SGD 1.155
*GT7P6	Black	SGD 1.155
**GT7P7	Terracotta Raw Color	SGD 1.275
**GT7P8	Mustard Raw Color	SGD 1.275
**GT7P9	Green Raw Color	SGD 1.275

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Black metal disc on the upper part: Ø 40 cm / 15.6"
and translucent white PVC diffuser disc on the lower part: Ø 60 cm / 23.7"
Ceiling rosette suitable for side entry adaptor (p. 109).
Electric cable length: 8 m / 315"
Weight: 7 Kg / 15 lb

**Bulb socket:**

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source:

3 x LED bulb 13,5 W


Other light sources:

Max. 3 x 60 W

GT1000

Santa & Cole Team
2013

For further information on built-in LED go to p. 136

**Composition**

GT1502 + GT10Px*	SGD 5.140
GT1502 + GT10Px**	SGD 5.320

Code Electrical structure + lamp socket

GT1502	LED	SGD 2.485
---------------	-----	------------------

Ribbon lampshade

*GT10P3	Natural	SGD 2.655
*GT10P5	Red-amber	SGD 2.655
*GT10P6	Black	SGD 2.655
**GT10P7	Terracotta Raw Color	SGD 2.835
**GT10P8	Mustard Raw Color	SGD 2.835
**GT10P9	Green Raw Color	SGD 2.835

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 83 cm. / 32.7".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 12 Kg / 26.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

GT1500

Santa & Cole Team
2011

For further information on built-in LED go to p. 136

**Composition**

GT1502 + GT15Px*	SGD 6.315
GT1502 + GT15xx**	SGD 6.590

Code Electrical structure + lamp socket

GT1502	LED	SGD 2.485
---------------	-----	-----------

Ribbon lampshade

*GT15P3	Natural	SGD 3.830
*GT15P5	Red-amber	SGD 3.830
*GT15P6	Black	SGD 3.830
**GT15P7	Terracotta Raw Color	SGD 4.105
**GT15P8	Mustard Raw Color	SGD 4.105
**GT15P9	Green Raw Color	SGD 4.105

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 125 cm / 49.2".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 17 Kg / 37.5 lb

**Light source included (dimmable):**


Built-in LED 78 W

HeadHat Bowl S

Santa & Cole Team
2013

For further information on built-in LED go to p. 136

New Material



Examples of composition

HEFxx* + HEL03 + HATS1x*	SGD 660
HEFxx* + HEL08 + HATS1x*	SGD 735
HEFxx* + HEL03 + HATS13	SGD 600
HEFD0x** + HEL03 + HATS1x*	SGD 840
HEFD0x** + HEL08 + HATS1x*	SGD 915
HEFD0x** + HEL08 + HATS13	SGD 855

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Lampshade

*HATS12	White ceramic S	SGD 195
*HATS11	Black ceramic S	SGD 195
HATS13	White opal glass S	SGD 135

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 111).


and Cirio structures (p. 46-47).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,1 kg / 2.4 lb



Ceiling rosettes



Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Bowl L

Santa & Cole Team
2013

For further information on built-in LED go to p. 136

New Material



Examples of composition

HEFxx* + HEL03 + HATL1x*	SGD 770
HEFxx* + HEL08 + HATL1x*	SGD 840
HEFxx* + HEL03 + HATL13	SGD 700
HEFD0x** + HEL03 + HATL1x*	SGD 950
HEFD0x** + HEL08 + HATL1x*	SGD 1.020
HEFD0x** + HEL08 + HATL13	SGD 950

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Lampshade

*HATL12	White ceramic L	SGD 300
*HATL11	Black ceramic L	SGD 300
HATL13	White opal glass L	SGD 230

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 111).


and Cirio structures. (p. 46-47).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,6 kg / 3.5 lb



Ceiling rosettes



Light source included:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate S

Santa & Cole Team
2013

For further information on built-in LED go to p. 136



Examples of composition

HEFxx* + HEL03 + HATS02	SGD 865
HEFxx* + HEL08 + HATS02 + 6HAT01	SGD 1.035
HEFD0x** + HEL03 + HATS02 + 6HAT01	SGD 1.140
HEFD0x** + HEL08 + HATS02	SGD 1.120

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Metallic lampshade

HATS02	White S	SGD 400
--------	---------	---------

Diffuser (optional)

6HAT01	White methacrylate	C	SGD 100
--------	--------------------	---	---------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 111).



and Cirio structures (p. 46-47).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight: 1,5 kg / 3 lb



Ceiling rosettes



Diffuser (optional)



Light source included:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate M

Santa & Cole Team
2013

For further information on built-in LED go to p. 136



Examples of composition

HEFxx* + HEL03 + HATM02	SGD 940
HEFxx* + HEL08 + HATM02 + 6HAT01	SGD 1.105
HEFD0x** + HEL03 + HATM02 + 6HAT01	SGD 1.215
HEFD0x** + HEL08 + HATM02	SGD 1.190

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Metallic lampshade

HATM02	White M	SGD 470
--------	---------	---------

Diffuser (optional)

6HAT01	White methacrylate	C	SGD 100
--------	--------------------	---	---------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 111).

and Cirio structures (p. 46-47).


Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,9 kg / 4.2 lb




Ceiling rosettes

A




B



Diffuser (optional)

C



Light source included:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate L

Santa & Cole Team
2013

For further information on built-in LED go to p. 136



Examples of composition

HEFxx* + HEL03 + HATL02	SGD 1.165
HEFxx* + HEL08 + HATL02 + 6HAT01	SGD 1.335
HEFD0x** + HEL03 + HATL02 + 6HAT01	SGD 1.440
HEFD0x** + HEL08 + HATL02	SGD 1.420

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Metallic lampshade

HATL02	White L	SGD 700
--------	---------	---------

Diffuser (optional)

6HAT01	White methacrylate	C	SGD 100
--------	--------------------	---	---------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

^[1] Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).



S&C LED capsule suitable with HeadLed System lampshades (p. 111) and Cirio structures (p. 46-47).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight: 3 kg / 6.8 lb



Ceiling rosettes



Diffuser (optional)



Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

La Colilla
Carles Riart
1976

For further information on light sources go to p. 132

Code	Description	
COL01	Methacrylate diffuser tube	SGD 505

Plug without switch.
Electric cable length: 4 m / 157.5"
Weight: 1 kg / 2.2 lb




Light source included:
Neon bulbs strip 6 W

Leonardo 60

Antoni Arola
2003

For further information on light sources go to p. 132



Code	Description	
LEO02	Slats of natural birch wood	SGD 2.520

Stainless steel inner structure.
White metallic circular canopy included.
Electric cable length: 3 m / 118.1"
Weight: 3 Kg / 6.6 lb




Bulb socket:
E27 (Max. hgt. 155 mm / 6.1")
Light source included:
LED bulb 13,5 W

Leonardo 100

Antoni Arola
2003

For further information on light sources go to p. 132



Code	Description	
LEO12	Slats of natural birch wood	SGD 6.700

Stainless steel inner structure.
White metallic circular canopy included.
Electric cable length: 3 m / 118.1"
Weight: 3,7 kg / 8.2 lb




Bulb socket:
E27 (Max. hgt. 155 mm / 6.1")
Light source included:
LED bulb 13,5 W

Liceo 70

Dilmé, Fabré, Serra,
Solà-Morales
1999

For further information on light sources go to p. 132



Code	Description	
LIC11	Satin brass structure Bronze net lampshade	SGD 11.940

Circular polished brass canopy included.
Electric cable length: 3 m / 118.1"
Weight: 15 kg / 33 lb




Bulb socket: GX16d
Light source included:
Halogen. PAR56: Max. 300 W

Liceo 120

Dilmé, Fabré, Serra,
Solà-Morales
1999

For further information on light sources go to p. 132



Code	Description	
LIC31	Satin brass structure Bronze net lampshade	SGD 30.640


Circular polished brass canopy included.
Electric cable length: 3 m / 118.1"
Weight: 45 kg / 99 lb



Bulb socket: R7s
Light source included:
2 x Halogen. QT-DE: Max. 400 W

M64Miguel Milá
1964

For further information on built-in LED go to p. 136

New Color**Examples of composition**

HEFxx* + HEL03 + M640x*	SGD 915
HEFxx* + HEL08 + M6404	SGD 1.180
HEFD0x** + HEL03 + M640x*	SGD 1.095
HEFD0x** + HEL08 + M6404	SGD 1.360

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 255
*HEF02	White surface (not dimmable)	A	SGD 255
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 435
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 435
*HEF12	White built-in (not dimmable)	B	SGD 255

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Lampshade

*M6401	White matte aluminium	SGD 445
*M6402	Black matte aluminium	SGD 445
*M6403	Polished aluminium	SGD 445
*M6405	Brilliant red aluminium	SGD 445
M6404	Brass	SGD 640

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).


S&C LED capsule suitable with HeadLed System lampshades (p. 111).

and Cirio structures (p. 46-47).

Electric cable length: 3 m / 118.1 - 8 m / 315"

Weight with brass lampshade: 1,35 kg / 2.98 lb

Weight with aluminium lampshade: 1 kg / 2.2 lb


**Ceiling rosettes****Light source included:**

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

M68Miguel Milá
1962

For further information on light sources go to p. 132

New Color

Code	Lampshade	Circular canopy	
CAM02	White matte aluminium	White	SGD 900
CAM03	Polished aluminium	Chrome-plated	SGD 805
CAM05	Brilliant red aluminium	Red	SGD 940
CAM06	Black matte aluminium	Black	SGD 940

Light source

6BOM40	LED bulb 10 W - 2700K	SGD 36
---------------	-----------------------	---------------

Canopy suitable for side entry adaptor (p. 109).

Electric cable length: 3 m / 118.1"

Weight: 1,6 kg / 3.5 lb

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 100 W

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 136



Code Metallic lampshades

MAI32L White

SGD 1.130

MAI324L Nude rose

SGD 1.130

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 1,4 kg / 3.1 lb




Light source included (dimmable):

Built-in LED 6 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p. 136



Code Metallic lampshades

MAI31L Whites

SGD 1.455

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 2,9 kg / 6.4 lb




Light source included (dimmable):

Built-in LED 8,4 W





Moaré

Antoni Arola
2003

For further information on light sources go to p. 132



Lampshades



Examples of composition

MRE31 + MREMx*	SGD 1.345
MRE31 + MREMx* + MRESx*	SGD 1.660
MRE31 + MRELx*	SGD 1.540
MRE31 + MRELx* + MREMx*	SGD 2.080
MRE31 + MREXx*	SGD 2.030
MRE31 + MREXx* + MREMx*	SGD 2.570
MRE31 + MREXx* + MRELx*	SGD 2.760

Code	Structure	
MRE31	With cylindrical acrylsatiné methacrylate diffuser	SGD 805

Lampshade S

*MRES3	White	SGD 315
*MRES5	Red	SGD 315
*MRES6	Grey	SGD 315

Lampshade M

*MREM3	White	SGD 540
*MREM5	Red	SGD 540
*MREM6	Grey	SGD 540
*MREM7	Black	SGD 540

Lampshade L

*MREL3	White	SGD 735
*MREL5	Red	SGD 735
*MREL6	Grey	SGD 735
*MREL7	Black	SGD 735

Lampshade X

*MREX3	White	SGD 1.225
*MREX5	Red	SGD 1.225
*MREX6	Grey	SGD 1.225
*MREX7	Black	SGD 1.225

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
--------	-------------------------	--------

Metallic graphite black square canopy included.
Polyester lampshade.
Electric cable length: 3 m / 118.1"



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source:

3 x LED bulb 10 W


Other light sources:

Max. 3 x 100 W

Moaré Liviana S

Antoni Arola
2017

For further information on light sources go to p. 132



Composition

SIS13 + MRESL3	SGD 650
SIS21B + MRESL3	SGD 640
SIS21N + MRESL3	SGD 640
SIS22 + MRESL3	SGD 640

Code	Sisís canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Polyester lampshade

MRESL3	White S	SGD 435
---------------	---------	----------------

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

White cardboard cylindrical diffuser.

Electric cable length: 3 m / 118.1"



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Moaré Liviana M

Antoni Arola
2017

For further information on light sources go to p. 132

**Composition**

SIS13 + MREML3	SGD 890
SIS21B + MREML3	SGD 880
SIS21N + MREML3	SGD 880
SIS22 + MREML3	SGD 880

Code	Sisis canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Polyester lampshade

MREML3	White M	SGD 675
---------------	---------	---------

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	--------

White cardboard cylindrical diffuser.
Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Nagoya

Ferran Freixa
1961

For further information on light sources go to p. 132



Code	Description	
NAGN3	Wood strips lampshade	SGD 780

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	--------

With plug.
Electric cable length: 3 m / 118.1"
Weight: 1,1 kg / 2.4 lb

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Nimba 60

Antoni Arola
1997

For further information on built-in LED go to p. 136



Code Stainless steel structure

NIM06LED	Matte finish. Dimmable 1-10 V	SGD 5.380
NIM06LED-DALI	Matte finish. Dimmable DALI	SGD 5.380
NIM063LED	Golden finish. Dimmable 1-10 V	SGD 5.570
NIM063LED-DALI	Golden finish. Dimmable DALI	SGD 5.570

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 7,4 kg / 16.3 lb




Light source included (dimmable):

Built-in LED 45 W

Nimba 90

Antoni Arola
1997

For further information on built-in LED go to p. 136



Code Stainless steel structure

NIM09LED	Matte finish. Dimmable 1-10 V	SGD 6.890
NIM09LED-DALI	Matte finish. Dimmable DALI	SGD 6.890
NIM093LED	Golden finish. Dimmable 1-10 V	SGD 7.080
NIM093LED-DALI	Golden finish. Dimmable DALI	SGD 7.080

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 9,5 kg / 20.9 lb




Light source included (dimmable):

Built-in LED 65 W

Nimba 120

Antoni Arola
1997

For further information on built-in LED go to p. 136

**Code****Stainless steel structure**

NIM12LED	Matte finish. Dimmable 1-10 V	SGD 10.670
NIM12LED-DALI	Matte finish. Dimmable DALI	SGD 10.670
NIM123LED	Golden finish. Dimmable 1-10 V	SGD 10.860
NIM123LED-DALI	Golden finish. Dimmable DALI	SGD 10.860

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 12,6 kg / 27.8 lb


**Light source included (dimmable):**

Built-in LED 95 W

Nimba 180

Antoni Arola
1997

For further information on built-in LED go to p. 136

**Code****Stainless steel structure**

NIM18LED	Matte finish. Dimmable 1-10 V	SGD 18.590
NIM18LED-DALI	Matte finish. Dimmable DALI	SGD 18.590
NIM183LED	Golden finish. Dimmable 1-10 V	SGD 18.805
NIM183LED-DALI	Golden finish. Dimmable DALI	SGD 18.805

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 17 kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 140 W

Sexta

Miguel Milá
2003

For further information on light sources go to p. 132



Composition

SXT41 + SXT01	SGD 3.865
SXT41 + SXT02	SGD 3.890
SXT41 + SXT03	SGD 4.190
SXT41 + SXT00	SGD 3.505
SXT41 + SXT01 + 6SXT03	SGD 4.225
SXT41 + SXT02 + 6SXT03	SGD 4.250
SXT41 + SXT03 + 6SXT03	SGD 4.550
SXT41 + SXT00 + 6SXT03	SGD 3.865

Code 6 Lampshades

SXT41	White translucent PVC	SGD 3.325
-------	-----------------------	-----------

6 Lower discs (optionals)

6SXT03	Translucent opal methacrylate	SGD 360
--------	-------------------------------	---------

Telescopic tube

SXT01	40 / 75 cm - 15.75 / 29.5"	SGD 540
SXT02	82 / 152 cm - 32.3 / 59.8"	SGD 565
SXT03	156 / 302 cm - 61.4 / 118.9"	SGD 865
SXT00	Without telescopic tube	SGD 180

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
--------	-------------------------	--------

Chrome-plated structure, pendulous and telescopic support.

Chrome-plated metallic circular canopy included.

Suitable for side entry adaptor (p. 109).

Weight: 6 Kg / 13.2 lb



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source:

6 x LED bulb 10 W


Other light sources:

Max. 6 x 60 W

Sexta 12

Miguel Milá
2014

For further information on light sources go to p. 132



Code Structure and circular canopy

SXT12 Chrome-plated **SGD 6.220**

12 lower discs (optional)

6SXT04 Translucent opal methacrylate **SGD 625**

Light source

6BOM40 LED bulb 10 W - 2700K **SGD 36**

Hanging system of 1 support.
12 white translucent PVC lampshades.
Weight: 8,2 kg / 18 lb



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source:

12 x LED bulb 10 W

Other light sources:

Max. 12 x 60 W


Sistema Fonda

Gabriel Ordeig Cole


1990

For further information on light sources go to p. 132


AP1



AP2



AM1



Examples of composition

Examples of composition	Structure	Draw.	
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP101	3 Lampshades	AP1	SGD 1.900
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP201	3 Lampshades	AP2	SGD 1.970
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PM101	3 Lampshades	AM1	SGD 1.935
6 FON23 + 2 FONU3 + 4 FONA3 + CSF01 + FSC13 + 18 PP203	18 Lampshades		SGD 9.720

Code Structure

Code	Structure		
FON13	For 1 lampshade	B	SGD 375
FON23	For 3 lampshades	C	SGD 900

Lampshade P1

Code	Structure		
PP101	Stitched beige parchment	P1	SGD 135
PP103	Natural ribbon	P1	SGD 120
PP105	Red-amber ribbon	P1	SGD 120
PP106	Black ribbon	P1	SGD 120
PP107	Terracotta Raw Color ribbon	P1	SGD 160
PP108	Mustard Raw Color ribbon	P1	SGD 160
PP109	Green Raw Color ribbon	P1	SGD 160

Lampshade P2

Code	Structure		
PP201	Stitched beige parchment	P2	SGD 160
PP203	Natural ribbon	P2	SGD 145
PP208	White linen	P2	SGD 205

Lampshade M1

Code	Structure		
PM101	Stitched beige parchment	M1	SGD 145
PM103	Natural ribbon	M1	SGD 135
PM105	Red-amber ribbon	M1	SGD 135
PM106	Black ribbon	M1	SGD 135
PM107	Terracotta Raw Color ribbon	M1	SGD 170
PM108	Mustard Raw Color ribbon	M1	SGD 170
PM109	Green Raw Color ribbon	M1	SGD 170
PML108	White linen	M1	SGD 195

Connection

Code	Structure		
FONF3	End	D	SGD 180
FONU3	Intermediate	E	SGD 195
FONA3	90° angle	F	SGD 280

Canopy


Code	Structure		
CSF01	3 m / 118.1" electric cable		SGD 50
FSC13	S&C canopy		SGD 195

Light source


Code	Structure		
6BOM40	LED bulb 10 W - 2.700 K		SGD 36



Lampshades



Structure



Satin nickel tubular structure with natural beech wood supports for 1 or 3 lampshades.

S&C satin nickel metallic canopy included.

Suitable for side entry adaptor.

Maximum 1200 W per line (6A). One connection per line.

Weight structure for 3 lampshades (without lampshade): 2.7 kg / 5.9 lb

Weight structure for 18 lampshades (without lampshade): 13 kg / 29 lb

Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")


Recommended light source:

1 x / 3 x LED bulb 10 W

Other light sources:

Max. 1 x / 3 x 100 W

Examples of composition



Sistema Gran Fonda

Gabriel Ordeig Cole
1990

For further information on light sources go to p. 132

Examples of composition		Structure	
FON18 + 2 FONF3 + PGF15 + FSC13 + CSF01		For 1 lampshade	SGD 1.515
FON18 + FON28 + 2 FONF3 + FONU3 + 3 PGF13 + FSC13 + CSF01		For 3 lampshades	SGD 3.445
Code	Structure	Drawing	
FON18	For 1 lampshade	B	SGD 470
FON28	For 2 lampshades	C	SGD 855
Lampshade			
PGF13	Natural ribbon	D	SGD 445
PGF15	Red-amber ribbon	D	SGD 445
PGF16	Black ribbon	D	SGD 445
PGF17	Terracotta Raw Color ribbon	D	SGD 495
PGF18	Mustard Raw Color ribbon	D	SGD 495
PGF19	Green Raw Color ribbon	D	SGD 495
PGFL18	White linen	D	SGD 445
Connection			
FONF3	End	E	SGD 180
FONU3	Intermediate	F	SGD 195
FONA3	90° angle	G	SGD 280
Canopy			
CSF01	3 m / 118.1" electric cable		SGD 50
FSC13	S&C canopy		SGD 195
Light source			
6BOM40	LED bulb 10 W - 2.700 K		SGD 36

Satin nickel tubular structure for 1 or 2 lampshades.
Each lampshade includes a translucent white diffuser disk.
S&C satin nickel metallic canopy included.
Suitable for side entry adaptor.
Maximum 1200W per line (6A). One connection per line.
Electric cable length: 3 m / 118.1"
Weight structure with 1 lampshade: 4 kg / 8.8 lb
Weight structure for 3 lampshades: 6,3 kg / 14 lb



Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")


Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 100 W


Lampshade




Three lampshades composition



Structure




Examples of composition



Sistema Sisisí PT1

Santa & Cole Team
1993

For further information on light sources go to p. 132



Examples of composition

SIS13 + PPT11	SGD 350
SIS21B + PPT13	SGD 325
SIS22 + PPT17	SGD 360

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PPT11	Stitched beige parchment	SGD 135
PPT13	Natural ribbon	SGD 120
PPT15	Red-amber ribbon	SGD 120
PPT16	Black ribbon	SGD 120
PPT17	Terracotta Raw Color ribbon	SGD 160
PPT18	Mustard Raw Color ribbon	SGD 160
PPT19	Green Raw Color ribbon	SGD 160

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí PT2

Santa & Cole Team
1993

For further information on light sources go to p. 132



Composition

SIS13 + PPT21	SGD 375
SIS21B + PPT21	SGD 360
SIS21N + PPT21	SGD 360
SIS22 + PPT21	SGD 360
SIS13 + PPT23	SGD 360
SIS21B + PPT23	SGD 350
SIS21N + PPT23	SGD 350
SIS22 + PPT23	SGD 350

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PPT21	Stitched beige parchment	SGD 160
PPT23	Natural ribbon	SGD 145

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí MT1

Santa & Cole Team
1993

For further information on light sources go to p. 132



Examples of composition

SIS13 + PMT11	SGD 360
SIS21B + PMT13	SGD 340
SIS22 + PMT17	SGD 375

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PMT11	Stitched beige parchment	SGD 145
PMT13	Natural ribbon	SGD 135
PMT15	Red-amber ribbon	SGD 135
PMT16	Black ribbon	SGD 135
PMT17	Terracotta Raw Color ribbon	SGD 170
PMT18	Mustard Raw Color ribbon	SGD 170
PMT19	Green Raw Color ribbon	SGD 170
PMTL18	White linen	SGD 195

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

Sistema Sisisí MT2

Santa & Cole Team
1993

For further information on light sources go to p. 132



Composition

SIS13 + PMT21	SGD 385
SIS21B + PMT21	SGD 375
SIS21N + PMT21	SGD 375
SIS22 + PMT21	SGD 375

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PMT21	Stitched beige parchment	SGD 170
--------------	--------------------------	----------------

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 10 W


Other light sources:

Max. 60 W

Sistema Sisisí GT1

Santa & Cole Team
1993

For further information on light sources go to p. 132



Examples of composition

SIS13 + PGT11	SGD 540
SISD13 + PGT17	SGD 700

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205
SISD13	Satin nickel	Black	Double	SGD 340
SISD21B	Textured white finish	White	Double	SGD 315
SISD21N	Textured white finish	Black	Double	SGD 315
SISD22	Textured black finish	Black	Double	SGD 315

Lampshade

PGT11	Stitched beige parchment	SGD 325
PGT13	Natural ribbon	SGD 315
PGT15	Red-amber ribbon	SGD 315
PGT16	Black ribbon	SGD 315
PGT17	Terracotta Raw Color ribbon	SGD 360
PGT18	Mustard Raw Color ribbon	SGD 360
PGT19	Green Raw Color ribbon	SGD 360
PGTL18	White linen	SGD 385

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT2

Santa & Cole Team
1993

For further information on light sources go to p. 132



Examples of composition

SIS13 + PGT23	SGD 540
SISD13 + PGT28	SGD 720

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205
SISD13	Satin nickel	Black	Double	SGD 340
SISD21B	Textured white finish	White	Double	SGD 315
SISD21N	Textured white finish	Black	Double	SGD 315
SISD22	Textured black finish	Black	Double	SGD 315

Lampshade

PGT23	Natural ribbon	SGD 325
PGT25	Red-amber ribbon	SGD 325
PGT26	Black ribbon	SGD 325
PGT28	White linen	SGD 385

Light source

6BOM40	LED bulb 10 W - 2.700 K	SGD 36
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source:

1 x / 2 x LED bulb 10 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT3

Santa & Cole Team
1993

For further information on light sources go to p. 132



Examples of composition

SIS13 + PGT31	SGD 480
SIS21B + PGT33	SGD 460
SIS22 + PGT37	SGD 505

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Lampshade

PGT31	Stitched beige parchment	SGD 265
PGT33	Natural ribbon	SGD 255
PGT35	Red-amber ribbon	SGD 255
PGT36	Black ribbon	SGD 255
PGT37	Terracotta Raw Color ribbon	SGD 300
PGT38	Mustard Raw Color ribbon	SGD 300
PGT39	Green Raw Color ribbon	SGD 300
PGTL38	White linen	SGD 290

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
---------------	---------------------------	---------------

Canopy suitable for side entry adaptor (p. 109).



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source:

LED bulb 13,5 W


Other light sources:

Max. 60 W

Vaghe Stelle

Antoni de Moragas i Spà
1983

For further information on light sources go to p. 132



Code Description

VGS01	Structure, socket, central ring and circular canopy made of polished varnished brass. Pyrex tubes. Transparent electrical cable.	SGD 9.325
--------------	--	------------------

Electric cable length: 5 m / 196.8"

Weight: 10 Kg / 22 lb



Bulb socket:


E14 (Max. hgt. 155 mm / 6.1")

Light source included:

18 x Filament tubular incandescent bulbs 25 W

Sisisí canopy

Gabriel Ordeig Cole
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 220
SIS21B	Textured white finish	White	Simple	SGD 205
SIS21N	Textured white finish	Black	Simple	SGD 205
SIS22	Textured black finish	Black	Simple	SGD 205

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Black neoprene or white silicone cable (depending on model),
with lamp holder and support for lampshade.

Suitable for side entry adaptor (p. 109).

Electric cable length: 3 m / 118.1"

Weight: 0,5 kg / 1.1 lb



Bulb socket:

E27 (Max. hgt. depending on shade)

Recommended light source:


LED bulb 10 or 13,5 W

Other light sources:

Max. 60 W

Sisisí canopy Dual lamp socket

Gabriel Ordeig Cole
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SISD13	Satin nickel	Black	Double	SGD 340
SISD21B	Textured white finish	White	Double	SGD 315
SISD21N	Textured white finish	Black	Double	SGD 315
SISD22	Textured black finish	Black	Double	SGD 315

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Black neoprene or white silicone cable (depending on model),
with 2 lamp holders and support for lampshade.

Suitable for side entry adaptor (p. 109).

Can be combined with GT1, GT2, GT5 and GT6 lampshades.

Electric cable length: 3 m / 118.1"

Weight: 0,7 kg / 1.5 lb

Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source:

2 x LED bulb 10 or 13,5 W


Other light sources:

Max. 2 x 100 W



S & C canopy

Gabriel Ordeig
1993



Code	Metallic structure	
FSC13	Satin nickel	SGD 195
FSC21	Textured white finish	SGD 145
FSC22	Textured black finish	SGD 145

Suitable for side entry adaptor (p. 109).

S & C Connection

Santa & Cole Team
1997



Code	Length	Color	
CSC01	3 m / 118.1"	Black	SGD 75
CSC02	8 m / 315"	Black	SGD 135
CSC01B	3 m / 118.1"	White	SGD 75
CSC02B	8 m / 315"	White	SGD 135

Light source

6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72
6BOM40	LED bulb 10 W - 2.700 K	SGD 36

Black neoprene or white silicone cable (depending on model), with lamp holder and support for lampshade.



Bulb socket:

E27 (Max. hgt. depending on shade)


Recommended light source:

LED bulb 10 or 13,5 W

Other light sources:

Max. 60 W


Side entry adaptor



Code	Description	
6FSC01	Side entry adaptor	SGD 75

HeadLed System S & C LED Capsule

Santa & Cole Team
2013



Code LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 220
HEL08	8 m / 315"	SGD 290

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable with HeadLed System lampshades (p. 111).





Light source included:

Built-in LED: 3,7 W / 7,7 W

HeadLed System S & C LED canopy

Santa & Cole Team
2013



Code Circular metal canopy + power supply

Code	Description	Drawing	Code
HEF01	Black surface – 3,7 W (not dimmable)	A	SGD 255
HEF02	White surface – 3,7 W (not dimmable)	A	SGD 255
HEFD01	Black surface – 7,7 W dimmable 1-10V ^[1]	A	SGD 435
HEFD02	White surface – 7,7 W dimmable 1-10V ^[1]	A	SGD 435
HEF12	White built-in – 3,7 W (not dimmable)	B	SGD 255

Metallic circular canopy with a smooth matte finish and power supply incorporated.










^[1] Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).



Headed System S & C LED Lampshades

New Material

Santa & Cole Team
2013



Code	Lampshade	Finish	Drawing	
	Cirio			
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 280
CIP05	White opal glass	Matte	PV	SGD 255
CIP06	Brass	Polished	PL	SGD 565

HeadHat				
HATS12	White ceramic S	Matte interior and gloss exterior	SC	SGD 195
HATS11	Black ceramic S	Matte interior and gloss exterior	SC	SGD 195
HATS13	White opal glass S	Matte	SC	SGD 135
HATL12	White ceramic L	Matte interior and gloss exterior	LC	SGD 300
HATL11	Black ceramic L	Matte interior and gloss exterior	LC	SGD 300
HATL13	White opal glass L	Matte	SC	SGD 230

HATS02	White metallic S ^[1]	Matte	SM	SGD 400
HATM02	White metallic M ^[1]	Matte	MM	SGD 470
HATL02	White metallic L ^[1]	Matte	LM	SGD 700

6HAT01	White methacrylate diffuser (optional)		D	SGD 100
--------	--	--	---	---------

M64				
M6401	White aluminium	Matte	M64	SGD 445
M6402	Black aluminium	Matte	M64	SGD 445
M6403	Aluminium	Polished	M64	SGD 445
M6404	Brass	Polished	M64	SGD 640
M6405	Red aluminium	Brilliant	M64	SGD 445

Suitable for S&C LED capsule and Cirio structures.


^[1] Metallic lampshades (HATS02, HATM02 y HATL02) include coupling washer in white methacrylate.

^[2] Optional diffuser only for metallic lampshades: HATS02, HATM02 and HATL02.



Aarhus

Arne Jacobsen, Erik Møller
1946



For further information on light sources go to p. 132

Code	Description	
JAA01	Satin nickel structure White opal glass lampshade	SGD 710
Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 40 W

Americana

Miguel Milá
1999



For further information on light sources go to p. 132

Composition

SAM12 + SAMP8		SGD 770
----------------------	--	----------------

Code	Description	
SAM12	Satin nickel structure	SGD 625
SAMP8	White linen lampshade	SGD 145

Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

Rotating arm.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

BC1

Santa & Cole Team
1995

For further information on light sources go to p. 132

**Examples of composition**

BC102 + PP101	SGD 685
BC102 + PP103	SGD 675
BC102 + PP107	SGD 710

Code	Structure	
BC102	Satin nickel and beech wood handle	SGD 555

Lampshade

PP101	Stitched beige parchment	SGD 135
PP103	Natural ribbon	SGD 120
PP105	Red-amber ribbon	SGD 120
PP106	Black ribbon	SGD 120
PP107	Terracotta Raw Color ribbon	SGD 160
PP108	Mustard Raw Color ribbon	SGD 160
PP109	Green Raw Color ribbon	SGD 160

Light source (dimmable)

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Moveable arm with plug.

Dimmer included.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (dimmable):

LED bulb 6 W


Other light sources:

Max. 60 W

BC2

Santa & Cole Team
1995

For further information on light sources go to p. 132

**Examples of composition**

BC202 + PP101	SGD 540
BC202 + PP103	SGD 530
BC202 + PP107	SGD 565

Code	Structure	
BC202	Satin nickel and beech wood handle	SGD 410

Lampshade

PP101	Stitched beige parchment	SGD 135
PP103	Natural ribbon	SGD 120
PP105	Red-amber ribbon	SGD 120
PP106	Black ribbon	SGD 120
PP107	Terracotta Raw Color ribbon	SGD 160
PP108	Mustard Raw Color ribbon	SGD 160
PP109	Green Raw Color ribbon	SGD 160

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

BC3

Santa & Cole Team
1995

For further information on light sources go to p. 132

**Examples of composition**

BC302 + PP101	SGD 685
BC302 + PP103	SGD 675
BC302 + PP107	SGD 710

Code	Structure	
BC302	Satin nickel and beech wood handle	SGD 555

Lampshade

PP101	Stitched beige parchment	SGD 135
PP103	Natural ribbon	SGD 120
PP105	Red-amber ribbon	SGD 120
PP106	Black ribbon	SGD 120
PP107	Terracotta Raw Color ribbon	SGD 160
PP108	Mustard Raw Color ribbon	SGD 160
PP109	Green Raw Color ribbon	SGD 160

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

Moveable arm.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:


LED bulb 6 W

Other light sources:

Max. 60 W

BlancoWhite C1 wall rotating

Antoni Arola
2013



For further information on built-in LED go to p. 136

Code	Description	
BWC132	Graphite metal structure with matte finish with power supply incorporated	SGD 1.275

Rotating head.




Light source included:

Built-in LED 8 W

BlancoWhite C1 wall rotating scene

Antoni Arola
2013



For further information on built-in LED go to p. 136

Code	Description	
BWC132-S5	Graphite metal structure with matte finish with power supply incorporated	SGD 1.395

Rotating head.

Wall Scene red sheet.




Light source included:

Built-in LED 8 W

BlancoWhite R1 wall

Antoni Arola
2013

For further information on built-in LED go to p. 136



Code	Description	
BWR122	Graphite metal structure with matte finish with power supply incorporated	SGD 1.080




Light source included:
Built-in LED 10 W

BlancoWhite R1 wall rotating

Antoni Arola
2013

For further information on built-in LED go to p. 136



Code	Description	
BWR132	Graphite metal structure with matte finish with power supply incorporated	SGD 1.405

Rotating head.




Light source included:
Built-in LED 10 W

Comodín cuadrado

Santa & Cole Team
1994

For further information on light sources go to p. 132



Examples of composition

COM01 + COM19	SGD 360
COM01 + COM39	SGD 410

Code	Structure	
COM01	Chrome-plated	SGD 230

Lampshade

COM18	Stitched beige parchment	SGD 170
COM19	Natural ribbon	SGD 160
COM35	Red-amber ribbon	SGD 160
COM36	Black ribbon	SGD 160
COM37	Terracotta Raw Color ribbon	SGD 180
COM38	Mustard Raw Color ribbon	SGD 180
COM39	Green Raw Color ribbon	SGD 180

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:


Max. 60 W

Comodín rectangular

Santa & Cole Team

1994

For further information on light sources go to p. 132

**Examples of composition**

COM01 + COM29	SGD 385
COM01 + COM47	SGD 410

Code	Structure	
COM01	Chrome-plated	SGD 230

Lampshade

COM28	Stitched beige parchment	SGD 180
COM29	Natural ribbon	SGD 160
COM45	Red-amber ribbon	SGD 160
COM46	Black ribbon	SGD 160
COM47	Terracotta Raw Color ribbon	SGD 180
COM48	Mustard Raw Color ribbon	SGD 180
COM49	Green Raw Color ribbon	SGD 180

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
---------------	------------------------	---------------

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:

Max. 60 W

Corso
Antoni Arola
2007

For further information on light sources go to p. 132

Composition


CRS01 + CRS11 **SGD 5.100**

Code **Description**

CRS01 Printed Dibond recessed fixture with colour gradient **SGD 1.620**

(from yellow to red) and matte finish

CRS11 Black metal structural frame with moveable arm **SGD 3.480**



Bulb socket: G5


Light source included:

2 x Fluorescent. T5. Linear 24 W

Disco medium

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p. 136



Code	Description	
DIS04L	Satin nickel structure and lampshade	SGD 710

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.


**Light source included (dimmable):**

Built-in LED: 9 W

Disco large

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p. 136



Code	Description	
DIS06L	Satin nickel structure and lampshade	SGD 890

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.


**Light source included (dimmable):**

Built-in LED: 9 W

Estadio

Miguel Milá
2015

For further information on light sources go to p. 132



Code	Description	
ESTA1	Black metal structure with white matte reflector 7 glass block shades	SGD 1.430
Light source		
6BOM41	LED bulb 13,5 W - 2.700 K	SGD 72

Diffuser in white translucent methacrylate.
Weight: 11 kg / 24.25 lb



Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

Recommended light source:

LED bulb 13,5 W


Other light sources:

Max. 75 W

Singular

Miguel Milá
2000

For further information on light sources go to p. 132



Composition

COM01 + SIN28 **SGD 435**

Code	Description	
COM01	Chrome-plated structure	SGD 230
SIN28	White linen lampshade	SGD 205

	Light source	
6BOM45	LED bulb 6 W - 2.700 K	SGD 24



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

TMM corto

Miguel Milá
1964

For further information on light sources go to p. 132



Code	Parchment lampshade	Connection	
ATM01	Beige	With plug ^[1]	SGD 420
ATM02	White	With plug ^[1]	SGD 420
ATM31	Beige	Direct wall	SGD 410
ATM32	White	Direct wall	SGD 410
ATM32D	White with upper diffuser in white translucent methacrylate ^[2]	Direct wall	SGD 460

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
--------	------------------------	--------

Beech wood structure.

^[1] The light is switched on/off by pulling lightly on the cable.

^[2] Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W


Other light sources:

Max. 60 W

TMM largo

Miguel Milá
1964

For further information on light sources go to p. 132



Code	Parchment lampshade	
ATL01	Beige	SGD 445
ATL02	White	SGD 445

Light source

6BOM45	LED bulb 6 W - 2.700 K	SGD 24
--------	------------------------	--------

Beech wood structure.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:



LED bulb 6 W

Other light sources:

Max. 60 W

TMM MetálicoMiguel Milá
2002

For further information on light sources go to p. 132



Code	Description	
ATL15	Satin nickel structure White methacrylate shade	SGD 615
Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:



LED bulb 6 W

Other light sources:

Max. 60 W

WallyMiguel Milá
1962

For further information on light sources go to p. 132



Code	Metallic structure	
WLY01	Bronze finish	SGD 745
WLY02	Matte white	SGD 745
Light source		
6BOM45	LED bulb 6 W - 2.700 K	SGD 24

White opal glass lampshade.

Suitable for indoor and outdoor use.

**Bulb socket:**


E27 (Max. hgt. 105 mm / 4.1")

Recommended light source:

LED bulb 6 W

Other light sources:

Max. 40 W



Amigo

Gonzalo Milá, Miguel Milá. 2009

Garden


Amigo

Gonzalo Milá


Miguel Milá

2009

For further information on built-in LED go to p. 136



| Ø33 cm / 13" |



| Ø41 cm / 16.1" |

7 cm / 2.7"

Code	Description	
AMA21L	White metallic structure Cylindrical translucent methacrylate diffuser	SGD 1.140

Suitable for dimming systems 1-10V.
(External dimmer switch 1-10V not included).
Suitable for indoor and outdoor use.

CE IP 55

cUL US LISTED

Light source included (dimmable):


Built-in LED 40 W

Oco 33

Causas Externas

2010

For further information on built-in LED go to p. 136



Code	Upper cover	
OCO33A	Amber	SGD 495

	Base (optional)	
OCO00	Black steel	SGD 170

Black aluminium shaft.
Polycarbonate casing.
Luminaire 33 cm / 12.9" with spike.
Power supply incorporated.

CE IP 54

Light source included:


Built-in LED 4,2 W

Oco 55

Causas Externas

2010

For further information on built-in LED go to p. 136



Code	Upper cover	
OCO55A	Amber	SGD 520

	Base (optional)	
OCO00	Black steel	SGD 170

Black aluminium shaft.
Polycarbonate casing.
Luminaire 55 cm / 21.6" with spike.
Power supply incorporated.

CE IP 54

Light source included:

Built-in LED 4,2 W

Light sources

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others

Table lamps

Americana	1 u.	6W	Max. 60W
Asa	1 u.	6W	Max. 60W
Babel	1 u.	10W	Max. 60W
Básica, M1, M2	1 u.	10W	Max. 100W
Básica Mínima	1 u.	6W	Max. 40W
Cesta	1 u.	10W	Max. 75W
Cestita	1 u.	6W	Max. 40W UL Market: Max. 7W
Cesta Metálica	1 u.	10W	Max. 60W
Cestita Metálica	1 u.	6W	Max. 40W
Diana Menor	2 u.	6W	Max. 40W (With diffuser: Max. 25W)
Diana	2 u.	10W	Max. 50W (With diffuser: Max. 25W)
FAD	1 u.	6W	Max. 100W
Gira	1 u.	7,2W	
Moragas	3 u.	6W	Max. 30W
TMD	1 u.	6W	Max. 60W
Trípode M3	1 u.	6W	Max. 40W
Trípode G6	1 u.	10W	Max. 100W

Floor lamps

AJ Royal	2 u.	10W	Max. 100W
Americana	1 u.	6W	Max. 60W
Diana	2 u.	13,5W	Max. 75W (With diffuser: Max. 25W)
Diana Mayor	2 u.	13,5W	Max. 75W
Dórica	3 u.	10W	Max. 50W
FAD	1 u.	10W	Max. 100W
GATCPAC	1 u.	13,5W	Max. 150W
Moaré	3 u.	10W	Max. 50W
Pie de Salón G1, G2, G3	1 u.	13,5W	Max. 100W
TMC	1 u.	10W	Max. 100W
TMD	1 u.	10W	Max. 100W
TMM	1 u.	10W	Max. 100W (With diffuser: Max. 25W)
Trípode G5	1 u.	13,5W	Max. 100W

Wall lamps

Aarhus	1 u.	6W	Max. 40W
Americana	1 u.	6W	Max. 60W
BC1	1 u.	6W	Max. 60W
BC2	1 u.	6W	Max. 60W
BC3	1 u.	6W	Max. 60W
Comodin cuadrado/rectangular	1 u.	6W	Max. 60W
Corso	2 u.		T5. Linear. 24W
Estadio	1 u.	13,5W	Max. 75W
Singular	1 u.	6W	Max. 60W
TMM corto / largo	1 u.	6W	Max. 60W (With diffuser: Max. 25W)
TMM Metálico	1 u.	6W	Max. 60W
Wally	1 u.	6W	Max. 40W UL Market: Max. 7W

Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	105 mm / 4.1"			p. 8
E27	E26	105 mm / 4.1"			p. 8
E27	E26	115 mm / 4.5"		X	p. 9
E27	E26	115 mm / 4.5"		X	p. 10-11
E14	E12	85 mm / 3.3"			p. 12
E27	E26	130 mm / 5.1"		X	p. 14
E27	E26	105 mm / 4.1"		X	p. 14
E27	E26	130 mm / 5.1"		X	p. 16
E27	E26	105 mm / 4.1"		X	p. 17
E27	E26	105 mm / 4.1"		X	p. 18
E27	E26	130 mm / 5.1"		X	p. 19
E27	E26	105 mm / 4.1"		X	p. 20
E27	E26	110 mm / 4.3"	CE Market		p. 20
E27	E26	115 mm / 4.5"		X	p. 21
E27	E26	105 mm / 4.1"			p. 23
E14	E12	85 mm / 3.3"			p. 24
E27	E26	130 mm / 5.1"		X	p. 25
E27	E26	130 mm / 5.1"			p. 26
E27	E26	105 mm / 4.1"			p. 27
E27	E26	137 mm / 5.4"		X	p. 28
E27	E26	137 mm / 5.4"		X	p. 29
E27	E26	130 mm / 5.1"		X	p. 30
E27	E26	130 mm / 5.1"		X	p. 31
E27	E26	160 mm / 6.3"		X	p. 31
E27	E26	130 mm / 5.1"		X	p. 33
E27	E26	137 mm / 5.4"		X	p. 34-35-36
E27	E26	125 mm / 4.9"			p. 37
E27	E26	125 mm / 4.9"			p. 38
E27	E26	125 mm / 4.9"			p. 39
E27	E26	160 mm / 6.3"		X	p. 40
E27	E26	105 mm / 4.1"			p. 112
E27	E26	105 mm / 4.1"			p. 112
E27	E26	105 mm / 4.1"		X	p. 113
E27	E26	105 mm / 4.1"			p. 114
E27	E26	105 mm / 4.1"			p. 115
E27	E26	105 mm / 4.1"			p. 118-119
G5	G5	549 mm / 21.6"	X		p. 120
E27	E26	160 mm / 6.3"			p. 122
E27	E26	105 mm / 4.1"			p. 123
E27	E26	105 mm / 4.1"			p. 124
E27	E26	105 mm / 4.1"			p. 125
E27	E26	105 mm / 4.1"			p. 125

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
Hanging lamps			
Estadio 105	12 u.	13,5W	Max. 75W
Estadio 150	18 u.	13,5W	Max. 75W
Estadio 250	24 u.	13,5W	Max. 75W
Línea Estadio	5 u.	13,5W	Max. 75W
Flúor (CE Market)	1 u.		T5. Lineal. 80W
Sistema Flúor (Merc. CE)	1 u.		T5. Lineal. 54W
GT4	1 u.	13,5W	Max. 60W
GT5	1 u. / 2 u.	10W	Max. 100W
GT6	1 u. / 2 u.	10W	Max. 100W
GT7	3 u.	13,5W	Max. 60W
La Collilla			Neon bulbs strip.6W
Leonardo 60, 100	1 u.	13,5W	Max. 150W
Liceo 70	1 u.		Halogen.PAR.56. Max.300W
Liceo 120	2 u.		Halogen.QT-DE.Max. 400W
M68	1 u.	10W	Max. 100W
Moaré	3 u.	10W	Max. 100W
Moaré Liviana S, M	1 u.	10W	Max. 60W
Nagoya	1 u.	10W	Max. 60W
Sexta	6 u.	10W	Max. 60W
Sexta 12	12 u.	10W	Max. 60W
Sistema Fonda P1, P2	1 u. / 3 u.	10W	Max. 100W
Sistema Gran Fonda	1 u. / 2 u.	10W	Max. 100W
Sistema Sisisí PT1	1 u.	6W	Max. 60W
Sistema Sisisí PT2	1 u.	6W	Max. 60W
Sistema Sisisí MT1	1 u.	6W	Max. 60W
Sistema Sisisí MT2	1 u.	10W	Max. 60W
Sistema Sisisí GT1	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT2	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT3	1 u.	13,5W	Max. 60W
Vaghe Stelle	18 u.	2W (Only UL Market)	Max. 25W

Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	155 mm / 6.1"			p. 66
E27	E26	155 mm / 6.1"			p. 67
E27	E26	155 mm / 6.1"			p. 68
E27	E26	155 mm / 6.1"			p. 69
G5	G5	1449 mm / 57"			p. 70
G5	G5	1149 mm / 45.2"			p. 71
E27	E26	155 mm / 6.1"			p. 72
E27	E26	130 mm / 5.1"			p. 73
E27	E26	130 mm / 5.1"			p. 74
E27	E26	137 mm / 5.4"			p. 75
			X		p. 83
E27	E26	155 mm / 6.1"			p. 84
GX16d	GX16d		CE Market		p. 85
R7s	R7s		CE Market		p. 85
E27	E26	130 mm / 5.1"			p. 87
E27	E26	130 mm / 5.1"			p. 89
E27	E26	155 mm / 6.1"			p. 90-91
E27	E26	115 mm / 4.5"			p. 91
E27	E26	115 mm / 4.5"			p. 94
E27	E26	115 mm / 4.5"			p. 95
E27	E26	115 mm / 4.5"			p. 96
E27	E26	125 mm / 4.9"			p. 98
E27	E26	105 mm / 4.1"			p. 100
E27	E26	105 mm / 4.1"			p. 101
E27	E26	105 mm / 4.1"			p. 102
E27	E26	155 mm / 6.1"			p. 103
E27	E26	115 mm / 4.5"			p. 104
E27	E26	115 mm / 4.5"			p. 105
E27	E26	155 mm / 6.1"			p. 106
E14	E12	155 mm / 6.1"	CE Market		p. 107

For dimming systems to work properly,
(dimmer luminaire / installation), the compact fluorescent and LED light
sources must be adjustable.

Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
---------	------------------	-------------------------	------------------------	---------------------

Table lamps

BlancoWhite C1	8W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		100 – 230
BlancoWhite R1 table Rotating	10W	12VDC		100 – 230
Cestita Bateria	3,7W	2,9VDC		100 – 240
Majja 15 LED	12W	24VDC		90 – 264
Sin S	12,5W	24VDC		100 – 230
Sin L	25W	24VDC		100 – 230

Floor lamps

Majja 30 LED	24W	24VDC		90 – 305
--------------	-----	-------	--	----------

Hanging lamps

Arne Domus	33W		700mA	90 – 305
BlancoWhite D1 ceiling / D1 ceiling up&down	22W	12VDC		100 – 230
BlancoWhite D2 ceiling / D2 ceiling up&down	28W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		110 – 277
BlancoWhite Golden Gate	66W	12VDC		110 – 230
Cirio simple	3,7W / 7,7W		350mA / 700 mA	100 – 230 / 100 – 277
Cirio múltiple	46,2 – 92,4W = (6u.–12u.)		700mA	120 – 277
Cirio Cascada 5	46W		700mA	120 – 277
Cirio Cascada 7	65W		700mA	120 – 277
Cirio Cascada 9	83W		700mA	120 – 277
Cirio Cascada 12	110W		700mA	120 – 277
Cirio circular S	44,4W / 92,4W (12u.)		350mA / 700 mA	230 (CIF01) / 120 – 277 (CIF31/CIF31-DALI)
Cirio circular M	103,6W / 215,6W (28u.)		350mA / 700 mA	230 (CIF01) / 120 – 277 (CIF31/CIF31-DALI)
Cirio circular L	155,4W / 323,4W (42u.)		350mA / 700 mA	230 (CIF01) / 120 – 277 (CIF31/CIF31-DALI)
Cirio oval	140,6W / 292,6W (28u. + 5u. + 5u.)		350mA / 700 mA	230 (CIF01) / 120 – 277 (CIF31/CIF31-DALI)
Cirio lineal	18,5W / 38,5W (5u.)		350mA / 700 mA	230 (CIF02) / 120 – 277 (CIF31/CIF31-DALI)
Cirio Chandelier S	114W (20u.)		530mA	120 – 277
Cirio Chandelier M	171W (30u.)		530mA	120 – 277
Cirio Chandelier L	228W (40u.)		530mA	120 – 277
GT1000	78W		1.400mA	90 – 305
GT1500	78W		1.400mA	90 – 305
HeadHat Bowl / Plate	3,7W / 7,7W		350mA / 700 mA	110 – 230 / 100 – 277
M64	3,7W / 7,7W		350mA / 700 mA	110 – 230 / 100 – 277
Majja 15	6W		500mA	90 – 305
Majja 30	8,4W		700mA	90 – 305
Nimba 60	45W	24VDC		100 – 277
Nimba 90	65W	24VDC		100 – 277
Nimba 120	95W	24VDC		100 – 277
Nimba 180	140W	24VDC		100 – 277

Wall lamps

BlancoWhite C1 Wall	8W	12VDC		90 – 264
BlancoWhite R1 Wall	10W	12VDC		90 – 264
Disco medium	9W			CE 220 – 240 / USA 120
Disco large	9W			CE 220 – 240 / USA 120


Garden

Amigo	40W		700mA	90 – 305
Oco	4,2W		350mA	120 – 240

Luminaires with built-in LED

T* Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Others	Product page
3.000K	90	40.000h	Dimmer on the luminaire		p. 13
3.000K	90	40.000h	Dimmer on the luminaire		p. 13
3.000K	90	40.000h	Dimmer on the luminaire		p. 13
2.700K	90	40.000h	3 Intensidades de salida de luz		p. 15
2.700K	90	40.000h	Dimmer on the luminaire		p. 21
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	1-10V		p. 41
3.000K	90	40.000h			p. 42
3.000K	90	40.000h			p. 43
3.000K	90	40.000h	1-10V		p. 44
3.000K	90	40.000h	1-10V		p. 45
2.700K	90	40.000h	1-10V (700mA)	*CE Market	p. 46
2.700K	90	40.000h	1-10V - DALI		p. 47
2.700K	90	40.000h	1-10V - DALI		p. 48
2.700K	90	40.000h	1-10V - DALI		p. 49
2.700K	90	40.000h	1-10V - DALI		p. 50
2.700K	90	40.000h	1-10V - DALI		p. 51
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 52
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 53
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 54
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 56
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF02)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 58
2.700K	90	40.000h	1-10V - DALI		p. 60
2.700K	90	40.000h	1-10V - DALI		p. 62
2.700K	90	40.000h	1-10V - DALI		p. 64
2.700K	90	40.000h	1-10V		p. 76
2.700K	90	40.000h	1-10V		p. 77
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 78-79-80-81-82
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 86
2.700K	90	40.000h	1-10V		p. 88
2.700K	90	40.000h	1-10V		p. 88
2.700K	90	40.000h	1-10V - DALI		p. 92
2.700K	90	40.000h	1-10V - DALI		p. 92
2.700K	90	40.000h	1-10V - DALI		p. 93
2.700K	90	40.000h	1-10V - DALI		p. 93
3.000K	90	40.000h			p. 116
3.000K	90	40.000h			p. 117
2.700K	90	40.000h	By phase cut		p. 121
2.700K	90	40.000h	By phase cut		p. 121
2.700K	90	40.000h	1-10V		p. 128
2.700K	85	40.000h			p. 129

*Voltage adapted to the country of destination.




Subeybaja

Robert Heritage, Roger Webb. 1979

Belloch Chair

Lagranja Design
2009



Code	Color	Legs	
BES11	White	Natural beech wood	SGD 360
BES12	Grey	Natural beech wood	SGD 360
BES14	Black	Natural beech wood	SGD 360
BES16	Green	Natural beech wood	SGD 360
BES17	Red	Natural beech wood	SGD 360
BES21	White	Matte anodized aluminium ^[1]	SGD 385
BES22	Grey	Matte anodized aluminium ^[1]	SGD 385

Polypropylene (PP) + glass fiber seat and back.

Stackable.


^[1] For indoor and outdoor.



ANSI BIFMA 5.1 X

Ramón Chair

Ramón Bigas
1975



Code	Seat and backrest	
RAS13	Natural	SGD 760
RAS14	White	SGD 760

White metallic structure.

Seat and back made of hand-woven synthetic rattan.

Stackable.


For indoor and outdoor.



Digamma Armchair

Ignazio Gardella

1957



Code	Upholstered	
DIB00	Customer's fabric ^[1]	SGD 5.880
DIB01	Black or silk grey Digamma fabric	SGD 8.595

Black metallic legs and polished brass feet.

Upholstered seat, backrest and arms.

3-position reclining back.

Plain fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.

^[1] To be validated by S&C.


On special request also available in CMHR foam with a 5% price increase.



Digamma ottoman

Ignazio Gardella

1957



Code	Upholstered	
DIP00	Customer's fabric ^[1]	SGD 2.380
DIP01	Black or silk grey Digamma fabric	SGD 3.000

Black metallic legs and polished brass feet.

Upholstered seat.

Plain fabric measures: 0,85 m / 0.93 yd long by 1,40 m / 1.53 yd wide.

^[1] To be validated by S&C.

On special request also available in CMHR foam with a 5% price increase.




Cadaqués Lounge Chair

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD10	Customer's fabric	SGD 3.960
CAD11	Kvadrat's fabric ^[1]	SGD 5.400

Beech wood legs with a wenge colour finish.

Plain fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Two Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD20	Customer's fabric	SGD 5.040
CAD21	Kvadrat's fabric ^[1]	SGD 8.100

Beech wood legs with a wenge colour finish.

Plain fabric measures: 8 m / 8.75 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Three Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
CAD30	Customer's fabric	SGD 6.720
CAD31	Kvadrat's fabric ^[1]	SGD 11.340

Beech wood legs with a wenge colour finish.

Plain fabric measures: 12 m / 13.1 yd long by 1,40 m / 1.53 yd wide.

CE

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

Cadaqués Ottoman

Federico Correa

Alfonso Milá

2010



Code	Upholstered	
CAP00	Customer's fabric	SGD 1.920
CAP01	Kvadrat's fabric ^[1]	SGD 3.480

Beech wood legs with a wenge colour finish.

Plain fabric measures: 1,80 m / 1.97 yd long by 1,40 m / 1.53 yd wide.

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.



Ibiza Lounge Chair

Germán Rodríguez Arias

1957



Code	Upholstered	
IBB00	Customer's fabric	SGD 2.020
IBB01	Kvadrat's fabric ^[1]	SGD 2.475

Chrome-plated steel tube structure.

Plain fabric measures: 1,40 m / 1.53 yd long (70 cm / 0.76 yd seat and 70 cm / 0.76 yd back) and 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.



Moragas Armchair

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOS00	Customer's fabric	SGD 3.325
MOS01	Kvadrat's fabric ^[1]	SGD 4.500

Beech legs with cherry wood colour finish.

Fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOP00	Customer's fabric	SGD 880
MOP01	Kvadrat's fabric ^[1]	SGD 1.320

Beech legs with cherry wood colour finish.

Fabric measures: 2 m / 2.19 yd long by 1,40 m / 1.53 yd wide.


^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

Large Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code	Upholstered	
MOP10	Customer's fabric	SGD 1.215
MOP11	Kvadrat's fabric ^[1]	SGD 1.980

Beech legs with cherry wood colour finish.

Fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.

^[1] **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.

CE

Belloch cuadrada

Lagranja Design

2009



**Code Description**

BEM11	White metallic structure with natural beech wood legs Color Core white colour top	SGD 2.160
--------------	--	------------------

**Belloch rectangular**

Lagranja Design

2009

**Code Description**

BEM21	White metallic structure with natural beech wood legs Color Core white colour top	SGD 3.060
--------------	--	------------------




Diana alta

Federico Correa

Alfonso Milá

Miguel Milá

1996



Code	Description	
DIA01	Satin nickel structure Safety glass top	SGD 1.310

CE


Diana baja

Federico Correa

Alfonso Milá

Miguel Milá

1996




Code	Description	
DIA02	Satin nickel structure Safety glass top	SGD 1.440

CE

Subeybaja

Robert Heritage, Roger Webb

1979





Code	Structure and top	
SUB03	Natural oak	SGD 1.765
SUB05	Black oak	SGD 1.765

Adjustable to 7 heights, from 39 cm / 15.3" to 72 cm / 28.3".

CE

Noa

Carme Pinós
2007

**Code Structure (2 units)**

NOA21	Grey	SGD 350
NOA22	White	SGD 350

2 metal structure shelves.

20 cm / 7.9" depth.

Each shelf can bear a maximum load of 20kg.

The maximum load may vary depending
on the type of wall it is fitted to.

Shelving unit weight: 5kg / 11lb.



Classification and regulations

EC Regulations

CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



Classification and regulations

Classification of luminaires

CE

· Luminaire classification according to protection against electrical shock:

CLASE I. In addition to being electrically insulated, these luminaires are also provided with an earthing point.



CLASE II. These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



CLASE III. Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

Classification and regulations

Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

Primera cifra:

- IP 0** - No protection.
- IP 1** - Protected against solid objects > 50 mm.
- IP 2** - Protected against solid objects > 12 mm.
- IP 3** - Protected against solid objects > 2.5 mm.
- IP 4** - Protected against the solid objects of 1 mm.
- IP 5** - Protected against dust.
- IP 6** - Protected against dust (totally).

Second digit:

- IP - 0** No protection.
- IP - 1** Protected against water falling vertically.
- IP - 2** Protected against direct water drips up to 15° from vertical.
- IP - 3** Protected against direct sprays up to 60° from vertical.
- IP - 4** Protected against sprays from all directions
- IP - 5** Protected against low-pressure jets from all directions.
- IP - 6** Protected against high-pressure jets from all directions.
- IP - 7** Protected against immersion between 15 cm and 1 m.
- IP - 8** Protected against immersion under pressure.

Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

· Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

· Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

· Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

Quality Management System

ISO 9001 is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



Environmental Management System

ISO 14001 ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

1. ORDERS

1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes.

Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order.

4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

General conditions of sale

6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: aftersales@santacole.com.

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit.

9. ON-LINE SHOP

For further information about sales conditions of our products through the on-line shop, please go to General Conditions of On-Line Sale to be found at www.santacole.com

10. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

11. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

12. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.

HEADQUARTERS

Parc de Belloch
Ctra. C-251, Km 5,6
E-08430 La Roca (Barcelona)
T. +34 938 619 100
F. +34 938 711 767
info@santacole.com
www.santacole.com

SALES

Spain
ventas@santacole.com

International

internationalsales@santacole.com

AFTER SALES

Spain
postventa@santacole.com

International

aftersales@santacole.com

INTERNATIONAL OFFICES

US offices

East and Central
2005 Charleston Trace
Roswell, GA 30075
T. +1 404 858 4610
manuelm@santacole.com

West

3627 Hughes Avenue, Unit 402
Los Angeles, CA 90034
T. +1 424 303 3010
jordi.nadal@santacole.com

New York Metro Area

T. +1 347 852 0810
cindy.rossell@santacole.com

US - General Inquiries

T. +1 347 852 0810
usinfo@santacole.com

UK offices

Indoor collection
T. +44 (0) 7596 831 942
london.uk@santacole.com

Outdoor collection

T. +44 (0) 1142 823 091
london.uk@santacole.com

Follow us

Facebook, Twitter, Instagram,
Pinterest: @santacole

Excite with simplicity