



SANTA & COLE

**US Price List 2019**



Dear friends,

We are pleased to present our 2019 Price List, which will come into effect on February 1st 2019. We hope you find it easy to use. All the products within this list are UL certified. Please share it with your colleagues.

All of the new catalogue entries, including new products, materials, sizes and finishes, are highlighted in the contents page to make them easier to find.

This year, we have added to our successful Quick Ship Program (QSP) the Dorica, Moaré Liviana, Globo Cesta and Globo Cestita. Remember that all products in the QSP have a lead time of 2 weeks to any final US destination and that drop ship is allowed.

You can download the Quick Ship Price List [here](#).

We remind you that Santa & Cole also offers the possibility to adapt our products in order to meet the needs of contract projects (commercial, corporate and hospitality). We are offering a selection of products, specified in this price list, to ensure the durability of our designs in public spaces. A consultation and prior technical study will be necessary.

You can visit [santacole.com](http://santacole.com) for all technical details and an image gallery with high-resolution photos of each product in our catalogue can also be found on our website.

In case of unforeseen circumstances, Santa & Cole reserves the right to change the prices in this price list without prior notice.

As always, Santa & Cole's team is available for any queries you may have. You can email us at [usinfo@santacole.com](mailto:usinfo@santacole.com).

We greatly value your business and look forward to working with you in the New Year.

Best wishes,

New York, NY, January 2019

## Contents

### 7 Lighting

#### 8 Table lamps

---

- 8 Americana
- 8 Asa  Quick Ship
- 9 Babel  Quick Ship
- 10 Básica M1  Quick Ship
- 11 Básica M2  Quick Ship
- 12 Básica Mínima  Quick Ship
- 13 BlancoWhite C1
- 13 BlancoWhite R3
- 13 BlancoWhite R1 Rotating
- 14 Cesta  Quick Ship
- 14 Cestita  Quick Ship
- 15 Cestita Batería
- 16 Cesta Metálica  Quick Ship
- 17 Cestita Metálica  Quick Ship
- 18 Diana Menor  Quick Ship
- 19 Diana  Quick Ship
- 20 FAD Menor **New size**
- 20 FAD
- 21 Gira  Quick Ship
- 21 Maija 15  Quick Ship
- 22 Moragas
- 23 Sin S
- 23 Sin L
- 24 Tatu **New Product**
- 25 TMD  Quick Ship
- 26 Trípode M3  Quick Ship
- 27 Trípode G6

#### 28 Floor lamps

---

- 28 AJ Royal
- 29 Americana
- 30 Diana  Quick Ship
- 31 Diana Mayor
- 32 Dórica  Quick Ship
- 33 FAD  Quick Ship
- 33 GATCPAC
- 34 Maija 30
- 35 Pie de Salón G1
- 36 Pie de Salón G2
- 37 Pie de Salón G3
- 38 TMC
- 38 TMD  Quick Ship
- 39 TMM  Quick Ship
- 40 Trípode G5  Quick Ship

#### 41 Pendant lamps

---

- 41 Arne Domus  Quick Ship
- 41 Arne S Domus **New Product**
- 42 BlancoWhite D1 ceiling / D1 ceiling Up&Down
- 43 BlancoWhite D2 ceiling / D2 ceiling Up&Down
- 44 BlancoWhite R3
- 45 BlancoWhite Golden Gate
- 46 Cirio Simple  Quick Ship
- 47 Cirio Múltiple
- 48 Cirio Cascada 5
- 49 Cirio Cascada 7
- 50 Cirio Cascada 9
- 51 Cirio Cascada 12
- 52 Cirio Circular S
- 53 Cirio Circular M
- 54 Cirio Circular L
- 56 Cirio Oval
- 58 Cirio Lineal
- 60 Cirio Chandelier S
- 62 Cirio Chandelier M
- 64 Cirio Chandelier L
- 66 Estadio 105 1 support
- 66 Estadio 105 3 supports
- 67 Estadio 150 1 support
- 67 Estadio 150 3 supports
- 68 Estadio 250 1 support
- 68 Estadio 250 3 supports
- 69 Línea Estadio
- 70 Globo Cesta **New Product**  Quick Ship
- 70 Globo Cestita **New Product**  Quick Ship
- 71 GT4
- 72 GT5  Quick Ship
- 73 GT6  Quick Ship
- 74 GT7  Quick Ship
- 75 GT1000
- 76 GT1500
- 77 HeadHat Bowl S  Quick Ship
- 78 HeadHat Bowl L
- 79 HeadHat Plate S
- 80 HeadHat Plate M
- 81 HeadHat Plate L
- 82 Lámina 45 **New Product**
- 83 Lámina 45 System **New Product**
- 84 Lámina 85 **New Product**
- 85 Lámina 85 System **New Product**
- 86 Lámina 165 **New Product**
- 87 Lámina Mayor **New Product**
- 88 Leonardo 60
- 89 Leonardo 100
- 90 M64  Quick Ship
- 91 M68  Quick Ship
- 92 Maija 15

92 Maija 30  
93 Moaré  
94 Moaré Liviana S  Quick Ship  
95 Moaré Liviana M  Quick Ship  
95 Nagoya  
96 Nimba 60  
96 Nimba 90  
97 Nimba 120  
97 Nimba 180  
98 Sexta  
99 Sexta 12  
100 Sistema Fonda  
102 Sistema Gran Fonda  
104 Sistema Sisisí PT1  
105 Sistema Sisisí PT2  
106 Sistema Sisisí MT1  
107 Sistema Sisisí MT2  
108 Sistema Sisisí GT1  
109 Sistema Sisisí GT2  
110 Sistema Sisisí GT3  
111 Tekiò Vertical P1 **New Product**  
111 Tekiò Vertical P2 **New Product**  
112 Tekiò Vertical P3 **New Product**  
112 Tekiò Vertical P4 **New Product**  
113 Tekiò Horizontal P1 **New Product**  
114 Tekiò Horizontal P2 **New Product**  
115 Tekiò Horizontal P3 **New Product**  
116 Tekiò Horizontal P4 **New Product**  
117 Tekiò Circular P8 **New Product**  
118 Tekiò Oval P12 **New Product**  
119 Vaghe Stelle

## 120 Canopies

---

120 Sisisí canopy  
120 Sisisí canopy dual lamp socket  
121 S&C canopy  
121 S&C Connection  
121 Side entry adaptor  
122 HeadLed System / S&C LED Capsule  
122 HeadLed System / S&C LED Canopy  
123 Headled System / S&C LED Lampshades

## 124 Wall lamps

---

124 Aarhus  
124 Americana  
125 BC1  
126 BC2  
127 BC3  
128 BlancoWhite C1 Wall rotating  
128 BlancoWhite C1 Wall rotating scene  
129 BlancoWhite R1 Wall

129 BlancoWhite R1 Wall rotating  
130 Comodín cuadrado  Quick Ship  
131 Comodín rectangular  Quick Ship  
132 Disco M  
132 Disco L  
133 Estadio  
133 Singular  
134 TMM corto  Quick Ship  
134 TMM largo  
135 TMM Metálico  
135 Wally  Quick Ship

## 137 Garden

---

138 Amigo  Quick Ship

## 139 Light sources

## 149 Furniture

## 150 Chairs, armchairs, sofas and ottomans

---

150 Belloch Chair  
150 Ramón Chair  
151 Digamma Armchair  
151 Digamma ottoman  
152 Cadaqués Lounge Chair  
152 Two Seat Cadaqués Sofa  
152 Three Seat Cadaqués Sofa  
153 Cadaqués Ottoman  
153 Ibiza Lounge Chair  
154 Moragas Armchair  
154 Moragas ottoman  
154 Large Moragas ottoman

## 155 Tables


---

155 Belloch cuadrada  
155 Belloch rectangular  
156 Diana alta  
156 Diana baja  
156 Subeybaja

## 157 Shelves

---

157 Noa



## Cesta


Miguel Milá. 1962

# Lighting

## Americana

Miguel Milá  
1964

For further information on light sources go to p. 140



### Composition

**SAM22 + SAMP8** **\$ 795**

Code	Description	
<b>SAM22</b>	Satin nickel structure	<b>\$ 650</b>
<b>SAMP8</b>	White linen lampshade	<b>\$ 145</b>

Rotating arm.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W

### Other light sources:


Max. 60 W

## Asa

Miguel Milá  
1961

For further information on light sources go to p. 140

**Quick Ship**



Code	Structure	
<b>ASA11</b>	White	<b>\$ 650</b>
<b>ASA12</b>	Black	<b>\$ 650</b>

Metallic structure with matte finish.  
White translucent methacrylate shade.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W

### Other light sources:


Max. 60 W

# Babel

Àngel Jové  
1971

For further information on light sources go to p. 140

 **Quick Ship**



Code	Description	
BAB01	Alabaster column	\$ 1,090

Dimmer included.



**Bulb socket:**

E26 (Max. hgt. 115 mm / 4.5")

**Recommended light source (dimmable):**

LED bulb 10 W


**Other light sources:**

Max. 60 W

## Básica M1

Santiago Roqueta,  
Santa & Cole Team  
1987

For further information on light sources go to p. 140



### Examples of composition

<b>BASAx* + PM101</b>	<b>\$ 625</b>
<b>BASAx* + PM103</b>	<b>\$ 630</b>
<b>BASAx* + PM109</b>	<b>\$ 645</b>
<b>BASAx* + PML108</b>	<b>\$ 670</b>
<b>BASAx* + PM101 + 6BAS0x**</b>	<b>\$ 710</b>
<b>BASAx* + PM103 + 6BAS0x**</b>	<b>\$ 715</b>
<b>BASAx* + PM109 + 6BAS0x**</b>	<b>\$ 730</b>
<b>BASAx* + PML108 + 6BAS0x**</b>	<b>\$ 755</b>

Code	Lampshade	
<b>PM101</b>	Stitched beige parchment	<b>\$ 225</b>
<b>PM103</b>	Natural ribbon	<b>\$ 230</b>
<b>PM105</b>	Red-amber ribbon	<b>\$ 230</b>
<b>PM106</b>	Black ribbon	<b>\$ 230</b>
<b>PM107</b>	Terracotta Raw Color ribbon	<b>\$ 245</b>
<b>PM108</b>	Mustard Raw Color ribbon	<b>\$ 245</b>
<b>PM109</b>	Green Raw Color ribbon	<b>\$ 245</b>
<b>PML108</b>	White linen	<b>\$ 270</b>

Base		
<b>*BASA2</b>	Nickel	<b>\$ 400</b>
<b>*BASA3</b>	Bronze	<b>\$ 400</b>

Stabilizing base (optional)		
<b>**6BAS01</b>	Nickel	<b>\$ 85</b>
<b>**6BAS02</b>	Bronze	<b>\$ 85</b>

Birch wood column with metallic base.

Dimmer included.



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source (dimmable):

LED bulb 10 W


### Other light sources:

Max. 100 W

## Básica M2

Santiago Roqueta,  
Santa & Cole Team  
1987

For further information on light sources go to p. 140



### Composition

<b>BASAx* + PM201</b>	<b>\$ 665</b>
<b>BASAx* + PM201 + 6BAS0x**</b>	<b>\$ 750</b>

Code	Lampshade	
PM201	Stitched beige parchment	\$ 265

	Base	
*BASA2	Nickel	\$ 400
*BASA3	Bronze	\$ 400

	Stabilizing base (optional)	
**6BAS01	Nickel	\$ 85
**6BAS02	Bronze	\$ 85

Birch wood column with metallic base.  
Dimmer included.



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source (dimmable):

LED bulb 10 W

### Other light sources:


Max. 100 W

## Básica Mínima

Santiago Roqueta,  
Santa & Cole Team  
1994

For further information on light sources go to p. 140

 **Quick Ship**



Code	Base	Lampshade	
BAM01	Bronze	Beige parchment	\$ 485
BAM12	Nickel	Natural ribbon	\$ 485

Birch wood column with metallic base.  
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions  
for contract projects.

### Bulb socket:

E12 (Max. hgt. 85 mm / 3.3")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 40 W

**BlancoWhite C1**

Antoni Arola  
2011

For further information on built-in LED go to p. 144



Code	Structure	
<b>BWC101</b>	White S&C	\$ 860
<b>BWC102</b>	Graphite	\$ 860

Metal structure with matte finish.  
Dimmer included.


**Light source included (dimmable):**

Built-in LED 8 W

**BlancoWhite R3**

Antoni Arola  
2011

For further information on built-in LED go to p. 144



Code	Structure	
<b>BWR311</b>	White S&C	\$ 1,490
<b>BWR312</b>	Graphite	\$ 1,490

Metal structure with matte finish.  
Dimmer included.


**Light source included (dimmable):**

Built-in LED 33 W

**BlancoWhite R1 Rotating**

Antoni Arola  
2013

For further information on built-in LED go to p. 144



Code	Description	
<b>BWR112</b>	Graphite metal structure with matte finish	\$ 1,215

Rotating head.  
Dimmer included.

**Light source included (dimmable):**


Built-in LED 10 W

## Cesta

Miguel Milá  
1962

For further information on light sources go to p. 140

 Quick Ship



Code	Description	
CES01	Cherry wood structure White opal glass lampshade	\$ 1,285

Dimmer included.



**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source (dimmable):**

LED bulb 10 W

**Other light sources:**


Max. 75 W

## Cestita

Miguel Milá  
1962

For further information on light sources go to p. 140

 Quick Ship



Code	Lampshade	
CES11	White opal polyethylene	\$ 495
CES12	White opal glass	\$ 580

Sumatran pine wood structure.



**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W

**Other light sources:**


Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"

## Cestita Batería

Miguel Milá  
2017

For further information on built-in LED go to p. 144



Code	Description	
<b>CES14</b>	Cherry wood structure White opal glass lampshade	<b>\$ 695</b>

Lithium battery.

Range:

- 5h on high power
- 12h on medium power
- 24h on low power



To prevent wood degradation, the lamp should not be left outdoors permanently.

Minimum purchase 6 units.

**Light source included (dimmable):**


Built-in LED 2,5 W

# Cesta Metálica

Miguel Milá  
1962

For further information on light sources go to p. 140

 **Quick Ship**



Code	Stainless steel structure	
CES02	Without leather handle	\$ 1,300
CES03	With natural colour leather handle	\$ 1,510

White opal glass lampshade.  
Dimmer included.



**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source (dimmable):**

LED bulb 10 W

**Other light sources:**


Max. 60 W

**Cestita Metálica**

Miguel Milá

1962

For further information on light sources go to p. 140

 **Quick Ship**

Code	Description	
CES13	Stainless steel structure. White opal glass lampshade	\$ 1,025

Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source (dimmable):**

LED bulb 6 W

**Other light sources:**

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

## Diana Menor

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p. 140

 **Quick Ship**



### Examples of composition

<b>DIA12 + DIAP8</b>	<b>\$ 1,110</b>
<b>DIA123 + DIAP6</b>	<b>\$ 1,270</b>

### Code      Metallic structure

<b>DIA12</b>	Satin nickel	<b>\$ 765</b>
<b>DIA123</b>	Brass finish	<b>\$ 900</b>

	Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAP8</b>	White linen	Translucent white parchment	<b>\$ 345</b>
<b>DIAP6</b>	Black linen	Stone parchment	<b>\$ 370</b>

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).  
Dimmer included.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source (dimmable):

2 x LED bulb 6 W

### Other light sources:


Max. 2 x 40 W

# Diana

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p. 140

 Quick Ship



## Examples of composition

<b>DIA11 + DIAM8</b>	<b>\$ 1,195</b>
<b>DIA113 + DIAM6</b>	<b>\$ 1,370</b>

Code	Metallic structure			
<b>DIA11</b>	Satin nickel			\$ 835
<b>DIA113</b>	Brass finish			\$ 990
		Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAM8</b>	White linen	Translucent white parchment		\$ 360
<b>DIAM6</b>	Black linen	Stone parchment		\$ 380

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).  
Dimmer included.



### Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

### Recommended light source (dimmable):

2 x LED bulb 10 W

### Other light sources:


Max. 2 x 50 W

## FAD Menor

Miguel Milá  
1973

For further information on light sources go to p. 140

**New size**



Code	Description	
FAD02	Natural oak wood structure. White linen lampshade.	\$ 750



**Bulb socket:**

E26 (Max. Hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb: 6 W


**Other light sources:**

Max. 100 W

## FAD

Miguel Milá  
1973

For further information on light sources go to p. 140



Composition		
FAD12 + FADP8		\$ 1,105
Code	Description	
FAD12	Natural oak wood structure	\$ 780
FADP8	White linen lampshade	\$ 325

Dimmer included.



**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source (dimmable):**

LED bulb 6 W

**Other light sources:**


Max. 100 W

## Gira

J.M. Massana, J.M. Tremoleda,  
Mariano Ferrer  
1978

For further information on light sources go to p. 140

 Quick Ship



Code	Lampshade	
GIR21	Brass	\$ 630
GIR22	Black anodized aluminium	\$ 550
GIR23	Natural anodized aluminium	\$ 550

Chrome-plated structure.  
Cast steel grey base.



Contact us for further details on the specifics of product versions  
for contract projects.

### Bulb socket:

E26 (Max. hgt. 110 mm / 4.3")

### Recommended light source:

LED bulb 9.5 W


Maximum bulb diameter: 60 mm / 2.36"

## Maija 15

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p. 144

 Quick Ship



Code	Metallic lampshades	
MAI11L	White	\$ 1,125
MAI114L	Nude rose	\$ 1,265

Diffuser in white translucent methacrylate.  
Brass legs finished in matte.  
Dimmer included.




### Light source included (dimmable):

Built-in LED 12 W

## Moragas

Antoni de Moragas i Gallissà  
1957

For further information on light sources go to p. 140



### Composition

**MOL01 + MOLP3** **\$ 1,700**

Code	Description	
<b>MOL01</b>	Sapele wood leg	<b>\$ 1,050</b>
<b>MOLP3</b>	Natural cotton ribbon lampshade with silk border	<b>\$ 650</b>

Dimmer included.



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source (dimnable):

3 x LED bulb 6 W


### Other light sources:

Max. 3 x 30 W

**Sin S**

Antoni Arola  
2013

For further information on built-in LED go to p. 144

**Examples of composition with lampshade**

<b>SIN21 + SINS2</b>	<b>\$ 1,880</b>
<b>SIN22 + SINSx*</b>	<b>\$ 1,955</b>

Code	Structure	
<b>SIN21</b>	White S&C	<b>\$ 1,500</b>
<b>SIN22</b>	Graphite	<b>\$ 1,550</b>

Lampshade (optional)		
<b>SIN2</b>	White opal methacrylate	<b>\$ 380</b>
<b>*SINS1</b>	White S&C aluminium	<b>\$ 405</b>
<b>*SINS3</b>	Graphite aluminium	<b>\$ 405</b>

Metal structure with matte finish.  
Dimmer included.


**Light source included (dimmable):**

Built-in LED 12,5 W

**Sin L**

Antoni Arola  
2013

For further information on built-in LED go to p. 144

**Examples of composition with lampshade**

<b>SIN31 + SINL2</b>	<b>\$ 2,290</b>
<b>SIN32 + SINLx*</b>	<b>\$ 2,530</b>

Code	Structure	
<b>SIN31</b>	White S&C	<b>\$ 1,830</b>
<b>SIN32</b>	Graphite	<b>\$ 1,880</b>

Lampshade (optional)		
<b>SINL2</b>	White opal methacrylate	<b>\$ 460</b>
<b>*SINL1</b>	White S&C aluminium	<b>\$ 650</b>
<b>*SINL3</b>	Graphite aluminium	<b>\$ 650</b>

Metal structure with matte finish.  
Dimmer included.

**Light source included (dimmable):**


Built-in LED 25 W

# Tatu

André Ricard  
1972

For further information on built-in LED go to p. 144

**New Product**



## Code

ABS plastic structure

TAT02

S&C white

\$ 645

TAT05

Red

\$ 645

Gyratory structure.

Applications: table or wall lamp.

Adjustable focal length from 30° to 50°.

Adjustable light intensity 0% to 100%.

Dimmer and switch incorporated into the luminaire.




**Light source included (dimmable):**

Built-in LED: 6 W

**TMD**  
Miguel Milá  
1996

For further information on light sources go to p. 140

 **Quick Ship**



Code	Description	
------	-------------	--

<b>TME08</b>	Satin nickel structure White linen lampshade	\$ 760
--------------	---	--------

Height-adjustable white linen lampshade.  
The light is switched on/off by pulling lightly on the cable.



Contact us for further details on the specifics of product versions  
for contract projects.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W

**Other light sources:**


Max. 60 W

## Tri-pode M3

Santa & Cole Team  
2011

For further information on light sources go to p. 140

 **Quick Ship**



### Composition

TM311 + TM3Mx*	\$ 715
TM311 + TM3Mx**	\$ 735

### Code Structure

TM311	Black metal	\$ 375
-------	-------------	--------

### Ribbon lampshade

*TM3M3	Natural	\$ 340
*TM3M5	Red-amber	\$ 340
*TM3M6	Black	\$ 340
**TM3M7	Terracotta Raw Color	\$ 360
**TM3M8	Mustard Raw Color	\$ 360
**TM3M9	Green Raw Color	\$ 360

Black metal top cover.



### Bulb socket:

E12 (Max. hgt. 85 mm / 3.3")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 40 W

# Triode G6

Santa & Cole Team  
2002

For further information on light sources go to p. 140



## Composition

TG611 + TG6Mx*	\$ 945
TG611 + TG6Mx**	\$ 975

Code	Structure	
TG611	Black metal	\$ 535

## Ribbon lampshade

*TG6M3	Natural	\$ 410
*TG6M5	Red-amber	\$ 410
*TG6M6	Black	\$ 410
**TG6M7	Terracotta Raw Color	\$ 440
**TG6M8	Mustard Raw Color	\$ 440
**TG6M9	Green Raw Color	\$ 440

Black metal top cover.

Dimmer included.



## Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

## Recommended light source (dimnable):


LED bulb 10 W

## Other light sources:

Max. 100 W

**AJ Royal**  
Arne Jacobsen  
1956

For further information on light sources go to p. 140



**Composition**

**JALB1 + JALP8** **\$ 1,360**

Code	Description	
<b>JALB1</b>	Stainless steel shaft and cast steel grey base	<b>\$ 875</b>
<b>JALP8</b>	White linen lampshade	<b>\$ 485</b>

Dimmer included.

Contact us for further details on the specifics of product versions for contract projects.



**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source (dimmable):**

2 x LED bulb 10 W


**Other light sources:**

Max. 2 x 100 W

# Americana

Miguel Milá  
2000

For further information on light sources go to p. 140



## Composition

**SAM32 + SAMP8** **\$ 935**

Code	Description	
<b>SAM32</b>	Satin nickel structure	<b>\$ 790</b>
<b>SAMP8</b>	White linen lampshade	<b>\$ 145</b>

Rotating arm.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W

### Other light sources:


Max. 60 W

## Diana

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p. 140

 **Quick Ship**



### Examples of composition

<b>DIA21 + DIAM8</b>	<b>\$ 1,690</b>
<b>DIA213 + DIAM6</b>	<b>\$ 1,790</b>

### Code      Metallic structure

<b>DIA21</b>	Satin nickel	<b>\$ 1,330</b>
<b>DIA213</b>	Brass finish	<b>\$ 1,410</b>

	Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAM8</b>	White linen	Translucent white parchment	<b>\$ 360</b>
<b>DIAM6</b>	Black linen	Stone parchment	<b>\$ 380</b>

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Dimmer included.



### Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

### Recommended light source (dimmable):

2 x LED bulb 13,5 W


### Other light sources:

Max. 2 x 75 W

**Diana Mayor**

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p. 140

**Examples of composition**

<b>DIA31 + DIAG8</b>	<b>\$ 2,020</b>
<b>DIA313 + DIAG6</b>	<b>\$ 2,195</b>

**Code      Metallic structure**

<b>DIA31</b>	Satin nickel	<b>\$ 1,565</b>
<b>DIA313</b>	Brass finish	<b>\$ 1,715</b>

**Lampshade**

<b>DIAG8</b>	White linen	<b>\$ 455</b>
<b>DIAG6</b>	Black linen	<b>\$ 480</b>

Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")

**Recommended light source (dimnable):**

2 x LED bulb 13,5 W

**Other light sources:**


Max. 2 x 75 W

## Dórica

Jordi Miralbell,  
Mariona Raventós  
1994

For further information on light sources go to p. 140

 Quick Ship



### Composition

**DOR03 + DORP3 + DOR00** **\$ 1,990**

Code	Description	
DOR03	Metal structure with dark brown finish	\$ 1,250
DORP3	Natural ribbon lampshade	\$ 490
DOR00	Dark brown base	\$ 250

Dimmer included.



### Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

### Recommended light source (dimmable):


3 x LED bulb 10 W

### Other light sources:

Max. 3 x 50 W

**FAD**Miguel Milá  
1974

For further information on light sources go to p. 140

 **Quick Ship****Composition****FAD22 + FADG8** **\$ 1,345**

Code	Description	
FAD22	Natural oak wood structure	\$ 950
FADG8	White linen lampshade	\$ 395

Height-adjustable white linen lampshade.  
Dimmer included.



Contact us for further details on the specifics of product versions  
for contract projects.

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source (dimmable):**


LED bulb 10 W

**Other light sources:**

Max. 100 W

**GATCPAC**Josep Torres Clavé  
1931

For further information on light sources go to p. 140



Code	Description	
TLC02	Polished aluminium structure and lampshade	\$ 1,545

Adjustable lampshade.  
Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 160 mm / 6.3")

**Recommended light source (dimmable):**

LED bulb 13,5 W


**Other light sources:**

Max. 150 W

# Maija 30

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p. 144



Code	Description	
------	-------------	--

<b>MAI21L</b>	Metallic lampshade finished in matte white Brass legs finished in matte	<b>\$ 1,790</b>
---------------	--	-----------------

Diffuser in white translucent methacrylate.  
Dimmer included.




**Light source included (dimmable):**  
Built-in LED 24 W

# Pie de Salón G1

Jaume Sans  
1963

For further information on light sources go to p. 140



## Examples of composition

PDS02 + PG101	\$ 1,525
PDS02 + PG103	\$ 1,515
PDS02 + PG107	\$ 1,560
PDS02 + PGL108	\$ 1,585
PDS03 + PG101	\$ 1,900
PDS03 + PG103	\$ 1,890
PDS03 + PG107	\$ 1,935
PDS03 + PGL108	\$ 1,960

Code	Metallic structure	
PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

Lampshade		
PG101	Stitched beige parchment	\$ 320
PG103	Natural ribbon	\$ 310
PG105	Red-amber ribbon	\$ 310
PG106	Black ribbon	\$ 310
PG107	Terracotta Raw Color ribbon	\$ 355
PG108	Mustard Raw Color ribbon	\$ 355
PG109	Green Raw Color ribbon	\$ 355
PGL108	White linen	\$ 380

Shaft covered in black leather.  
Height-adjustable lampshade.  
Dimmer included.



### Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

### Recommended light source (dimmable):

LED bulb 13,5 W

### Other light sources:


Max. 100 W

## Pie de Salón G2

Jaume Sans

1963

For further information on light sources go to p. 140



### Composition

PDS02 + PG20x*	\$ 1,525
PDS03 + PG20x*	\$ 1,900

### Code                      Metallic structure

PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

### Lampshade

*PG203	Natural ribbon	\$ 320
*PG205	Red-amber ribbon	\$ 320
*PG206	Black ribbon	\$ 320
*PG208	White linen	\$ 320

Shaft covered in black leather.

Height-adjustable lampshade.

Dimmer included.



### Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

### Recommended light source (dimmable):

LED bulb 13,5 W


### Other light sources:

Max. 100 W

# Pie de Salón G3

Jaume Sans  
1963

For further information on light sources go to p. 140



## Examples of composition

PDS02 + PG303	\$ 1,455
PDS02 + PG307	\$ 1,500
PDS02 + PGL308	\$ 1,490
PDS03 + PG303	\$ 1,830
PDS03 + PG307	\$ 1,875
PDS03 + PGL308	\$ 1,865

Code	Metallic structure	
PDS02	Chrome-plated	\$ 1,205
PDS03	Polished brass	\$ 1,580

	Lampshade	
PG303	Natural ribbon	\$ 250
PG305	Red-amber ribbon	\$ 250
PG306	Black ribbon	\$ 250
PG307	Terracotta Raw Color ribbon	\$ 295
PG308	Mustard Raw Color ribbon	\$ 295
PG309	Green Raw Color ribbon	\$ 295
PGL308	White linen	\$ 285

Shaft covered in black leather.  
Height-adjustable lampshade.  
Dimmer included.



### Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

### Recommended light source (dimmable):

LED bulb 13,5 W


### Other light sources:

Max. 100 W

**TMC**

Miguel Milá  
1961

For further information on light sources go to p. 140



Code	Description	
<b>TMC11</b>	Two-part metal structure: upper half chrome-plated and lower half black. Height-adjustable white methacrylate lampshade.	<b>\$ 1,450</b>

On/off switch on lamp holder.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 125 mm / 4.9")

**Recommended light source:**

LED bulb 10 W

**Other light sources:**


Max. 100 W

**TMD**

Miguel Milá  
2005

For further information on light sources go to p. 140

**Quick Ship**



Composition		
<b>TMD21 + TMDP8</b>		<b>\$ 1,405</b>

Code	Description	
<b>TMD21</b>	Satin nickel structure	<b>\$ 845</b>
<b>TMDP8</b>	White linen lampshade	<b>\$ 560</b>

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 125 mm / 4.9")

**Recommended light source:**


LED bulb 10 W

**Other light sources:**

Max. 100 W

**TMM**Miguel Milá  
1961

For further information on light sources go to p. 140

**Composition**

TMMHA + TMMPx*	\$ 1,115
TMMHA + TMMP2D	\$ 1,200
TMMCE + TMMPx*	\$ 1,150
TMMCE + TMMP2D	\$ 1,235
TMMNO + TMMPx*	\$ 1,255
TMMNO + TMMP2D	\$ 1,340
TMMRO + TMMPx*	\$ 1,150
TMMRO + TMMP2D	\$ 1,235
TMMNE + TMMPx*	\$ 1,150
TMMNE + TMMP2D	\$ 1,235

**Code**      **Wooden structure**

TMMHA	Beech	\$ 620
TMMCE	Cherry	\$ 655
TMMNO	Walnut	\$ 760
TMMRO	Natural oak	\$ 655
TMMNE	Black oak	\$ 655

**Parchment lampshade**

*TMMP1	Beige	\$ 495
*TMMP2	White	\$ 495
TMMP2D	White with upper diffuser in white translucent methacrylate <sup>[1]</sup>	\$ 580

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

<sup>[1]</sup> Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E26 (Max. hgt. 125 mm / 4.9")

**Recommended light source:**

LED bulb 10 W

**Other light sources:**


Max. 100 W

## Tripede G5

Santa & Cole Team  
1997

For further information on light sources go to p. 140

 **Quick Ship**



### Composition

TG501 + TG5Px*	\$ 1,145
TG501 + TG5Px**	\$ 1,185

Code	Structure	
TG501	Black metal	\$ 665

### Ribbon lampshade

*TG5P3	Natural	\$ 480
*TG5P5	Red-amber	\$ 480
*TG5P6	Black	\$ 480
**TG5P7	Terracotta Raw Color	\$ 520
**TG5P8	Mustard Raw Color	\$ 520
**TG5P9	Green Raw Color	\$ 520

Dimmer included



Contact us for further details on the specifics of product versions for contract projects.

### Bulb socket:

E26 (Max. hgt. 160 mm / 6.3")

### Recommended light source (dimmable):

LED bulb 13,5 W


### Other light sources:

Max. 100 W

## Arne Domus

Santa & Cole Team  
2015

For further information on built-in LED go to p. 144

 **Quick Ship**


Code	Structure and canopy	
<b>ARD11</b>	S&C white	<b>\$ 1,495</b>
<b>ARD12</b>	Aluminium grey	\$ 1,495
<b>ARD13</b>	Mustard	<b>\$ 1,495</b>
<b>ARD14</b>	Dark green	\$ 1,495

Matte aluminium injection structure.  
Acid-etched and tempered glass diffuser.  
Metallic circular canopy included with power supply incorporated.  
Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Dry and damp location  
Suitable for junction Box.  
Electric cable length: 4 m / 157.5"  
Weight: 6,2 kg / 13.6 lb




### Light source included (dimmable):

Built-in LED 33 W

## Arne S Domus

Santa & Cole Team  
2018

For further information on built-in LED go to p. 144

**New Product**

Code	Structure and canopy	
<b>ARSD11</b>	S&C white	<b>\$ 1,150</b>
<b>ARSD12</b>	Aluminium grey	\$ 1,150
<b>ARSD13</b>	Mustard	<b>\$ 1,150</b>
<b>ARSD14</b>	Dark green	\$ 1,150

Matte aluminium injection structure with integrated driver.  
Primary optics with tempered glass cover.  
Metallic circular canopy included.  
Suitable for dimming 1-10V.  
(Not included external dimmer switch 1-10V).  
Dry and damp location.  
Suitable for junction Box.  
Electric cable length: 4 m / 157.5"  
Weight: 3,3 Kg / 7.2 lb



### Light source included (dimmable):

Built-in LED 28 W

**BlancoWhite**  
**D1 ceiling /**  
**D1 ceiling Up&Down**  
 Antoni Arola  
 2013

For further information on built-in LED go to p. 144

**Composition**

<b>BWD102 + BWF102</b>	<b>\$ 1,545</b>
<b>BWD102 + BWF202 + BWPD12</b>	<b>\$ 1,990</b>

<b>Code</b>	<b>Structure</b>	
<b>BWD102</b>	Graphite metal with matte finish	<b>\$ 1,150</b>

**Canopy**

<b>BWF102</b>	Circular metal with power supply incorporated	<b>\$ 395</b>
---------------	---	---------------

**Up&Down counterweight**

<b>BWPD12</b>	Optional	<b>\$ 340</b>
---------------	----------	---------------

**Up&Down canopy**

<b>BWF202</b>	Optional	<b>\$ 500</b>
---------------	----------	---------------

Option of Up&Down counterweight to adjust height.

Suitable for junction Box.


Electric cable length: 3 m / 118.1"

Weight: 3 kg / 6.6 lb


Weight with Up&Down counterweight : 4 kg / 8.8 lb



D1 ceiling



D1 ceiling up&down



**Light source included:**

Built-in LED 22 W

**BlancoWhite**  
**D2 ceiling /**  
**D2 ceiling Up&Down**  
 Antoni Arola  
 2013

For further information on built-in LED go to p. 144

**Composition**

<b>BWD202 + BWF102</b>	<b>\$ 1,695</b>
<b>BWD202 + BWF202 + BWPD22</b>	<b>\$ 2,225</b>

**Code Structure**

<b>BWD202</b>	Graphite metal with matte finish	<b>\$ 1,300</b>
---------------	----------------------------------	-----------------

**Canopy**

<b>BWF102</b>	Circular metal with power supply incorporated	<b>\$ 395</b>
---------------	---	---------------

**Up&Down counterweight**

<b>BWPD22</b>	Optional	<b>\$ 425</b>
---------------	----------	---------------

**Up&Down canopy**

<b>BWF202</b>	Optional	<b>\$ 500</b>
---------------	----------	---------------

Option of Up&Down counterweight to adjust height.

Suitable for junction Box.


Electric cable length: 3 m / 118.1"

Weight: 4 kg / 8.8 lb


Weight with Up&Down counterweight : 5 kg / 11 lb



D2 ceiling



D2 ceiling up&down



**Light source included:**

Built-in LED 28 W


## BlancoWhite R3

Antoni Arola  
2013

For further information on built-in LED go to p. 144

Code	Description	
<b>BWR302</b>	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	<b>\$ 1,985</b>

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Suitable for junction Box.  
Electric cable length: 3 m / 118.1"  
Weight: 5,8 kg / 12.8 lb



**Light source included (dimmable):**  
Built-in LED 33 W


# BlancoWhite Golden Gate

Antoni Arola  
2013

For further information on built-in LED go to p. 144

Code	Description	
<b>BWGG02</b>	Graphite metal structure with matte finish Rectangular metal canopy with power supply incorporated	<b>\$ 3,350</b>

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Suitable for junction Box.  
Includes counterweight to adjust height.  
Electric cable length: 3 m / 118.1"  
Weight: 17,5 kg / 38.5 lb



**Light source included (dimmable):**  
Built-in LED 66 W


# Cirio Simple

Antoni Arola  
2010

For further information on built-in LED go to p. 144



## Canopies



## Examples of composition

<b>HEFD0x* + HEL03 + CIP06</b>	<b>\$ 985</b>
<b>HEFD0x* + HEL08 + CIP01</b>	<b>\$ 775</b>

## Code Circular metal canopy + power supply

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

## LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V)

S&C LED capsule suitable with HeadLed System lampshades. (pág 123).


Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 1,1 Kg / 2.4 lb



## Lampshades




## Light source included (dimmable):

Built-in LED 7,7 W

# Cirio Múltiple

Antoni Arola  
2010

For further information on built-in LED go to p. 144



## Examples of composition

<b>CIF11 + 12 HEL03 + 12 CIP01</b>	<b>\$ 6,370</b>
<b>CIF12 + 8 HEL08 + 8 CIP06</b>	<b>\$ 6,730</b>

### Code      Circular metal canopy + power supply

<b>CIF11</b>	Black surface dimmable 1-10 V	<b>\$ 970</b>
<b>CIF11-DALI</b>	Black surface dimmable DALI	<b>\$ 970</b>
<b>CIF12</b>	White surface dimmable 1-10 V	<b>\$ 970</b>
<b>CIF12-DALI</b>	White surface dimmable DALI	<b>\$ 970</b>

### LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

From 6 to a maximum of 12 light sources.

Suitable for dimming 1-10V / DALI

(Not included external dimmer switch 1-10V / DALI ).

S&C LED capsule suitable with HeadLed System lampshades (pág 123).


Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 8 Kg / 17.5 lb



## Lampshades



## Light sources included (dimmable):

Built-in LED 7,7 W


# Cirio Cascada 5

Antoni Arola  
2017

For further information on built-in LED go to p. 144

Spiral  
composition

Random  
composition



## Composition

CIF41* + 5 HEL03 + 5 CIP01	\$ 2,975
CIF41* + 5 HEL08 + 5 CIP01	\$ 3,125
CIF41* + 5 HEL03 + 5 CIP05	\$ 2,875
CIF41* + 5 HEL08 + 5 CIP05	\$ 3,025
CIF41* + 5 HEL03 + 5 CIP06	\$ 4,175
CIF41* + 5 HEL08 + 5 CIP06	\$ 4,325

Code Black metal circular canopy + power supply 5 light sources

*CIF41	Dimming 1-10V	\$ 725
*CIF41-DALI	Dimming DALI	\$ 725

## LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI).

(Not included external dimmer switch 1-10V / DALI).

Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 7 Kg / 15.5 lb

8 m: 8 Kg / 17.6 lb



## Lampshades



## Light sources included (dimmable):

5 x Built-in LED 7,7 W


# Cirio Cascada 7

Antoni Arola  
2017

For further information on built-in LED go to p. 144

Spiral  
composition

Random  
composition



## Composition

CIF51* + 7 HEL03 + 7 CIP01	\$ 3,875
CIF51* + 7 HEL08 + 7 CIP01	\$ 4,085
CIF51* + 7 HEL03 + 7 CIP05	\$ 3,735
CIF51* + 7 HEL08 + 7 CIP05	\$ 3,975
CIF51* + 7 HEL03 + 7 CIP06	\$ 5,555
CIF51* + 7 HEL08 + 7 CIP06	\$ 5,765

Code	Black metal circular canopy + power supply 7 light sources	
*CIF51	Dimming 1-10V	\$ 725
*CIF51-DALI	Dimming DALI	\$ 725

## LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI).

(Not included external dimmer switch 1-10V / DALI).

Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 9 Kg / 19.8 lb

8 m: 10 Kg / 22 lb



## Lampshades



## Light source included (dimmable):

7 x Built-in LED 7,7 W


# Cirio Cascada 9

Antoni Arola  
2017

For further information on built-in LED go to p. 144

Spiral  
composition

Random  
composition



## Composition

CIF61* + 9 HEL03 + 9 CIP01	\$ 4,850
CIF61* + 9 HEL08 + 9 CIP01	\$ 5,120
CIF61* + 9 HEL03 + 9 CIP05	\$ 4,670
CIF61* + 9 HEL08 + 9 CIP05	\$ 4,940
CIF61* + 9 HEL03 + 9 CIP06	\$ 7,010
CIF61* + 9 HEL08 + 9 CIP06	\$ 7,280

Code Black metal circular canopy + power supply 9 light sources

*CIF61	Dimming 1-10 V	\$ 800
*CIF61-DALI	Dimming DALI	\$ 800

## LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI).

(Not included external dimmer switch 1-10V / DALI).

Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 12 Kg / 26.5 lb

8 m: 14 Kg / 30.9 lb



## Lampshades




## Light source included (dimmable):

9 x Built-in LED 7,7 W

**Cirio Cascada 12**

Antoni Arola  
2017

For further information on built-in LED go to p. 144

**Composition**

CIF71* + 12 HEL03 + 12 CIP01	\$ 6,465
CIF71* + 12 HEL08 + 12 CIP01	\$ 6,825
CIF71* + 12 HEL03 + 12 CIP05	\$ 6,225
CIF71* + 12 HEL08 + 12 CIP05	\$ 6,585
CIF71* + 12 HEL03 + 12 CIP06	\$ 9,345
CIF71* + 12 HEL08 + 12 CIP06	\$ 9,705

**Code** Black metal rectangular canopy + power supply 12 light sources

*CIF71	Dimming 1-10 V	\$ 1,065
*CIF71-DALI	Dimming DALI	\$ 1,065

**LED capsule with electric black cable**

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI).

(Not included external dimmer switch 1-10V / DALI).


Suitable for junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade):

3 m: 18 Kg / 39.7 lb

8 m: 20 Kg / 44 lb


**Lampshades****Light source included (dimmable):**

12 x Built-in LED 7,7 W

# Cirio Circular S

Antoni Arola  
2010

For further information on built-in LED go to p. 126



## Examples of composition

**CIR12 + CIF31 + 12 CIP05** \$ 7,995

Code	Black metal structure	Light sources	
<b>CIR12</b>	Circular Ø 130 cm / 51.1"	12	\$ 4,725

### Black metal canopy + power supply

<b>CIF31</b>	Rectangular Dimming 1-10V	\$ 750
--------------	------------------------------	--------

<b>CIF31-DALI</b>	Rectangular Dimming DALI	\$ 750
-------------------	-----------------------------	--------

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	\$ 230
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	\$ 210
<b>CIP06</b>	Brass	Polished	<b>PL</b>	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 13 Kg / 28.6 lb



## Lampshades




## Light sources included (dimmable):

12 x Built-in LED 7,7 W

# Cirio Circular M

Antoni Arola  
2010

For further information on built-in LED go to p. 126



## Examples of composition

**CIR28 + 2 CIF31 + 28 CIP05** \$ 15,360

Code	Black metal structure	Light sources	
CIR28	Circular Ø 300 cm / 118,1"	28	\$ 7,980

## Black metal canopy + power supply

CIF31	Rectangular Dimming 1-10V	\$ 750
CIF31-DALI	Rectangular Dimming DALI	\$ 750

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 33 Kg / 72.8 lb



## Lampshades



## Light sources included (dimmable):

28 x Built-in LED 7,7 W

## Cirio Circular L

Antoni Arola  
2010

For further information on built-in LED go to p. 144

### Examples of composition

**CIR42 + 3 CIF31 + 42 CIP05** **\$ 23,210**

Code	Black metal structure	Light sources	
<b>CIR42</b>	Circular Ø 520 cm / 204.7"	42	<b>\$ 12,140</b>

### Black metal canopy + power supply

<b>CIF31</b>	Rectangular Dimming 1-10V		<b>\$ 750</b>
<b>CIF31-DALI</b>	Rectangular Dimming DALI		<b>\$ 750</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.


Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 47 Kg / 103.5 lb




### Light sources included (dimmable):


42 x Built-in LED 7,7 W



Lampshades



Examples of composition: **S + M + L**



**Cirio Oval**  
Antoni Arola  
2010

For further information on built-in LED go to p. 144

**Examples of composition**

**CIL05 + CII05 + CIR28 + 3 CIF31 + 4 CIN01 + 38 CIP05** \$ 22,700

Code	Black metal structure	Light sources	Drawing	
<b>CIL05</b>	Linear	5	<b>A</b>	\$ 2,075
<b>CII05</b>	End	5	<b>B</b>	\$ 2,075
<b>CIR28</b>	Circular Ø 300 cm / 118.1"	28	<b>M</b>	\$ 7,980

**Black metal canopy + power supply**

<b>CIF31</b>	Rectangular Dimming 1-10V			\$ 750
<b>CIF31-DALI</b>	Rectangular Dimming DALI			\$ 750

	Lampshade	Finish		
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	\$ 230
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	\$ 210
<b>CIP06</b>	Brass	Polished	<b>PL</b>	\$ 470

**Metal connector (to join modules)**

<b>CIN01</b>	Linear			\$ 85
--------------	--------	--	--	-------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Suitable for Junction Box.


Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 46 Kg / 101.5 lb




**Light sources included (dimmable):**

38 x Built-in LED 7,7 W



Lampshades



**Cirio Lineal**  
Antoni Arola  
2010

For further information on built-in LED go to p. 144

**Examples of composition**

<b>CIL05 + CIF31 + 5 CIP06</b>	<b>\$ 5,175</b>
<b>CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP01</b>	<b>\$ 10,595</b>
<b>CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP05</b>	<b>\$ 10,295</b>

Code	Black metal structure	Light sources	Drawing	
<b>CIL05</b>	Linear	5	<b>A</b>	<b>\$ 2,075</b>
<b>CII05</b>	End	5	<b>B</b>	<b>\$ 2,075</b>

Code	Black metal canopy + power supply	
<b>CIF31</b>	Rectangular Dimming 1-10V	<b>\$ 750</b>
<b>CIF31-DALI</b>	Rectangular Dimming DALI	<b>\$ 750</b>

	Lampshade	Finish		
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

**Metal connector (to join modules)**

<b>CIN01</b>	Linear	<b>\$ 85</b>
--------------	--------	--------------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight Cirio Lineal (A) (with canopy and porcelain lampshade): 7,5 Kg / 16.5 lb

Weight Cirio Final (B) (with porcelain lampshade): 4,5 Kg / 10 lb



**Composition instructions:**

The installation of a new canopy is needed every 3 modules.




**Light sources included (dimmable):**

5 x Built-in LED 7,7 W



Lampshades



## Cirio Chandelier S

Antoni Arola  
2015

For further information on built-in LED go to p. 144

### Composition

<b>CIC20* + 20 CIP01</b>	<b>\$ 10,700</b>
<b>CIC20* + 20 CIP05</b>	<b>\$ 10,300</b>
<b>CIC20* + 20 CIP06</b>	<b>\$ 15,500</b>

### Code      **Black metal circular structure Ø100 cm / 39.4"**

<b>*CIC20</b>	Dimming 1-10 V	<b>\$ 6,100</b>
<b>*CIC20-DALI</b>	Dimming DALI	<b>\$ 6,100</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 25 Kg / 55 lb




### Light sources included (dimmable):

20 x Built-in LED 5,7 W


A



B



Lampshades



## Cirio Chandelier M

Antoni Arola  
2015

For further information on built-in LED go to p. 144

### Composition

<b>CIC30* + 30 CIP01</b>	<b>\$ 16,000</b>
<b>CIC30* + 30 CIP05</b>	<b>\$ 15,400</b>
<b>CIC30* + 30 CIP06</b>	<b>\$ 23,200</b>

### Code      **Black metal circular structure Ø130 cm / 51.2"**

<b>*CIC30</b>	Dimming 1-10 V	<b>\$ 9,100</b>
<b>*CIC30-DALI</b>	Dimming DALI	<b>\$ 9,100</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)

- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 35 kg / 77 lb




### Light sources included (dimmable):

30 x Built-in LED 5,7 W


A



B



Lampshades



## Cirio Chandelier L

Antoni Arola  
2015

For further information on built-in LED go to p. 144

### Composition

<b>CIC40* + 40 CIP01</b>	<b>\$ 21,100</b>
<b>CIC40* + 40 CIP05</b>	<b>\$ 20,300</b>
<b>CIC40* + 40 CIP06</b>	<b>\$ 30,700</b>

### Code      **Black metal circular structure Ø160 cm / 63"**

<b>*CIC40</b>	Dimming 1-10 V	<b>\$ 11,900</b>
<b>*CIC40-DALI</b>	Dimming DALI	<b>\$ 11,900</b>

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>\$ 230</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>\$ 210</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>\$ 470</b>

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"



Weight (with porcelain lampshade): 50 kg / 110 lb





### Light sources included (dimmable):

40 x Built-in LED 5,7 W


A



B



Lampshades




## Estadio 105

### 1 support

Miguel Milá  
1992

For further information on light sources go to p. 140



#### Composition

**EST10 + FSCG1** **\$ 10,855**

Code	Description	
<b>EST10</b>	Black metal structure with glass block lampshade	<b>\$ 8,900</b>
<b>FSCG1</b>	1 support hanging system	<b>\$ 1,955</b>

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 93 kg / 205 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

12 x LED bulb 13,5 W

#### Other light sources:


Max. 12 x 75 W

## Estadio 105

### 3 supports

Miguel Milá  
1992

For further information on light sources go to p. 140



#### Composition

**EST10 + FSCG3** **\$ 10,590**

Code	Description	
<b>EST10</b>	Black metal structure with glass block lampshade	<b>\$ 8,900</b>
<b>FSCG3</b>	3 supports hanging system	<b>\$ 1,690</b>

Stainless steel structure hanging system.

Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 93 Kg / 205 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

12 x LED bulb 13,5 W


#### Other light sources:

Max. 12 x 75 W

## Estadio 150

### 1 support

Miguel Milá  
1992



#### Composition

**EST15 + FSCG1** **\$ 15,855**

Code	Description	
<b>EST15</b>	Black metal structure with glass block lampshade	<b>\$ 13,900</b>
<b>FSCG1</b>	1 support hanging system	<b>\$ 1,955</b>

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 158 Kg / 348 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

18 x LED bulb 13,5 W


#### Other light sources:

Max. 18 x 75 W

## Estadio 150

### 3 supports

Miguel Milá  
1992



For further information on light sources go to p. 140

#### Composition

**EST15 + FSCG3** **\$ 15,590**

Code	Description	
<b>EST15</b>	Black metal structure with glass block lampshade	<b>\$ 13,900</b>
<b>FSCG3</b>	3 supports hanging system	<b>\$ 1,690</b>

Stainless steel structure hanging system.

Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.4"

Weight: 158 Kg / 348 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

18 x LED bulb 13,5 W

#### Other light sources:


Max. 18 x 75 W

## Estadio 250

### 1 support

Miguel Milá  
1992

For further information on light sources go to p. 140



#### Composition

**EST24 + FSCG1** \$ 25,455

#### Code Description

**EST24** Black metal structure with glass block lampshade \$ 23,500  
**FSCG1** 1 support hanging system \$ 1,955

The structure is delivered in 2 parts.

Stainless steel structure hanging system.

Satin nickel canopy included.

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 330 Kg / 728 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

24 x LED bulb 13,5 W

#### Recommended light source:


Max. 24 x 75 W

## Estadio 250

### 3 supports

Miguel Milá  
1992

For further information on light sources go to p. 140



#### Composition

**EST24 + FSCG3** \$ 25,190

#### Code Description

**EST24** Black metal structure with glass block lampshade \$ 23,500  
**FSCG3** 3 supports hanging system \$ 1,690

The structure is delivered in 2 parts. Stainless steel structure hanging system. Satin nickel canopy included.

Junction Box adaptor included Ø11,7 cm / 4.6"

This fixture must be mounted or supported independently of a Junction Box.

Electric cable length: 4 m / 157.5"

Weight: 330 Kg / 728 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:

24 x LED bulb 13,5 W




#### Other light sources:

Max. 24 x 75 W

# Línea Estadio

Miguel Milá  
2014

For further information on light sources go to p. 140




Examples of composition	Modules	Drawing	
<b>ESTL1</b>	1 module	<b>A</b>	\$ 5,800
<b>ESTL1 + ESTL2</b>	2 modules	<b>A + B</b>	\$ 10,900
<b>ESTL1 + 2 ESTL2 + ESTL3</b>	4 modules (with 75 W light source)	<b>A + 2B + C</b>	\$ 21,400

Code	Structure with hanging system		
<b>ESTL1</b>	Initial module	<b>A</b>	\$ 5,800
<b>ESTL2</b>	Alignment module	<b>B</b>	\$ 5,100
<b>ESTL3</b>	Power supply module (> 1200 W)	<b>C</b>	\$ 5,400


Black metal structure with glass block lampshade.  
Stainless steel hanging system.  
Satin nickel metallic canopy included.  
Maximum 1200W per line (6A). One connection per line.  
For more than 1200 W, use an extra power supply module (ESTL3).  
Junction Box adaptor included Ø11,7 cm / 4.6"  
This fixture must be mounted or supported independently of a Junction Box.  
Electric cable length: 4 m / 157.5"  
Weight (1 module): 52 kg / 115 lb



Examples of composition: **A + B**



Examples of composition with light source 75 W (> 1200 W): **A + 2B + C**




**Bulb socket:**  
E26 (Max. hgt. 155 mm / 6.1")  
**Recommended light source:**  
5 x LED bulb 13,5 W  
**Other light sources:**  
Max. 5 x 75 W

## Globo Cesta

Miguel Milá  
2018

For further information on light sources go to p. 140

 **Quick Ship New Product**



Code	Description	
CES04	White opal glass lampshade. Black metallic circular canopy.	\$ 810

Suitable for side entry adaptor.  
Electric cable length: 3 m / 118.1"  
Weight: 2,7 kg / 5.9 lb



### Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

### Recommended light sources:

LED bulb 10 W

### Other light sources:

Max. 75 W


Maximum bulb diameter: 70 mm / 2.7"

## Globo Cestita

Miguel Milá  
2018

For further information on light sources go to p. 140

 **Quick Ship New Product**



Code	Description	
CES15	White opal glass lampshade. Black metallic circular canopy.	\$ 620

Suitable for side entry adaptor.  
Electric cable length: 3 m / 118.1"  
Weight: 1,1 kg / 2.4 lb



### Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

### Recommended light sources:

LED bulb 6 W


### Other light sources:

Max. 40 W

**GT4**

Gabriel Ordeig Cole  
1983

For further information on light sources go to p. 140

**Composition**

<b>SIS13 + PGT41</b>	<b>\$ 900</b>
<b>SIS21B + PGT41</b>	<b>\$ 875</b>
<b>SIS21N + PGT41</b>	<b>\$ 875</b>
<b>SIS22 + PGT41</b>	<b>\$ 875</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

**Lampshade**

<b>PGT41</b>	Stitched beige parchment	<b>\$ 685</b>
--------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p. 121).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 155 mm / 6.1")

**Recommended light source:**

LED bulb 13,5 W


**Other light sources:**

Max. 60 W

**GT5**

Santa & Cole Team  
1994

For further information on light sources go to p. 140

**Examples of composition**

<b>SIS13 + GT513</b>	<b>\$ 780</b>
<b>SISD13 + GT507</b>	<b>\$ 955</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>\$ 330</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>\$ 310</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>\$ 310</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>\$ 310</b>

**Ribbon lampshade**

<b>GT513</b>	Natural	<b>\$ 565</b>
<b>GT515</b>	Red-amber	<b>\$ 565</b>
<b>GT516</b>	Black	<b>\$ 565</b>
<b>GT507</b>	Terracotta Raw Color	<b>\$ 625</b>
<b>GT508</b>	Mustard Raw Color	<b>\$ 625</b>
<b>GT509</b>	Green Raw Color	<b>\$ 625</b>

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Suitable for Junction Box.

Canopy suitable for side entry adaptor (p. 121).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source:**

1 x / 2 x LED bulb 10 W


**Other light sources:**

Max. 1 x / 2 x 100 W

**GT6**

Santa & Cole Team  
1994

For further information on light sources go to p. 140

**Examples of composition**

<b>SIS13 + GT613</b>	<b>\$ 640</b>
<b>SISD13 + GT607</b>	<b>\$ 800</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>\$ 330</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>\$ 310</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>\$ 310</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>\$ 310</b>

**Lampshade**

<b>GT613</b>	Natural ribbon	<b>\$ 425</b>
<b>GT615</b>	Red-amber ribbon	<b>\$ 425</b>
<b>GT616</b>	Black ribbon	<b>\$ 425</b>
<b>GT607</b>	Terracotta Raw Color ribbon	<b>\$ 470</b>
<b>GT608</b>	Mustard Raw Color ribbon	<b>\$ 470</b>
<b>GT609</b>	Green Raw Color ribbon	<b>\$ 470</b>
<b>GT618</b>	White linen	<b>\$ 425</b>

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor (p. 121).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source:**

1 x / 2 x LED bulb 10 W

**Other light sources:**


Max. 1 x / 2 x 100 W

**GT7**

Santa & Cole Team  
2000

For further information on light sources go to p. 140

 **Quick Ship**

**Composition**

GT701 + GT722 + GT7Px*	\$ 2,380
GT701 + GT722 + GT7Px**	\$ 2,500
GT701 + GT713 + GT7Px*	\$ 2,380
GT701 + GT713 + GT7Px**	\$ 2,500

**Code    Socket assembly**

GT701	White with black cable	\$ 460
-------	------------------------	--------

**Circular metal canopy**

GT722	Black	\$ 170
GT713	Satin nickel	\$ 170

**Ribbon lampshade**

*GT7P3	Natural	\$ 1,750
*GT7P5	Red-amber	\$ 1,750
*GT7P6	Black	\$ 1,750
**GT7P7	Terracotta Raw Color	\$ 1,870
**GT7P8	Mustard Raw Color	\$ 1,870
**GT7P9	Green Raw Color	\$ 1,870

Black metal disc on the upper part: Ø 40 cm / 15.6"

and translucent white PVC diffuser disc

on the lower part: Ø 60 cm / 23.7"

Ceiling rosette suitable for side entry adaptor (p. 121).

Suitable for Junction Box.

Electric cable length: 8 m / 315"

Weight: 7 Kg / 15 lb

**Bulb socket:**

E26 (Max. hgt. 137 mm / 5.4")

**Recommended light source:**

3 x LED bulb 13,5 W


**Other light sources:**

Max. 3 x 60 W

# GT1000

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144



## Composition

<b>GT1502 + GT10Px*</b>	\$ 5,495
<b>GT1502 + GT10Px**</b>	\$ 5,680

## Code Electrical structure + lamp socket

<b>GT1502</b>	LED	\$ 3,000
---------------	-----	----------

## Ribbon lampshade

<b>*GT10P3</b>	Natural	\$ 2,495
<b>*GT10P5</b>	Red-amber	\$ 2,495
<b>*GT10P6</b>	Black	\$ 2,495
<b>**GT10P7</b>	Terracotta Raw Color	\$ 2,680
<b>**GT10P8</b>	Mustard Raw Color	\$ 2,680
<b>**GT10P9</b>	Green Raw Color	\$ 2,680

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 83 cm. / 32.7".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 8 m / 315"

Weight: 12 Kg / 26.5 lb




**Light source included (dimmable):**

Built-in LED 78 W

**GT1500**

Santa & Cole Team  
2011

For further information on built-in LED go to p. 144

**Composition**

<b>GT1502 + GT15Px*</b>	<b>\$ 6,750</b>
<b>GT1502 + GT15xx**</b>	<b>\$ 7,020</b>

**Code Electrical structure + lamp socket**

<b>GT1502</b>	LED	<b>\$ 3,000</b>
---------------	-----	-----------------

**Ribbon lampshade**

<b>*GT15P3</b>	Natural	<b>\$ 3,750</b>
<b>*GT15P5</b>	Red-amber	<b>\$ 3,750</b>
<b>*GT15P6</b>	Black	<b>\$ 3,750</b>
<b>**GT15P7</b>	Terracotta Raw Color	<b>\$ 4,020</b>
<b>**GT15P8</b>	Mustard Raw Color	<b>\$ 4,020</b>
<b>**GT15P9</b>	Green Raw Color	<b>\$ 4,020</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 125 cm / 49.2".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 8 m / 315"

Weight: 17 Kg / 37.5 lb

**Light source included (dimmable):**


Built-in LED 78 W

# HeadHat Bowl S

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144

 Quick Ship



## Examples of composition

<b>HEFD0x* + HEL03 + HATS1x*</b>	<b>\$ 705</b>
<b>HEFD0x* + HEL08 + HATS1x*</b>	<b>\$ 735</b>

## Code      Circular metal canopy + power supply

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

## LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

## Lampshade

<b>*HATS12</b>	White ceramic S	<b>\$ 190</b>
<b>*HATS11</b>	Black ceramic S	<b>\$ 190</b>

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123).

and Cirio structures (p. 46-47).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,1 kg / 2.4 lb




## Light source included (dimmable):

Built-in LED 7,7 W

## HeadHat Bowl L

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144



### Examples of composition

<b>HEFD0x* + HEL03 + HATL1x*</b>	<b>\$ 810</b>
<b>HEFD0x* + HEL08 + HATL1x*</b>	<b>\$ 840</b>

### Code      Circular metal canopy + power supply

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

### LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

### Lampshade

<b>*HATL12</b>	White ceramic L	<b>\$ 295</b>
<b>*HATL11</b>	Black ceramic L	<b>\$ 295</b>

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123) and Cirio structures. (p. 46-47).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,6 kg / 3.5 lb




### Light source included (dimmable):

Built-in LED 7,7 W


# HeadHat Plate S

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144



## Diffuser



## Examples of composition

<b>HEFD0x* + HEL03 + HATS02 + 6HAT01</b>	<b>\$ 1,005</b>
<b>HEFD0x* + HEL08 + HATS02 + 6HAT01</b>	<b>\$ 1,035</b>

## Code Circular metal canopy + power supply

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

## LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

## Metallic lampshade

<b>HATS02</b>	White S	<b>\$ 390</b>
---------------	---------	---------------

## Diffuser

<b>6HAT01</b>	White methacrylate	<b>\$ 100</b>
---------------	--------------------	---------------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123) and Cirio structures (p. 46-47).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,5 kg / 3 lb




## Light source included (dimmable):

Built-in LED 7,7 W


## HeadHat Plate M

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144



Diffuser



### Examples of composition

HEFD0x* + HEL03 + HATM02 + 6HAT01	\$ 1,075
HEFD0x* + HEL08 + HATM02 + 6HAT01	\$ 1,105

### Code Circular metal canopy + power supply

*HEFD01	Black surface dimmable 1-10V	\$ 295
*HEFD02	White surface dimmable 1-10V	\$ 295

### LED capsule with electric black cable

HEL03	3 m / 118.1"	\$ 220
HEL08	8 m / 315"	\$ 250

### Metallic lampshade

HATM02	White M	\$ 460
--------	---------	--------

### Diffuser

6HAT01	White methacrylate	\$ 100
--------	--------------------	--------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123) and Cirio structures (p. 46-47).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,9 kg / 4.2 lb




### Light source included (dimmable):

Built-in LED 7,7 W


# HeadHat Plate L

Santa & Cole Team  
2013

For further information on built-in LED go to p. 144



## Diffuser



## Examples of composition

<b>HEFD0x* + HEL03 + HATL02 + 6HAT01</b>	<b>\$ 1,280</b>
<b>HEFD0x* + HEL08 + HATL02 + 6HAT01</b>	<b>\$ 1,310</b>

## Code Circular metal canopy + power supply

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

## LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

## Metallic lampshade

<b>HATL02</b>	White L	<b>\$ 665</b>
---------------	---------	---------------

## Diffuser

<b>6HAT01</b>	White methacrylate	<b>\$ 100</b>
---------------	--------------------	---------------

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade.

Includes coupling washer in white methacrylate.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123) and Cirio structures (p. 46-47).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 3 kg / 6.8 lb



## Light source included (dimmable):

Built-in LED 7,7 W

# Lámina 45

Antoni Arola  
2018

For further information on built-in LED go to p. 144

**New Product**

Code	Description	
------	-------------	--


<b>LAM451</b>	Black metal structure with matte finish. S&C white metallic shade with brilliant finish (exterior).	<b>\$ 1,090</b>
---------------	--	-----------------

Polycarbonate diffuser.

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 2,8 Kg / 6.2 lb



**Light source included (dimmable):**

Built-in LED 18 W

# Lámina 45 System

Antoni Arola  
2018

For further information on built-in LED go to p. 144

New Product

Examples of composition	Modules	Drawing	
LAM452	2 modules	A	\$ 1,790
LAM452 + LAM453	3 modules	A + B	\$ 2,920
LAM452 + 2 LAM453	4 modules	A + 2B	\$ 4,050

Code	Structure with hanging system		
LAM452	Initial and final double module	A	\$ 1,790
LAM453	Intermediate module	B	\$ 1,130

Black metal structure with matte finish.


S&C white metallic shade with brilliant finish (exterior).

Polycarbonate diffuser.


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 4 Kg / 8.8 lb



Examples of composition



Light source included (dimmable):

Built-in LED 31 W

**Lámina 85**

Antoni Arola  
2018

For further information on built-in LED go to p. 144

**New Product**

Code	Description	
------	-------------	--


<b>LAM851</b>	Black metal structure with matte finish. S&C white metallic shade with brilliant finish (exterior).	<b>\$ 1,290</b>
---------------	--	-----------------

Polycarbonate diffuser.

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 3,7 Kg / 8.2 lb



**Light source included (dimmable):**

Built-in LED 31 W

# Lámina 85 System

Antoni Arola  
2018

For further information on built-in LED go to p. 144

**New Product**

Examples of composition	Modules	Drawing	
LAM852	2 modules	A	\$ 2,085
LAM852 + LAM853	3 modules	A + B	\$ 3,405
LAM852 + 2 LAM853	4 modules	A + 2B	\$ 4,725

Code	Structure with hanging system		
LAM852	Initial and final double module	A	\$ 2,085
LAM853	Intermediate module	B	\$ 1,320

Black metal structure with matte finish.


S&C white metallic shade with brilliant finish (exterior).

Polycarbonate diffuser.


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 5,9 Kg / 13 lb



Examples of composition



**Light source included (dimmable):**

Built-in LED 54 W

# Lámina 165

Antoni Arola  
2018

For further information on built-in LED go to p. 144

**New Product**

Code	Description	
------	-------------	--

<b>LAM1651</b>	Black metal structure with matte finish. S&C white metallic shade with brilliant finish (exterior).	<b>\$ 1,565</b>
----------------	--	-----------------


Polycarbonate diffuser.

Suitable for dimming 0-10V.

(Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 3,8 Kg / 8.4 lb



**Light source included (dimmable):**

Built-in LED 54 W

**Lámina Mayor**Antoni Arola  
2018

For further information on built-in LED go to p. 144

**New Product**

Code	Description	
<b>LAMM</b>	Black metal structure with matte finish. S&C white metallic shade with brilliant finish (exterior).	<b>\$ 1,695</b>


Polycarbonate diffuser.

Suitable for dimming 0-10V.

(Not included external dimmer switch 0-10V).

Electric cable length: 3 m / 118.1"

Weight: 12.3 Kg / 27.1 lb


**Light source included (dimmable):**

Built-in LED 44 W

# Leonardo 60

Antoni Arola  
2003

For further information on light sources go to p. 140



Code	Description	
LEO02	Slats of natural birch wood	\$ 3,570

Stainless steel inner structure.  
White metallic circular canopy included.  
Suitable for Junction Box.  
Electric cable length: 3 m / 118.1"  
Weight: 3 Kg / 6.6 lb



**Bulb socket:**

E26 (Max. hgt. 155 mm / 6.1")

**Recommended light source:**

LED bulb 13,5 W


**Other light source:**

Max. 150 W

# Leonardo 100

Antoni Arola  
2003

For further information on light sources go to p. 140



Code	Description	
LEO12	Slats of natural birch wood	\$ 6,925

Stainless steel inner structure.  
White metallic circular canopy included.  
Suitable for Junction Box.  
Electric cable length: 3 m / 118.1"  
Weight: 3,7 kg / 8.2 lb



#### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

#### Recommended light source:


LED bulb 13,5 W

#### Other light source:

Max. 150 W

**M64**Miguel Milá  
1964

For further information on built-in LED go to p. 144

 **Quick Ship****Examples of composition**

<b>HEFD0x* + HEL03 + M640x*</b>	<b>\$ 915</b>
<b>HEFD0x* + HEL08 + M6404</b>	<b>\$ 1,105</b>

**Code      Circular metal canopy + power supply**

<b>*HEFD01</b>	Black surface dimmable 1-10V	<b>\$ 295</b>
<b>*HEFD02</b>	White surface dimmable 1-10V	<b>\$ 295</b>

**LED capsule with electric black cable**

<b>HEL03</b>	3 m / 118.1"	<b>\$ 220</b>
<b>HEL08</b>	8 m / 315"	<b>\$ 250</b>

**Lampshade**

<b>*M6401</b>	White matte aluminium	<b>\$ 400</b>
<b>*M6402</b>	Black matte aluminium	<b>\$ 400</b>
<b>M6403</b>	Polished aluminium	<b>\$ 360</b>
<b>M6405</b>	Brilliant red aluminium	<b>\$ 420</b>
<b>M6404</b>	Brass	<b>\$ 560</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

S&C LED capsule suitable with HeadLed System lampshades (p. 123) and Cirio structures (p. 46-47)

Suitable for Junction Box.

Electric cable length: 3 m / 118.1 - 8 m / 315"

Weight with brass lampshade: 1,35 kg / 2.98 lb

Weight with aluminium lampshade: 1 kg / 2.2 lb

**Light sources included (dimmable):**


Built-in LED 7,7 W

# M68

Miguel Milá  
1962

For further information on light sources go to p. 140

 Quick Ship



Code	Lampshade	Circular canopy	
CAM02	White matte aluminium	White	\$ 885
CAM03	Polished aluminium	Chrome-plated	\$ 790
CAM05	Brilliant red aluminium	Red	\$ 885
CAM06	Black matte aluminium	Black	\$ 885

Canopy suitable for side entry adaptor (p. 121).  
Junction Box adaptor included Ø11,7 cm /4.6".  
Electric cable length: 3 m / 118.1"  
Weight: 1,6 kg / 3.5 lb



#### Bulb socket:

E26 (Max. hgt. 130 mm / 5.1")

#### Recommended light source:

LED bulb 10 W


#### Other light sources:

Max. 100 W

## Maija 15

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p. 144



### Code Metallic lampshades

<b>MAI32L</b>	White	\$ 890
<b>MAI324L</b>	Nude rose	\$ 930

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 1,4 kg / 3.1 lb




### Light source included (dimmable):

Built-in LED 6 W

## Maija 30

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p. 144



### Code Metallic lampshades

<b>MAI31L</b>	Whites	\$ 1,220
---------------	--------	----------

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 2,9 kg / 6.4 lb




### Light source included (dimmable):

Built-in LED 8,4 W




**Moaré**

Antoni Arola  
2003

For further information on light sources go to p. 140



## Lampshades



## Examples of composition

MRE31 + MREmX*	\$ 1,320
MRE31 + MREmX* + MRESx*	\$ 1,630
MRE31 + MRELx*	\$ 1,510
MRE31 + MRELx* + MREmX*	\$ 2,040
MRE31 + MREXx*	\$ 1,990
MRE31 + MREXx* + MREmX*	\$ 2,520
MRE31 + MREXx* + MRELx*	\$ 2,710

Code	Structure	
MRE31	With cylindrical acrylsatiné methacrylate diffuser	\$ 790

## Lampshade S

*MRES3	White	\$ 310
*MRES5	Red	\$ 310
*MRES6	Grey	\$ 310

## Lampshade M

*MREM3	White	\$ 530
*MREM5	Red	\$ 530
*MREM6	Grey	\$ 530
*MREM7	Black	\$ 530

## Lampshade L

*MREL3	White	\$ 720
*MREL5	Red	\$ 720
*MREL6	Grey	\$ 720
*MREL7	Black	\$ 720

## Lampshade X

*MREX3	White	\$ 1,200
*MREX5	Red	\$ 1,200
*MREX6	Grey	\$ 1,200
*MREX7	Black	\$ 1,200

Metallic graphite black square canopy included.

Polyester lampshade.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E26 (Max. hgt. 130 mm / 5.1")

**Recommended light source:**

3 x LED bulb 10 W


**Other light sources:**

Max. 3 x 100 W

# Moaré Liviana S

Antoni Arola  
2017

For further information on light sources go to p. 140



## Composition

<b>SIS13 + MRESL3</b>	<b>\$ 695</b>
<b>SIS21B + MRESL3</b>	<b>\$ 670</b>
<b>SIS21N + MRESL3</b>	<b>\$ 670</b>
<b>SIS22 + MRESL3</b>	<b>\$ 670</b>

Code	Sisísí canopy	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

## Polyester lampshade

<b>MRESL3</b>	White S	<b>\$ 480</b>
---------------	---------	---------------

White cardboard cylindrical diffuser.  
Suitable for Junction Box.  
Electric cable length: 3 m / 118.1"



### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

### Recommended light source:

LED bulb 10 W


### Other light sources:

Max. 60 W

## Moaré Liviana M

Antoni Arola  
2017

For further information on light sources go to p. 140



### Composition

<b>SIS13 + MREML3</b>	<b>\$ 935</b>
<b>SIS21B + MREML3</b>	<b>\$ 910</b>
<b>SIS21N + MREML3</b>	<b>\$ 910</b>
<b>SIS22 + MREML3</b>	<b>\$ 910</b>

Code	Sisipi canopy	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

### Polyester lampshade

<b>MREML3</b>	White M	<b>\$ 720</b>
---------------	---------	---------------

White cardboard cylindrical diffuser.  
Suitable for Junction Box.  
Electric cable length: 3 m / 118.1"



### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

### Recommended light source:

LED bulb 10 W


### Other light sources:

Max. 60 W

## Nagoya

Ferran Freixa  
1961

For further information on light sources go to p. 140



Code	Description	
<b>NAGN3</b>	Wood strips lampshade	<b>\$ 765</b>

With plug.

Electric cable length: 3 m / 118.1"

Weight: 1,1 kg / 2.4 lb



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source:

LED bulb 10 W


### Other light sources:

Max. 60 W

## Nimba 60

Antoni Arola  
1997

For further information on built-in LED go to p. 144



### Code Stainless steel structure

<b>NIM06LED</b>	Matte finish. Dimmable 1-10 V	<b>\$ 3,980</b>
<b>NIM06LED-DALI</b>	Matte finish. Dimmable DALI	<b>\$ 3,980</b>
<b>NIM063LED</b>	Golden finish. Dimmable 1-10 V	<b>\$ 4,180</b>
<b>NIM063LED-DALI</b>	Golden finish. Dimmable DALI	<b>\$ 4,180</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 7,4 kg / 16.3 lb




### Light source included (dimmable):

Built-in LED 45 W

## Nimba 90

Antoni Arola  
1997

For further information on built-in LED go to p. 144



### Code Stainless steel structure

<b>NIM09LED</b>	Matte finish. Dimmable 1-10 V	<b>\$ 5,500</b>
<b>NIM09LED-DALI</b>	Matte finish. Dimmable DALI	<b>\$ 5,500</b>
<b>NIM093LED</b>	Golden finish. Dimmable 1-10 V	<b>\$ 5,700</b>
<b>NIM093LED-DALI</b>	Golden finish. Dimmable DALI	<b>\$ 5,700</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 9,5 kg / 20.9 lb




### Light source included (dimmable):

Built-in LED 65 W

## Nimba 120

Antoni Arola  
1997

For further information on built-in LED go to p. 144



### Code

### Stainless steel structure

<b>NIM12LED</b>	Matte finish. Dimmable 1-10 V	<b>\$ 8,530</b>
<b>NIM12LED-DALI</b>	Matte finish. Dimmable DALI	<b>\$ 8,530</b>
<b>NIM123LED</b>	Golden finish. Dimmable 1-10 V	<b>\$ 8,730</b>
<b>NIM123LED-DALI</b>	Golden finish. Dimmable DALI	<b>\$ 8,730</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 12,6 kg / 27.8 lb




### Light source included (dimmable):

Built-in LED 95 W

## Nimba 180

Antoni Arola  
1997

For further information on built-in LED go to p. 144



### Code

### Stainless steel structure

<b>NIM18LED</b>	Matte finish. Dimmable 1-10 V	<b>\$ 14,250</b>
<b>NIM18LED-DALI</b>	Matte finish. Dimmable DALI	<b>\$ 14,250</b>
<b>NIM183LED</b>	Golden finish. Dimmable 1-10 V	<b>\$ 14,450</b>
<b>NIM183LED-DALI</b>	Golden finish. Dimmable DALI	<b>\$ 14,450</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 17 kg / 37.5 lb




### Light source included (dimmable):

Built-in LED 140 W

## Sexta

Miguel Milá  
2003

For further information on light sources go to p. 140



### Composition

SXT41 + SXT01	\$ 3,280
SXT41 + SXT02	\$ 3,305
SXT41 + SXT03	\$ 3,600
SXT41 + SXT00	\$ 2,930
SXT41 + SXT01 + 6SXT03	\$ 3,640
SXT41 + SXT02 + 6SXT03	\$ 3,665
SXT41 + SXT03 + 6SXT03	\$ 3,960
SXT41 + SXT00 + 6SXT03	\$ 3,290

Code 6 Lampshades

SXT41	White translucent PVC	\$ 2,750
-------	-----------------------	----------

### 6 Lower discs (optionals)

6SXT03	Translucent opal methacrylate	\$ 360
--------	-------------------------------	--------

### Telescopic tube

SXT01	40 / 75 cm - 15.75 / 29.5"	\$ 530
SXT02	82 / 152 cm - 32.3 / 59.8"	\$ 555
SXT03	156 / 302 cm - 61.4 / 118.9"	\$ 850
SXT00	Without telescopic tube	\$ 180

Chrome-plated structure, pendulous and telescopic support.

Chrome-plated metallic circular canopy included.

Suitable for side entry adaptor (p. 121).

Junction Box adaptor included Ø11,7 cm / 4.6".

Weight: 6 Kg / 13.2 lb



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source:

6 x LED bulb 10 W


### Other light sources:

Max. 6 x 60 W

# Sexta 12

Miguel Milá  
2014

For further information on light sources go to p. 140



## Code Structure and circular canopy

**SXT12** Chrome-plated \$ 6,090

## 12 lower discs (optional)

**6SXT04** Translucent opal methacrylate \$ 625

Hanging system of 1 support.  
12 white translucent PVC lampshades.  
Suitable for Junction Box.  
Weight: 8,2 kg / 18 lb



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source:

12 x LED bulb 10 W

### Other light sources:

Max. 12 x 60 W


# Sistema Fonda

Gabriel Ordeig Cole


1990

For further information on light sources go to p. 140


## AP1



## AP2



## AM1



### Examples of composition

Examples of composition	Structure	Drawing	
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP101	3 Lampshades	AP1	\$ 1,875
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP201	3 Lampshades	AP2	\$ 1,950
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PM101	3 Lampshades	AM1	\$ 2,160
6 FON23 + 2 FONU3 + 4 FONA3 + CSF01 + FSC13 + 18 PP203	18 Lampshades		\$ 9,640

### Code Structure

Code	Structure		
FON13	For 1 lampshade	B	\$ 365
FON23	For 3 lampshades	C	\$ 885

### Lampshade P1

Code	Structure		
PP101	Stitched beige parchment	P1	\$ 130
PP103	Natural ribbon	P1	\$ 120
PP105	Red-amber ribbon	P1	\$ 120
PP106	Black ribbon	P1	\$ 120
PP107	Terracotta Raw Color ribbon	P1	\$ 155
PP108	Mustard Raw Color ribbon	P1	\$ 155
PP109	Green Raw Color ribbon	P1	\$ 155

### Lampshade P2

Code	Structure		
PP201	Stitched beige parchment	P2	\$ 155
PP203	Natural ribbon	P2	\$ 145
PP208	White linen	P2	\$ 200

### Lampshade M1

Code	Structure		
PM101	Stitched beige parchment	M1	\$ 225
PM103	Natural ribbon	M1	\$ 230
PM105	Red-amber ribbon	M1	\$ 230
PM106	Black ribbon	M1	\$ 230
PM107	Terracotta Raw Color ribbon	M1	\$ 245
PM108	Mustard Raw Color ribbon	M1	\$ 245
PM109	Green Raw Color ribbon	M1	\$ 245
PML108	White linen	M1	\$ 270

### Connection


Code	Structure		
FONF3	End	D	\$ 180
FONU3	Intermediate	E	\$ 190
FONA3	90° angle	F	\$ 275

### Canopy


Code	Structure		
CSF01	3 m / 118.1" electric cable		\$ 50
FSC13	S&C canopy		\$ 190



## Lampshades



## Structure



Satin nickel tubular structure with natural beech wood supports for 1 or 3 lampshades.

S&C satin nickel metallic canopy included.

Suitable for side entry adaptor.

Maximum 1200 W per line (6A). One connection per line.

Junction Box adaptor included  $\text{Ø}11,7 \text{ cm} / 4.6''$ .

Weight structure for 3 lampshades (without lampshade): 2.7 kg / 5.9 lb

Weight structure for 18 lampshades (without lampshade): 13 kg / 29 lb

**Bulb socket:**

E26 (Max. hgt. 115 mm / 4.5")


**Recommended light source:**

1 x / 3 x LED bulb 10 W

**Other light sources:**

Max. 1 x / 3 x 100 W

## Examples of composition



## Sistema Gran Fonda

Gabriel Ordeig Cole  
1990

For further information on light sources go to p. 140

Examples of composition		Structure	
FON18 + 2 FONF3 + PGF15 + FSC13 + CSF01		For 1 lampshade	\$ 1,495
FON18 + FON28 + 2 FONF3 + FONU3 + 3 PGF13 + FSC13 + CSF01		For 3 lampshades	\$ 3,390
Code	Structure	Drawing	
FON18	For 1 lampshade	B	\$ 460
FON28	For 2 lampshades	C	\$ 835
Lampshade			
PGF13	Natural ribbon	D	\$ 435
PGF15	Red-amber ribbon	D	\$ 435
PGF16	Black ribbon	D	\$ 435
PGF17	Terracotta Raw Color ribbon	D	\$ 485
PGF18	Mustard Raw Color ribbon	D	\$ 485
PGF19	Green Raw Color ribbon	D	\$ 485
PGFL18	White linen	D	\$ 435
Connection			
FONF3	End	E	\$ 180
FONU3	Intermediate	F	\$ 190
FONA3	90° angle	G	\$ 275
Canopy			
CSF01	3 m / 118.1" electric cable		\$ 50
FSC13	S&C canopy		\$ 190

Satin nickel tubular structure for 1 or 2 lampshades.

Each lampshade includes a translucent white diffuser disk.

S&C satin nickel metallic canopy included.

Suitable for side entry adaptor.

Maximum 1200W per line (6A). One connection per line.

Electric cable length: 3 m / 118.1"

Junction Box adaptor included Ø11,7 cm / 4.6".

Weight structure with 1 lampshade: 4 kg / 8.8 lb

Weight structure for 3 lampshades: 6,3 kg / 14 lb



### Bulb socket:

E26 (Max. hgt. 125 mm / 4.9")


### Recommended light source:

1 x / 2 x LED bulb 10 W


### Other light sources:

Max. 1 x / 2 x 100 W


Lampshade




Three lampshades composition



Structure




Examples of composition



## Sistema Sisisí PT1

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Examples of composition

<b>SIS13 + PPT11</b>	<b>\$ 460</b>
<b>SIS21B + PPT13</b>	<b>\$ 430</b>
<b>SIS22 + PPT17</b>	<b>\$ 455</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

### Lampshade

<b>PPT11</b>	Stitched beige parchment	<b>\$ 245</b>
<b>PPT13</b>	Natural ribbon	<b>\$ 240</b>
<b>PPT15</b>	Red-amber ribbon	<b>\$ 240</b>
<b>PPT16</b>	Black ribbon	<b>\$ 240</b>
<b>PPT17</b>	Terracotta Raw Color ribbon	<b>\$ 265</b>
<b>PPT18</b>	Mustard Raw Color ribbon	<b>\$ 265</b>
<b>PPT19</b>	Green Raw Color ribbon	<b>\$ 265</b>

Canopy suitable for side entry adaptor (p. 121).

Junction Box adaptor included Ø11,7 cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 60 W

## Sistema Sisisí PT2

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Composition

<b>SIS13 + PPT21</b>	\$ 480
<b>SIS21B + PPT21</b>	\$ 455
<b>SIS21N + PPT21</b>	\$ 455
<b>SIS22 + PPT21</b>	\$ 455
<b>SIS13 + PPT23</b>	\$ 470
<b>SIS21B + PPT23</b>	\$ 445
<b>SIS21N + PPT23</b>	\$ 445
<b>SIS22 + PPT23</b>	\$ 445

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	\$ 215
<b>SIS21B</b>	Textured white finish	White	Simple	\$ 190
<b>SIS21N</b>	Textured white finish	Black	Simple	\$ 190
<b>SIS22</b>	Textured black finish	Black	Simple	\$ 190

### Lampshade

<b>PPT21</b>	Stitched beige parchment	\$ 265
<b>PPT23</b>	Natural ribbon	\$ 255

Canopy suitable for side entry adaptor (p. 121).

Junction Box adaptor included Ø11,7 cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 60 W

## Sistema Sisisí MT1

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Examples of composition

<b>SIS13 + PMT11</b>	<b>\$ 440</b>
<b>SIS21B + PMT13</b>	<b>\$ 420</b>
<b>SIS22 + PMT17</b>	<b>\$ 435</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

### Lampshade

<b>PMT11</b>	Stitched beige parchment	<b>\$ 225</b>
<b>PMT13</b>	Natural ribbon	<b>\$ 230</b>
<b>PMT15</b>	Red-amber ribbon	<b>\$ 230</b>
<b>PMT16</b>	Black ribbon	<b>\$ 230</b>
<b>PMT17</b>	Terracotta Raw Color ribbon	<b>\$ 245</b>
<b>PMT18</b>	Mustard Raw Color ribbon	<b>\$ 245</b>
<b>PMT19</b>	Green Raw Color ribbon	<b>\$ 245</b>
<b>PMTL18</b>	White linen	<b>\$ 270</b>

Canopy suitable for side entry adaptor (p. 121).  
Junction Box adaptor included Ø11,7 cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 60 W

## Sistema Sisisí MT2

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Composition

<b>SIS13 + PMT21</b>	<b>\$ 480</b>
<b>SIS21B + PMT21</b>	<b>\$ 455</b>
<b>SIS21N + PMT21</b>	<b>\$ 455</b>
<b>SIS22 + PMT21</b>	<b>\$ 455</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

### Lampshade

<b>PMT21</b>	Stitched beige parchment	<b>\$ 265</b>
--------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p. 121).  
Junction Box adaptor included  $\varnothing 11,7$  cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

### Recommended light source:

LED bulb 10 W


### Other light sources:

Max. 60 W

# Sisisí System GT1

Santa & Cole Team  
1993

For further information on light sources go to p. 140



## Examples of composition

<b>SIS13 + PGT11</b>	<b>\$ 635</b>
<b>SISD13 + PGT17</b>	<b>\$ 780</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>\$ 330</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>\$ 310</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>\$ 310</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>\$ 310</b>

## Lampshade

<b>PGT11</b>	Stitched beige parchment	<b>\$ 420</b>
<b>PGT13</b>	Natural ribbon	<b>\$ 410</b>
<b>PGT15</b>	Red-amber ribbon	<b>\$ 410</b>
<b>PGT16</b>	Black ribbon	<b>\$ 410</b>
<b>PGT17</b>	Terracotta Raw Color ribbon	<b>\$ 450</b>
<b>PGT18</b>	Mustard Raw Color ribbon	<b>\$ 450</b>
<b>PGT19</b>	Green Raw Color ribbon	<b>\$ 450</b>
<b>PGTL18</b>	White linen	<b>\$ 480</b>

Canopy suitable for side entry adaptor (p. 121).  
Junction Box adaptor included Ø11,7 cm / 4.6".



## Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

## Recommended light source:

1 x / 2 x LED bulb 10 W


## Other light sources:

Max. 1 x / 2 x 60 W

## Sisisí System GT2

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Examples of composition

<b>SIS13 + PGT23</b>	<b>\$ 635</b>
<b>SISD13 + PGT28</b>	<b>\$ 750</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>\$ 330</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>\$ 310</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>\$ 310</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>\$ 310</b>

### Lampshade

<b>PGT23</b>	Natural ribbon	<b>\$ 420</b>
<b>PGT25</b>	Red-amber ribbon	<b>\$ 420</b>
<b>PGT26</b>	Black ribbon	<b>\$ 420</b>
<b>PGT28</b>	White linen	<b>\$ 420</b>

Canopy suitable for side entry adaptor (p. 121).

Junction Box adaptor included Ø11,7 cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 115 mm / 4.5")

### Recommended light source:

1 x / 2 x LED bulb 10 W


### Other light sources:

Max. 1 x / 2 x 60 W

## Sisisí System GT3

Santa & Cole Team  
1993

For further information on light sources go to p. 140



### Examples of composition

<b>SIS13 + PGT31</b>	<b>\$ 575</b>
<b>SIS21B + PGT33</b>	<b>\$ 540</b>
<b>SIS22 + PGT37</b>	<b>\$ 570</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 190</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

### Lampshade

<b>PGT31</b>	Stitched beige parchment	<b>\$ 360</b>
<b>PGT33</b>	Natural ribbon	<b>\$ 350</b>
<b>PGT35</b>	Red-amber ribbon	<b>\$ 350</b>
<b>PGT36</b>	Black ribbon	<b>\$ 350</b>
<b>PGT37</b>	Terracotta Raw Color ribbon	<b>\$ 380</b>
<b>PGT38</b>	Mustard Raw Color ribbon	<b>\$ 380</b>
<b>PGT39</b>	Green Raw Color ribbon	<b>\$ 380</b>
<b>PGTL38</b>	White linen	<b>\$ 390</b>

Canopy suitable for side entry adaptor (p. 121).  
Junction Box adaptor included Ø11,7 cm / 4.6".



### Bulb socket:

E26 (Max. hgt. 155 mm / 6.1")

### Recommended light source:


LED bulb 13,5 W

### Other light sources:

Max. 60 W

**Tekiò Vertical P1**Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product****Composition****TEKVE1 + TEKVP1 + TEKFO1** **\$ 1,800****Code**      **Description**

<b>TEKVE1</b>	White S&C metal P1 structure with matte finish	<b>\$ 700</b>
<b>TEKVP1</b>	Washi Japanese paper P1 shade	<b>\$ 600</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>\$ 500</b>


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.

**Light source included (dimmable):**

Built-in LED 34 W

**Tekiò Vertical P2**Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product****Composition****TEKVE2 + TEKVP2 + TEKFO1** **\$ 2,275****Code**      **Description**

<b>TEKVE2</b>	White S&C metal P2 structure with matte finish	<b>\$ 950</b>
<b>TEKVP2</b>	Washi Japanese paper P2 shade	<b>\$ 825</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>\$ 500</b>

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.

**Light source included (dimmable):**


Built-in LED 56 W

## Tekiò Vertical P3

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**



### Composition

**TEKVE3 + TEKVP3 + TEKF01** **\$ 2,750**

### Code Description

<b>TEKVE3</b>	White S&C metal P3 structure with matte finish	<b>\$ 1,200</b>
<b>TEKVP3</b>	Washi Japanese paper P3 shade	<b>\$ 1,050</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>\$ 500</b>

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.



### Light source included (dimmable):


Built-in LED 73 W

## Tekiò Vertical P4

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**



### Composition

**TEKVE4 + TEKVP4 + TEKF01** **\$ 3,275**

### Code Description

<b>TEKVE4</b>	White S&C metal P4 structure with matte finish	<b>\$ 1,500</b>
<b>TEKVP4</b>	Washi Japanese paper P4 shade	<b>\$ 1,275</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>\$ 500</b>

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.



### Light source included (dimmable):

Built-in LED 87 W

**Tekiò Horizontal P1**

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**

Composition		Drawing	
TEKHE1 + TEKHP1 + TEKFO1		A	\$ 1,800
TEKHE1 + TEKHP1 + TEKFO3		B	\$ 1,800
Code	Structure		
TEKHE1	P1		\$ 700
Lampshade			
TEKHP1	P1		\$ 600
Canopy			
TEKF01	Circular	A	\$ 500
TEKF03	Rectangular	B	\$ 500

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



**A**



**B**



**Light source included (dimmable):**

Built-in LED 34 W

# Tekìo Horizontal P2

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**

Composition		Drawing	
TEKHE2 + TEKHP2 + TEKF01		A	\$ 2,275
TEKHE2 + TEKHP2 + TEKF03		B	\$ 2,275
Code	Structure		
TEKHE2	P2		\$ 950
Lampshade			
TEKHP2	P2		\$ 825
Canopy			
TEKF01	Circular	A	\$ 500
TEKF03	Rectangular	B	\$ 500

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



**A**



**B**



**Light source included (dimmable):**

Built-in LED 56 W

**Tekiò Horizontal P3**

For further information on built-in LED go to p. 144

**New Product**Anthony Dickens  
2017

Composition		Drawing	
TEKHE3 + TEKHP3 + TEKF01		A	\$ 2,750
TEKHE3 + TEKHP3 + TEKF03		B	\$ 2,750
Code	Structure		
TEKHE3	P3	\$ 1,200	
Lampshade			
TEKHP3	P3	\$ 1,050	
Canopy			
TEKF01	Circular	A	\$ 500
TEKF03	Rectangular	B	\$ 500

White S&amp;C metal structure with matte finish.


Washi Japanese paper shade.

White S&amp;C metallic canopy with power supply incorporated.

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

**Light source included (dimmable):**

Built-in LED 73 W

# Tekiò Horizontal P4

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**

Composition		Drawing	
TEKHE4 + TEKHP4 + TEKF01		A	\$ 3,275
TEKHE4 + TEKHP4 + TEKF03		B	\$ 3,275
Code	Structure		
TEKHE4	P4		\$ 1,500
Lampshade			
TEKHP4	P4		\$ 1,275
Canopy			
TEKF01	Circular	A	\$ 500
TEKF03	Rectangular	B	\$ 500

White S&C metal structure with matte finish.


Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.



**Light source included (dimmable):**

Built-in LED 87 W

**Tekiò Circular P8**Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**

Composition		Drawing	
TEKCE8 + TEKCP8 + TEK02		<b>A</b>	\$ 5,250
TEKCE8 + TEKCP8 + 2 TEK03		<b>B</b>	\$ 5,550
Code	Structure		
TEKCE8	P8		\$ 2,750
<b>Lampshade</b>			
TEKCP8	P8		\$ 1,800
<b>Canopy</b>			
TEKF02	Circular <sup>[1]</sup>	<b>A</b>	\$ 700
TEKF03	Rectangular <sup>[2]</sup>	<b>B</b>	\$ 500

White S&amp;C metal structure with matte finish.



Washi Japanese paper shade.

White S&amp;C metallic canopy with power supply incorporated.

Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

<sup>[1]</sup> For the composition with circular rosette (A), 1 unit of TEK02 is required.<sup>[2]</sup> For the composition with rectangular rosette (B), 2 units of TEK03 are required.**A****B****Light source included (dimmable):**

Built-in LED 150 W

# Tekìò Oval P12

Anthony Dickens  
2017

For further information on built-in LED go to p. 144

**New Product**

Composition		Drawing	
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 2 TEKFO2		<b>A</b>	\$ 13,300
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 4 TEKFO3		<b>B</b>	\$ 13,900

Code	Structure	
TEKCE8	P8	\$ 2,750
TEKOE4	P4	\$ 4,650

Lampshade		
TEKCP8	P8	\$ 1,800
TEKOP4	P4	\$ 2,700

Canopy			
TEKF02	Circular <sup>[1]</sup>	<b>A</b>	\$ 700
TEKF03	Rectangular <sup>[2]</sup>	<b>B</b>	\$ 500

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

<sup>[1]</sup> For the composition with circular rosette (**A**) 2 units of TEKFO2 is required.

<sup>[2]</sup> For the composition with rectangular rosette (**B**) 4 units of TEKFO3 are required.



**Light source included (dimmable):**

Built-in LED 246 W

## Vaghe Stelle

Antoni de Moragas i Spà  
1982


For further information on light sources go to p. 140

Code	Description	
VGS01	Structure, socket, central ring and circular canopy made of polished varnished brass. Pyrex tubes. Transparent electrical cable.	\$ 5,690

Suitable for Junction Box.

Electric cable length: 5 m / 196.8"

Weight: 10 Kg / 22 lb



### Bulb socket:


E12 (Max. hgt. 155 mm / 6.1")

### Recommended light sources:

18 x Filament tubular incandescent bulbs 25 W

## Sisisí canopy

Gabriel Ordeig Cole  
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>\$ 215</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>\$ 190</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>\$ 310</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>\$ 190</b>

Black or white PVC cable (depending on model),  
with lamp holder and support for lampshade.

Suitable for side entry adaptor (p. 121).

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 0,5 kg / 1.1 lb



### Bulb socket:

E26 (Max. hgt. depending on shade)

### Recommended light source:


LED bulb 10 or 13,5 W

### Other light sources:

Max. 60 W

## Sisisí canopy Dual lamp socket

Gabriel Ordeig Cole  
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SISD13</b>	Satin nickel	Black	Double	<b>\$ 330</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>\$ 310</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>\$ 310</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>\$ 310</b>

Black or white PVC cable (depending on model),  
with 2 lamp holders and support for lampshade.

Suitable for side entry adaptor (p. 121).

Can be combined with GT1, GT2, GT5 and GT6 lampshades.

Suitable for Junction Box.

Electric cable length: 3 m / 118.1"

Weight: 0,7 kg / 1.5 lb



### Bulb socket:

E26 (Max. hgt. 137 mm / 5.4")

### Recommended light source:

2 x LED bulb 10 or 13,5 W


### Other light sources:

Max. 2 x 100 W

## S&C canopy

Gabriel Ordeig Cole

1993



Code	Metallic structure	
<b>FSC13</b>	Satin nickel	\$ 190
<b>FSC21</b>	Textured white finish	\$ 145
<b>FSC22</b>	Textured black finish	\$ 145

Suitable for side entry adaptor (p. 121).

Junction Box adaptor included Ø11,7 cm / 4.6".

## S&C Connection

Gabriel Ordeig Cole

1997



Code	Length	Color	
<b>CSC01</b>	3 m / 118.1"	Black	\$ 75
<b>CSC02</b>	8 m / 315"	Black	\$ 130
<b>CSC01B</b>	3 m / 118.1"	White	\$ 75
<b>CSC02B</b>	8 m / 315"	White	\$ 130

Black or white PVC cable (depending on model), with lamp holder and support for lampshade.



### Bulb socket:

E26 (Max. hgt. depending on shade)


### Recommended light source:

LED bulb 10 or 13,5 W

### Other light sources:

Max. 60 W


## Side entry adaptor



Code	Description	
<b>6FSC01</b>	Side entry adaptor	\$ 70

## HeadLed System S & C LED Capsule

Santa & Cole Team  
2013



### Code LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	\$ 220
<b>HEL08</b>	8 m / 315"	\$ 250

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable with HeadLed System lampshades (p. 123).




### Light source included:

Built-in LED: 3,7 W / 7,7 W

## HeadLed System S & C LED canopy

Santa & Cole Team  
2013



### Code Circular metal canopy + power supply

<b>HEFD01</b>	Black surface – 7,7 W dimmable 1-10V	\$ 295
<b>HEFD02</b>	White surface – 7,7 W dimmable 1-10V	\$ 295

Metallic circular canopy with a smooth matte finish and power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).



# Headled System S&C LED Lampshades

Santa & Cole Team  
2013


Code	Lampshade	Finish	Drawing	
<b>Cirio</b>				
CIP01	White porcelain	Matte interior and gloss exterior	PP	\$ 230
CIP05	White opal glass	Matte	PV	\$ 210
CIP06	Brass	Polished	PL	\$ 470
<b>HeadHat</b>				
HATS12	White ceramic S	Matte interior and gloss exterior	SC	\$ 190
HATS11	Black ceramic S	Matte interior and gloss exterior	SC	\$ 190
HATL12	White ceramic L	Matte interior and gloss exterior	LC	\$ 295
HATL11	Black ceramic L	Matte interior and gloss exterior	LC	\$ 295
HATS02	White metallic S <sup>[1]</sup>	Matte	SM	\$ 390
HATM02	White metallic M <sup>[1]</sup>	Matte	MM	\$ 460
HATL02	White metallic L <sup>[1]</sup>	Matte	LM	\$ 665
<b>M64</b>				
M6401	White aluminium	Matte	M64	\$ 400
M6402	Black aluminium	Matte	M64	\$ 400
M6403	Aluminium	Polished	M64	\$ 360
M6404	Brass	Polished	M64	\$ 560
M6405	Red aluminium	Brilliant	M64	\$ 420

Suitable for S&C LED capsule and Cirio structures.


<sup>[1]</sup> Metallic lampshades (HATS02, HATM02 y HATL02) include coupling washer in white methacrylate.




## Cirio




## M64



## HedHat Bowl




## HedHat Plate



## Aarhus

Arne Jacobsen, Erik Møller  
1946



For further information on light sources go to p. 140

Code	Description	
<b>JAA01</b>	Satin nickel structure White opal glass lampshade	<b>\$ 650</b>

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:


LED bulb 6 W

### Other light sources:

Max. 40 W

## Americana

Miguel Milá  
1999



For further information on light sources go to p. 140

### Composition

<b>SAM12 + SAMP8</b>		<b>\$ 685</b>
----------------------	--	---------------

Code	Description	
<b>SAM12</b>	Satin nickel structure	<b>\$ 540</b>
<b>SAMP8</b>	White linen lampshade	<b>\$ 145</b>

Rotating arm.

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 60 W

**BC1**

Santa & Cole Team  
1995

For further information on light sources go to p. 140

**Examples of composition**

<b>BC102 + PP101</b>	<b>\$ 675</b>
<b>BC102 + PP103</b>	<b>\$ 665</b>
<b>BC102 + PP107</b>	<b>\$ 700</b>

<b>Code</b>	<b>Structure</b>	
<b>BC102</b>	Satin nickel and beech wood handle	<b>\$ 545</b>

**Lampshade**

<b>PP101</b>	Stitched beige parchment	<b>\$ 130</b>
<b>PP103</b>	Natural ribbon	<b>\$ 120</b>
<b>PP105</b>	Red-amber ribbon	<b>\$ 120</b>
<b>PP106</b>	Black ribbon	<b>\$ 120</b>
<b>PP107</b>	Terracotta Raw Color ribbon	<b>\$ 155</b>
<b>PP108</b>	Mustard Raw Color ribbon	<b>\$ 155</b>
<b>PP109</b>	Green Raw Color ribbon	<b>\$ 155</b>

Moveable arm with plug.  
Dimmer included.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source (dimmable):**

LED bulb 6 W


**Other light sources:**

Max. 60 W

**BC2**

Santa & Cole Team  
1995

For further information on light sources go to p. 140

**Examples of composition**

<b>BC202 + PP101</b>	<b>\$ 530</b>
<b>BC202 + PP103</b>	<b>\$ 520</b>
<b>BC202 + PP107</b>	<b>\$ 555</b>

Code	Structure	
<b>BC202</b>	Satin nickel and beech wood handle	<b>\$ 400</b>

**Lampshade**

<b>PP101</b>	Stitched beige parchment	<b>\$ 130</b>
<b>PP103</b>	Natural ribbon	<b>\$ 120</b>
<b>PP105</b>	Red-amber ribbon	<b>\$ 120</b>
<b>PP106</b>	Black ribbon	<b>\$ 120</b>
<b>PP107</b>	Terracotta Raw Color ribbon	<b>\$ 155</b>
<b>PP108</b>	Mustard Raw Color ribbon	<b>\$ 155</b>
<b>PP109</b>	Green Raw Color ribbon	<b>\$ 155</b>

Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W


**Other light sources:**

Max. 60 W

**BC3**

Santa & Cole Team  
1995

For further information on light sources go to p. 140

**Examples of composition**

<b>BC302 + PP101</b>	<b>\$ 675</b>
<b>BC302 + PP103</b>	<b>\$ 665</b>
<b>BC302 + PP107</b>	<b>\$ 700</b>

<b>Code</b>	<b>Structure</b>	
<b>BC302</b>	Satin nickel and beech wood handle	<b>\$ 545</b>

**Lampshade**

<b>PP101</b>	Stitched beige parchment	<b>\$ 130</b>
<b>PP103</b>	Natural ribbon	<b>\$ 120</b>
<b>PP105</b>	Red-amber ribbon	<b>\$ 120</b>
<b>PP106</b>	Black ribbon	<b>\$ 120</b>
<b>PP107</b>	Terracotta Raw Color ribbon	<b>\$ 155</b>
<b>PP108</b>	Mustard Raw Color ribbon	<b>\$ 155</b>
<b>PP109</b>	Green Raw Color ribbon	<b>\$ 155</b>

Moveable arm.  
Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W


**Other light sources:**

Max. 60 W

## BlancoWhite C1 Wall rotating

Antoni Arola  
2013

For further information on built-in LED go to p. 144



Code	Description	
<b>BWC132</b>	Graphite metal structure with matte finish with power supply incorporated	<b>\$ 1,015</b>

Rotating head.  
Suitable for Outlet Box.




**Light source included:**  
Built-in LED 8 W

## BlancoWhite C1 Wall rotating scene

Antoni Arola  
2013

For further information on built-in LED go to p. 144



Code	Description	
<b>BWC132-S5</b>	Graphite metal structure with matte finish with power supply incorporated	<b>\$ 1,110</b>

Rotating head.  
Wall Scene red sheet.  
Suitable for Outlet Box.




**Light source included:**  
Built-in LED 8 W

## BlancoWhite R1 Wall

Antoni Arola  
2013

For further information on built-in LED go to p. 144



Code	Description	
<b>BWR122</b>	Graphite metal structure with matte finish with power supply incorporated	<b>\$ 985</b>

Suitable for Outlet Box.




**Light source included:**  
Built-in LED 10 W

## BlancoWhite R1 Wall rotating

Antoni Arola  
2013

For further information on built-in LED go to p. 144



Code	Description	
<b>BWR132</b>	Graphite metal structure with matte finish with power supply incorporated	<b>\$ 1,150</b>

Rotating head.  
Suitable for Outlet Box.




**Light source included:**  
Built-in LED 10 W

## Comodín cuadrado

Santa & Cole Team  
1994

For further information on light sources go to p. 140

 **Quick Ship**



### Examples of composition

<b>COM01 + COM19</b>	<b>\$ 475</b>
<b>COM01 + COM39</b>	<b>\$ 500</b>

Code	Structure	
<b>COM01</b>	Chrome-plated	<b>\$ 240</b>

Lampshade		
<b>COM18</b>	Stitched beige parchment	<b>\$ 245</b>
<b>COM19</b>	Natural ribbon	<b>\$ 235</b>
<b>COM35</b>	Red-amber ribbon	<b>\$ 235</b>
<b>COM36</b>	Black ribbon	<b>\$ 235</b>
<b>COM37</b>	Terracotta Raw Color ribbon	<b>\$ 260</b>
<b>COM38</b>	Mustard Raw Color ribbon	<b>\$ 260</b>
<b>COM39</b>	Green Raw Color ribbon	<b>\$ 260</b>

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W

### Other light sources:


Max. 60 W

## Comodín rectangular

Santa & Cole Team  
1994

For further information on light sources go to p. 140

 **Quick Ship**



### Examples of composition

<b>COM01 + COM29</b>	<b>\$ 505</b>
<b>COM01 + COM47</b>	<b>\$ 530</b>

Code	Structure	
<b>COM01</b>	Chrome-plated	<b>\$ 240</b>

### Lampshade

<b>COM28</b>	Stitched beige parchment	<b>\$ 290</b>
<b>COM29</b>	Natural ribbon	<b>\$ 265</b>
<b>COM45</b>	Red-amber ribbon	<b>\$ 265</b>
<b>COM46</b>	Black ribbon	<b>\$ 265</b>
<b>COM47</b>	Terracotta Raw Color ribbon	<b>\$ 290</b>
<b>COM48</b>	Mustard Raw Color ribbon	<b>\$ 290</b>
<b>COM49</b>	Green Raw Color ribbon	<b>\$ 290</b>

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W


### Other light sources:

Max. 60 W

## Disco M

Jordi Miralbell  
Mariona Raventós  
1995

For further information on built-in LED go to p. 144



Code	Description	
------	-------------	--

<b>DIS04L</b>	Satin nickel structure and lampshade	<b>\$ 640</b>
---------------	--------------------------------------	---------------

Suitable for phase-cut dimming.  
Does not include external phase-cut dimmer.  
Suitable for Outlet Box.




### Light source included (dimmable):

Built-in LED: 9 W

## Disco L

Jordi Miralbell  
Mariona Raventós  
1995

For further information on built-in LED go to p. 144



Code	Description	
------	-------------	--

<b>DIS06L</b>	Satin nickel structure and lampshade	<b>\$ 815</b>
---------------	--------------------------------------	---------------

Suitable for phase-cut dimming.  
Does not include external phase-cut dimmer.  
Suitable for Outlet Box.




### Light source included (dimmable):

Built-in LED: 9 W

## Estadio

Miguel Milá  
2015

For further information on light sources go to p. 140



Code	Description	
<b>ESTA1</b>	Black metal structure with white matte reflector 7 glass block shades	<b>\$ 1,150</b>

Diffuser in white translucent methacrylate.  
Weight: 11 kg / 24.25 lb  
Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 160 mm / 6.3")

### Recommended light source:

LED bulb 13,5 W


### Other light sources:

Max. 75 W

## Singular

Miguel Milá  
2000

For further information on light sources go to p. 140



Composition	
<b>COM01 + SIN28</b>	<b>\$ 440</b>

Code	Description	
<b>COM01</b>	Chrome-plated structure	<b>\$ 240</b>
<b>SIN28</b>	White linen lampshade	<b>\$ 200</b>

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W



### Other light sources:

Max. 60 W

## TMM corto

Miguel Milá  
1964

For further information on light sources go to p. 140



Code	Parchment lampshade	Connection	Drawing	
ATM01	Beige	With plug <sup>[1]</sup>	A	\$ 585
ATM02	White	With plug <sup>[1]</sup>	A	\$ 585
ATM31	Beige	Direct wall <sup>[2]</sup>	B	\$ 565
ATM32	White	Direct wall <sup>[2]</sup>	B	\$ 565
ATM32D	White with upper diffuser in white translucent methacrylate <sup>[3]</sup>	Direct wall <sup>[2]</sup>	B	\$ 595

Beech wood structure.

<sup>[1]</sup> The light is switched on/off by pulling lightly on the cable.

<sup>[2]</sup> Suitable for Outlet Box.

<sup>[3]</sup> Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:

LED bulb 6 W

### Other light sources:


Max. 60 W

## TMM largo

Miguel Milá  
1964

For further information on light sources go to p. 140

Quick Ship



Code	Parchment lampshade	
ATL01	Beige	\$ 595
ATL02	White	\$ 595

Beech wood structure.

Suitable for Outlet Box.



### Bulb socket:

E26 (Max. hgt. 105 mm / 4.1")

### Recommended light source:


LED bulb 6 W

### Other light sources:

Max. 60 W

**TMM Metálico**Miguel Milá  
2002

For further information on light sources go to p. 140



Code	Description	
<b>ATL15</b>	Satin nickel structure White methacrylate shade	<b>\$ 535</b>

Suitable for Outlet Box.

**Bulb socket:**

E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W


**Other light sources:**

Max. 60 W

**Wally**Miguel Milá  
1962

For further information on light sources go to p. 140

Quick Ship



Code	Metallic structure	
<b>WLY01</b>	Bronze finish	<b>\$ 670</b>
<b>WLY02</b>	Matte white	<b>\$ 670</b>

White opal glass lampshade.

Suitable for indoor and outdoor use.

Suitable for Outlet Box.

**Bulb socket:**


E26 (Max. hgt. 105 mm / 4.1")

**Recommended light source:**

LED bulb 6 W

**Other light sources:**

Max. 40 W



# **Amigo**

Gonzalo Milá, Miguel Milá. 2009


Garden

**Amigo**

Gonzalo Milá  
Miguel Milá  
2009

For further information on built-in LED go to p. 144

 **Quick Ship**



Code	Description	
AMA21L	White metallic structure Cylindrical translucent methacrylate diffuser	\$ 950

Suitable for dimming systems 1-10V.  
(External dimmer switch 1-10V not included).  
Suitable for indoor and outdoor use (Dry and wet location).  
Suitable for Outlet Box.

CE  IP 55

 US LISTED

**Light source included (dimmable):**

Built-in LED 40 W

# Light sources

## Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others

### Table lamps

Americana	1 u.	6W	Max. 60W
Asa	1 u.	6W	Max. 60W
Babel	1 u.	10W	Max. 60W
Básica, M1, M2	1 u.	10W	Max. 100W
Básica Mínima	1 u.	6W	Max. 40W
Cesta	1 u.	10W	Max. 75W
Cestita	1 u.	6W	Max. 7W
Cesta Metálica	1 u.	10W	Max. 60W
Cestita Metálica	1 u.	6W	Max. 40W
Diana Menor	2 u.	6W	Max. 40W With diffuser: Max. 25W)
Diana	2 u.	10W	Max. 50W With diffuser: Max. 25W)
FAD Menor	1 u.	6W	Max. 100W
FAD	1 u.	6W	Max. 100W
Gira	1 u.	7,2W	
Moragas	3 u.	6W	Max. 30W
TMD	1 u.	6W	Max. 60W
Trípode M3	1 u.	6W	Max. 40W
Trípode G6	1 u.	10W	Max. 100W

### Floor lamps

AJ Royal	2 u.	10W	Max. 100W
Americana	1 u.	6W	Max. 60W
Diana	2 u.	13,5W	Max. 75W With diffuser: Max. 25W)
Diana Mayor	2 u.	13,5W	Max. 75W
Dórica	3 u.	10W	Max. 50W
FAD	1 u.	10W	Max. 100W
GATCPAC	1 u.	13,5W	Max. 150W
Pie de Salón G1, G2, G3	1 u.	13,5W	Max. 100W
TMC	1 u.	10W	Max. 100W
TMD	1 u.	10W	Max. 100W
TMM	1 u.	10W	Max. 100W With diffuser: Max. 25W)
Trípode G5	1 u.	13,5W	Max. 100W

### Wall lamps

Aarhus	1 u.	6W	Max. 40W
Americana	1 u.	6W	Max. 60W
BC1	1 u.	6W	Max. 60W
BC2	1 u.	6W	Max. 60W
BC3	1 u.	6W	Max. 60W
Comodín cuadrado/rectangular	1 u.	6W	Max. 60W
Estadio	1 u.	13,5W	Max. 75W
Singular	1 u.	6W	Max. 60W
TMM corto / largo	1 u.	6W	Max. 60W With diffuser: Max. 25W)
TMM Metálico	1 u.	6W	Max. 60W
Wally	1 u.	6W	Max. 40W UL Market: 7W



## Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
<b>Pedant Lamps</b>			
Estadio 105	12 u.	13,5W	Max. 75W
Estadio 150	18 u.	13,5W	Max. 75W
Estadio 250	24 u.	13,5W	Max. 75W
Línea Estadio	5 u.	13,5W	Max. 75W
Globo Cestita	1 u.	6W	Max. 40W
Globo Cesta	1 u.	10W	Max. 75W
GT4	1 u.	13,5W	Max. 60W
GT5	1 u. / 2 u.	10W	Max. 100W
GT6	1 u. / 2 u.	10W	Max. 100W
GT7	3 u.	13,5W	Max. 60W
Leonardo 60, 100	1 u.	13,5W	Max. 150W
M68	1 u.	10W	Max. 100W
Moaré	3 u.	10W	Max. 100W
Moaré Liviana S, M	1 u.	10W	Max. 60W
Nagoya	1 u.	10W	Max. 60W
Sexta	6 u.	10W	Max. 60W
Sexta 12	12 u.	10W	Max. 60W
Sistema Fonda P1, P2	1 u. / 3 u.	10W	Max. 100W
Sistema Gran Fonda	1 u. / 2 u.	10W	Max. 100W
Sistema Sisisí PT1	1 u.	6W	Max. 60W
Sistema Sisisí PT2	1 u.	6W	Max. 60W
Sistema Sisisí MT1	1 u.	6W	Max. 60W
Sistema Sisisí MT2	1 u.	10W	Max. 60W
Sistema Sisisí GT1	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT2	1 u. / 2 u.	10W	Max. 60W
Sistema Sisisí GT3	1 u.	13,5W	Max. 60W
Vaghe Stelle	18 u.	2W	Max. 25W

## Recommended Light Sources

Bulb socket	Maximum height (mm / in.)	Dimmer on the luminaire (adjustable light source)*	Product page
E26	155 mm / 6.1"		p. 66
E26	155 mm / 6.1"		p. 67
E26	155 mm / 6.1"		p. 68
E26	155 mm / 6.1"		p. 69
E26	130 mm / 5.1"		p. 70
E26	130 mm / 5.1"		p. 70
E26	155 mm / 6.1"		p. 71
E26	130 mm / 5.1"		p. 72
E26	130 mm / 5.1"		p. 73
E26	137 mm / 5.4"		p. 74
E26	155 mm / 6.1"		p. 88-89
E26	130 mm / 5.1"		p. 91
E26	130 mm / 5.1"		p. 93
E26	155 mm / 6.1"		p. 94-95
E26	115 mm / 4.5"		p. 95
E26	115 mm / 4.5"		p. 98
E26	115 mm / 4.5"		p. 99
E26	115 mm / 4.5"		p. 100
E26	125 mm / 4.9"		p. 102
E26	105 mm / 4.1"		p. 104
E26	105 mm / 4.1"		p. 105
E26	105 mm / 4.1"		p. 106
E26	155 mm / 6.1"		p. 107
E26	115 mm / 4.5"		p. 108
E26	115 mm / 4.5"		p. 109
E26	155 mm / 6.1"		p. 110
E12	155 mm / 6.1"		p. 119

For dimming systems to work properly, (dimmer luminaire / installation), the compact fluorescent and LED light sources must be adjustable.

## Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
---------	------------------	-------------------------	------------------------	---------------------

## Table lamps

BlancoWhite C1	8W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		100 – 230
BlancoWhite R1 table Rotating	10W	12VDC		100 – 230
Cestita Bateria	3,7W	2,9VDC		100 – 240
Majja 15	12W	24VDC		90 – 264
Sin S	12,5W	24VDC		100 – 230
Sin L	25W	24VDC		100 – 230
Tatu	6W		350mA	CE 220 – 240 / USA 100 – 300

## Floor lamps

Majja 30	24W	24VDC		90 – 305
----------	-----	-------	--	----------

## Pendant lamps

Arne Domus	33W		700mA	90 – 305
Arne S Domus	24W		700mA	90 – 305
BlancoWhite D1 ceiling / D1 ceiling up&down	22W	12VDC		100 – 230
BlancoWhite D2 ceiling / D2 ceiling up&down	28W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		110 – 277
BlancoWhite Golden Gate	66W	12VDC		110 – 230
Cirio simple	7,7W		700 mA	100 – 277
Cirio múltiple	46,2 – 92,4W = (6u.–12u.)		700mA	120 – 277
Cirio Cascada 5	46W		700mA	120 – 277
Cirio Cascada 7	65W		700mA	120 – 277
Cirio Cascada 9	83W		700mA	120 – 277
Cirio Cascada 12	110W		700mA	120 – 277
Cirio circular S	92,4W (12u.)		700 mA	120 – 277
Cirio circular M	215,6W (28u.)		700 mA	120 – 277
Cirio circular L	323,4W (42u.)		700 mA	120 – 277
Cirio oval	292,6W (28u. + 5u. + 5u.)		700 mA	120 – 277
Cirio lineal	38,5W (5u.)		700 mA	120 – 277
Cirio Chandelier S	114W (20u.)		530mA	120 – 277
Cirio Chandelier M	171W (30u.)		530mA	120 – 277
Cirio Chandelier L	228W (40u.)		530mA	120 – 277
GT1000	78W		1.400mA	90 – 305
GT1500	78W		1.400mA	90 – 305
HeadHat Bowl / Plate	7,7W		700 mA	100 – 277
Lámina 45	18W		750mA	100 – 277
Lámina 45 System	31W		750mA	100 – 277
Lámina 85	31W		750mA	100 – 277
Lámina 85 System	54W		1.400mA	100 – 277
Lámina 165	54W		1.400mA	100 – 277
Lámina Mayor	44W		1.050mA	100 – 277
M64	7,7W		700 mA	100 – 277
Majja 15	6W		500mA	90 – 305
Majja 30	8,4W		700mA	90 – 305
Nimba 60	45W	24VDC		100 – 277
Nimba 90	65W	24VDC		100 – 277
Nimba 120	95W	24VDC		100 – 277
Nimba 180	140W	24VDC		100 – 277

## Luminaires with built-in LED

T <sup>a</sup> Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Product page
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
3.000K	90	40.000h	Dimmer on the luminaire	p. 13
2.700K	90	40.000h	3 Intensidades de salida de luz	p. 15
2.700K	90	40.000h	Dimmer on the luminaire	p. 21
2.700K	90	40.000h	Dimmer en la luminaria	p. 23
2.700K	90	40.000h	Dimmer on the luminaire	p. 23
2.700K	90	40.000h	Dimmer en la luminaria	p. 24
2.700K	90	40.000h	Dimmer on the luminaire	p. 34
2.700K	90	40.000h	1-10V	p. 41
2.700K	90	40.000h	1-10V	p. 41
3.000K	90	40.000h		p. 42
3.000K	90	40.000h		p. 43
3.000K	90	40.000h	1-10V	p. 44
3.000K	90	40.000h	1-10V	p. 45
2.700K	90	40.000h	1-10V (700mA)	p. 46
2.700K	90	40.000h	1-10V - DALI	p. 47
2.700K	90	40.000h	1-10V - DALI	p. 48
2.700K	90	40.000h	1-10V - DALI	p. 49
2.700K	90	40.000h	1-10V - DALI	p. 50
2.700K	90	40.000h	1-10V - DALI	p. 51
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 52
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 53
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 54
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 56
2.700K	90	40.000h	1-10V (CIF31) - DALI (CIF31 - DALI)	p. 58
2.700K	90	40.000h	1-10V - DALI	p. 60
2.700K	90	40.000h	1-10V - DALI	p. 62
2.700K	90	40.000h	1-10V - DALI	p. 64
2.700K	90	40.000h	1-10V	p. 75
2.700K	90	40.000h	1-10V	p. 76
2.700K	90	40.000h	1-10V	p. 77-78-79-80-81
2.700K	90	40.000h	0-10V	p. 82
2.700K	90	40.000h	0-10V	p. 83
2.700K	90	40.000h	0-10V	p. 84
2.700K	90	40.000h	0-10V	p. 85
2.700K	90	40.000h	0-10V	p. 86
2.700K	90	40.000h	0-10V	p. 87
2.700K	90	40.000h	1-10V	p. 90
2.700K	90	40.000h	1-10V	p. 92
2.700K	90	40.000h	1-10V	p. 92
2.700K	90	40.000h	1-10V - DALI	p. 96
2.700K	90	40.000h	1-10V - DALI	p. 96
2.700K	90	40.000h	1-10V - DALI	p. 97
2.700K	90	40.000h	1-10V - DALI	p. 97

\*Voltage adapted to the country of destination.


## Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
<b>Pendant lamps</b>				
Tekiò Vertical P1	34W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Vertical P2	56W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Vertical P3	73W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Vertical P4	87W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Horizontal P1	34W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Horizontal P2	56W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Horizontal P3	73W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Horizontal P4	87W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Circular P8	150W	24VDC		CE 220–240 / USA 120 – 277
Tekiò Oval P12	246W	24VDC		CE 220–240 / USA 120 – 277
<b>Wall lamps</b>				
BiancoWhite C1 Wall	8W	12VDC		90 – 264
BiancoWhite R1 Wall	10W	12VDC		90 – 264
Disco M	9W			120
Disco L	9W			120
<b>Garden</b>				
Amigo	40W		700mA	90 – 305

## Luminaires with built-in LED

T <sup>a</sup> Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Product page
2.200-2.700K	90	40.000h	0-10V	p. 111
2.200-2.700K	90	40.000h	0-10V	p. 111
2.200-2.700K	90	40.000h	0-10V	p. 112
2.200-2.700K	90	40.000h	0-10V	p. 112
2.200-2.700K	90	40.000h	0-10V	p. 113
2.200-2.700K	90	40.000h	0-10V	p. 114
2.200-2.700K	90	40.000h	0-10V	p. 115
2.200-2.700K	90	40.000h	0-10V	p. 116
2.200-2.700K	90	40.000h	0-10V	p. 117
2.200-2.700K	90	40.000h	0-10V	p. 118
3.000K	90	40.000h		p. 128
3.000K	90	40.000h		p. 129
2.700K	90	40.000h	By phase cut	p. 132
2.700K	90	40.000h	By phase cut	p. 132
2.700K	90	40.000h	1-10V	p. 138

\*Voltage adapted to the country of destination.




## Subeybaja

Robert Heritage, Roger Webb. 1979



## Belloch Chair

Lagranja Design  
2009



Code	Color	Legs	
<b>BES11</b>	White	Natural beech wood	\$ 355
<b>BES12</b>	Grey	Natural beech wood	\$ 355
<b>BES14</b>	Black	Natural beech wood	\$ 355
<b>BES15</b>	Brown	Natural beech wood	\$ 355
<b>BES16</b>	Green	Natural beech wood	\$ 355
<b>BES17</b>	Red	Natural beech wood	\$ 355
<b>BES21</b>	White	Matte anodized aluminium <sup>[1]</sup>	\$ 380
<b>BES22</b>	Grey	Matte anodized aluminium <sup>[1]</sup>	\$ 380

Polypropylene (PP) + glass fiber seat and back.

Stackable.

<sup>[1]</sup> For indoor and outdoor.


Minimum order: 4 units.



ANSI BIFMA 5.1 X

## Ramón Chair

Ramón Bigas  
1975



Code	Seat and backrest	
<b>RAS13</b>	Natural	\$ 690
<b>RAS14</b>	White	\$ 690

White metallic structure.

Seat and back made of hand-woven synthetic rattan.

Stackable.

For indoor and outdoor.


Minimum order: 4 units.



## Digamma Armchair

Ignazio Gardella

1957



Code	Upholstered	
DIB00	Customer's fabric <sup>[1]</sup>	\$ 5,875
DIB01	Black or silk grey Digamma fabric	\$ 7,115

Black metallic legs and polished brass feet.

Upholstered seat, backrest and arms.

3-position reclining back.

Plain fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> To be validated by S&C.


On special request also available in CMHR foam with a 5% price increase.



## Digamma ottoman

Ignazio Gardella

1957



Code	Upholstered	
DIP00	Customer's fabric <sup>[1]</sup>	\$ 1,980
DIP01	Black or silk grey Digamma fabric	\$ 2,340

Black metallic legs and polished brass feet.

Upholstered seat.

Plain fabric measures: 0,85 m / 0.93 yd long by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> To be validated by S&C.

On special request also available in CMHR foam with a 5% price increase.




## Cadaqués Lounge Chair

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
<b>CAD10</b>	Customer's fabric	<b>\$ 4,520</b>
<b>CAD11</b>	Kvadrat's fabric <sup>[1]</sup>	<b>\$ 5,120</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 5 m / 5.47 yd long

by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> **kvadrat** upholstery HARALD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.


CE

## Two Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
<b>CAD20</b>	Customer's fabric	<b>\$ 6,345</b>
<b>CAD21</b>	Kvadrat's fabric <sup>[1]</sup>	<b>\$ 7,620</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 8 m / 8.75 yd long

by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> **kvadrat** upholstery: HARALD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.


CE

## Three Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code	Upholstered	
<b>CAD30</b>	Customer's fabric	<b>\$ 7,995</b>
<b>CAD31</b>	Kvadrat's fabric <sup>[1]</sup>	<b>\$ 9,920</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 12 m / 13.1 yd long

by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> **kvadrat** upholstery: HARALD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.


CE

## Cadaqués Ottoman

Federico Correa

Alfonso Milá

2010



Code	Upholstered	
<b>CAP00</b>	Customer's fabric	\$ 2,760
<b>CAP01</b>	Kvadrat's fabric <sup>[1]</sup>	\$ 3,410

Beech wood legs with a wenge colour finish.

Plain fabric measures: 1,80 m / 1.97 yd long by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.


On special request also available in CMHR foam with a 5% price increase.



## Ibiza Lounge Chair

Germán Rodríguez Arias

1957



Code	Upholstered	
<b>IBB00</b>	Customer's fabric	\$ 2,235
<b>IBB01</b>	Kvadrat's fabric <sup>[1]</sup>	\$ 2,425

Chrome-plated steel tube structure.

Plain fabric measures: 1,40 m / 1.53 yd long (70 cm / 0.76 yd seat and 70 cm / 0.76 yd back) and 1,40 m / 1.53 yd wide.


<sup>[1]</sup> **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.



## Moragas Armchair

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
MOS00	Customer's fabric	\$ 3,920
MOS01	Kvadrat's fabric <sup>[1]</sup>	\$ 4,410

Beech legs with cherry wood colour finish.

Fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.


<sup>[1]</sup> **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

## Moragas ottoman

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
MOP00	Customer's fabric	\$ 890
MOP01	Kvadrat's fabric <sup>[1]</sup>	\$ 1,040

Beech legs with cherry wood colour finish.

Fabric measures: 2 m / 2.19 yd long by 1,40 m / 1.53 yd wide.


<sup>[1]</sup> **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

## Large Moragas ottoman

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
MOP10	Customer's fabric	\$ 1,295
MOP11	Kvadrat's fabric <sup>[1]</sup>	\$ 1,550


Beech legs with cherry wood colour finish.

Fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.



<sup>[1]</sup> **kvadrat** upholstery: HARARD-3 by Raf Simons, STAR 2, TONUS MEADOW and HERO.

On special request also available in CMHR foam with a 5% price increase.

CE

**Belloch cuadrada**Lagranja Design  
2009**Code Description**

<b>BEM11</b>	White metallic structure with natural beech wood legs Color Core white colour top	<b>\$ 2,950</b>
--------------	--	-----------------

**Belloch rectangular**Lagranja Design  
2009**Code Description**

<b>BEM21</b>	White metallic structure with natural beech wood legs Color Core white colour top	<b>\$ 3,850</b>
--------------	--	-----------------




**Diana alta**

Federico Correa

Alfonso Milá

Miguel Milá

1996



Code	Description	
<b>DIA01</b>	Satin nickel structure Tempered glass top	<b>\$ 1,020</b>

CE


**Diana baja**

Federico Correa

Alfonso Milá

Miguel Milá

1996




Code	Description	
<b>DIA02</b>	Satin nickel structure Tempered glass top	<b>\$ 1,190</b>

CE

**Subeybaja**

Robert Heritage, Roger Webb

1979





Code	Structure and top	
<b>SUB03</b>	Natural oak	<b>\$ 2,650</b>
<b>SUB05</b>	Black oak	<b>\$ 2,650</b>

Adjustable to 7 heights, from 39 cm / 15.3" to 72 cm / 28.3".

CE

**Noa**

Carme Pinós  
2007

**Code    Structure (2 units)**

<b>NOA21</b>	Grey	<b>\$ 415</b>
<b>NOA22</b>	White	<b>\$ 415</b>

2 metal structure shelves.

20 cm / 7.9" depth.

Each shelf can bear a maximum load of 20kg.

The maximum load may vary depending  
on the type of wall it is fitted to.

Shelving unit weight: 5kg / 11lb.







## Classification and regulations

### EC Regulations

#### CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

#### I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

#### UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



## Classification and regulations

### Classification of luminaires

#### CE

· Luminaire classification according to protection against electrical shock:

**CLASE I.** In addition to being electrically insulated, these luminaires are also provided with an earthing point.



**CLASE II.** These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



**CLASE III.** Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

#### UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

## Classification and regulations

### Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

#### Primera cifra:

**IP 0** - No protection.

**IP 1** - Protected against solid objects > 50 mm.

**IP 2** - Protected against solid objects > 12 mm.

**IP 3** - Protected against solid objects > 2.5 mm.

**IP 4** - Protected against the solid objects of 1 mm.

**IP 5** - Protected against dust.

**IP 6** - Protected against dust (totally).

#### Second digit:

**IP - 0** No protection.

**IP - 1** Protected against water falling vertically.

**IP - 2** Protected against direct water drips up to 15° from vertical.

**IP - 3** Protected against direct sprays up to 60° from vertical.

**IP - 4** Protected against sprays from all directions

**IP - 5** Protected against low-pressure jets from all directions.

**IP - 6** Protected against high-pressure jets from all directions.

**IP - 7** Protected against immersion between 15 cm and 1 m.

**IP - 8** Protected against immersion under pressure.

### Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

#### · Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

#### · Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

#### · Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

## Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

### Quality Management System

**ISO 9001** is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



### Environmental Management System

**ISO 14001** ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



## General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

### 1. ORDERS

#### 1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

#### 1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes. Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

#### 1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

### 2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

### 3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order.

### 4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

### 5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

## General conditions of sale

### 6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

### 7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: [aftersales@santacole.com](mailto:aftersales@santacole.com).

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

### 8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit.

### 9. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

### 10. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

### 11. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.



### **Sales US**

#### **Northeast Area Sales Manager**

New York, NY  
Cindy Rossell  
T. +1 347 852 0810  
cindy.rossell@santacole.com

#### **Central and Southeast**

##### **Area Sales Manager**

Austin, TX  
Samuel Ciauriz  
T. +1 512 620 2096  
samuelc@santacole.com

#### **West Coast Area Sales Manager**

Los Angeles, CA  
Jordi Nadal  
T. +1 424 303 3010  
jordi.nadal@santacole.com

#### **General Inquiries**

usinfo@santacole.com

#### **After sales US**

usaftersales@santacole.com

### **Sales Europe**

#### **Spain**

T. +34 902 460 010  
F. +34 902 460 020  
ventas@santacole.com

#### **UK - London**

T. +44 (0) 7596 831 942  
london.uk@santacole.com

### **HEADQUARTERS**

Parc de Belloch  
Ctra. C-251, Km 5,6  
E-08430 La Roca (Barcelona)  
T. +34 938 619 100  
F. +34 938 711 767  
info@santacole.com  
www.santacole.com

### **Follow us**

Facebook, Twitter, Instagram,  
Pinterest: @santacole

Price List updated on February 2019.

Santa & Cole reserves the right to change prices as necessary.



**Excite with simplicity**