

SANTA & COLE

Singapore Price List 2020

Dear friends,

We are pleased to present you our 2020 price list, which comes into force on January 1st 2020. We hope you find it quick and easy to use.

All of the new catalogue entries, including new products, materials, sizes and finishes, are highlighted in the contents page to make them easier to find.

An important change this year is the **inclusion of light sources (bulbs)** in most of our products. Our aim is to let our customers use our lamps from the very beginning, enjoying the best light quality.

We remind you that Santa & Cole also offers the possibility to adapt our products in order to meet the needs of specific projects (Contract). A consultation and prior technical study will be necessary. We are offering a selection of products with a Contract version (specified in this price list) ensuring durability for public use in projects.

Regarding upholstery we have two Kvadrat references (Remix 3 and HARALD 3-by Raf Simons), as well as your choice of fabric, and we also offer personal advice.

Please visit santacole.com for all technical details. An image gallery with high-resolution photos of the products in our catalogue can also be found on our website.

Santa & Cole reserves the right to change the prices in this price list without prior notice.

Santa & Cole's team is available for any queries you may have. You can phone us on +34 938 619 100 or write to us at info@santacole.com

We thank you for your kind cooperation, and we remain at your disposal.

Barcelona, December 2019

Contents

7 Lighting

8 Table lamps

- 8 Americana
- 8 Asa
- 9 Babel
- 10 Básica M1
- 11 Básica M2
- 11 Básica Mínima
- 12 BlancoWhite C1
- 12 BlancoWhite R3
- 12 BlancoWhite R1 Rotating
- 13 Cesta
- 13 Cestita
- 14 Cestita Batería **New material**
- 14 Cesta Metálica
- 15 Cestita Metálica
- 16 Diana Menor
- 17 Diana
- 18 FAD Menor
- 18 FAD
- 19 Gira
- 19 Maija 15
- 20 Moragas
- 21 Sin S
- 21 Sin L
- 22 Sylvestrina **New Product**
- 22 Tatu
- 23 TMD
- 24 Trípode M3
- 25 Trípode G6

26 Floor lamps

- 26 Americana
- 26 Diana
- 27 Diana Mayor
- 27 Dórica
- 28 FAD
- 28 FAD Fija **New version**
- 29 GATCPAC
- 29 Maija 30
- 30 Moaré
- 31 Pie de Salón G1
- 32 Pie de Salón G2
- 33 Pie de Salón G3
- 34 TMC
- 34 TMD
- 35 TMM
- 36 Trípode G5

37 Pendant lamps

- 37 Arne Domus
- 37 Arne S Domus
- 38 BlancoWhite D1 ceiling / D1 ceiling Up&Down
- 39 BlancoWhite D2 ceiling / D2 ceiling Up&Down
- 40 BlancoWhite R3
- 41 BlancoWhite Golden Gate
- 42 Cirio Simple
- 43 Cirio Múltiple
- 44 Cirio Cascada 5
- 45 Cirio Cascada 7
- 46 Cirio Cascada 9
- 47 Cirio Cascada 12
- 48 Cirio Circular S
- 49 Cirio Circular M
- 50 Cirio Circular L
- 52 Cirio Oval
- 54 Cirio Lineal
- 56 Cirio Chandelier S
- 58 Cirio Chandelier M
- 60 Cirio Chandelier L
- 62 Estadio 105 1 support
- 62 Estadio 105 3 supports
- 63 Estadio 150 1 support
- 63 Estadio 150 3 supports
- 64 Estadio 250 1 support
- 64 Estadio 250 3 supports
- 65 Línea Estadio
- 66 Globo Cesta
- 67 Globo Cestita
- 68 GT4
- 69 GT5
- 70 GT6
- 71 GT7
- 72 GT1000
- 73 GT1500
- 74 HeadHat Bowl S
- 75 HeadHat Bowl L
- 76 HeadHat Plate S **New color**
- 77 HeadHat Plate M **New color**
- 78 HeadHat Plate L **New color**
- 79 La Colilla
- 80 Lámina 45
- 81 Sistema Lámina 45
- 82 Lámina 85
- 83 Sistema Lámina 85
- 84 Lámina 165
- 85 Lámina Mayor

86 Leonardo 60
86 Leonardo 100
87 Liceo 70
87 Liceo 120
88 M64
89 M68
90 Maija 15
90 Maija 30
91 Moaré
92 Moaré Liviana S
93 Moaré Liviana M
93 Nagoya
94 Nimba 60
94 Nimba 90
95 Nimba 120
95 Nimba 180
96 Sexta
97 Sexta 12
98 Sistema Fonda
100 Sistema Gran Fonda
102 Sistema Sisisí PT1
103 Sistema Sisisí PT2
104 Sistema Sisisí MT1
105 Sistema Sisisí MT2
106 Sistema Sisisí GT1
107 Sistema Sisisí GT2
108 Sistema Sisisí GT3
109 Tekiò Vertical P1
109 Tekiò Vertical P2
110 Tekiò Vertical P3
110 Tekiò Vertical P4
111 Tekiò Horizontal P1
112 Tekiò Horizontal P2
113 Tekiò Horizontal P3
114 Tekiò Horizontal P4
115 Tekiò Circular P8
116 Tekiò Oval P12
117 Vaghe Stelle

118 Canopies

118 Sisisí canopy
118 Sisisí canopy dual lamp socket
119 S&C canopy
119 S&C Connection
119 Side entry adaptor
120 HeadLed System / S&C LED Capsule
120 HeadLed System / S&C LED Canopy
121 Headled System / S&C LED Lampshades

122 Wall lamps

122 Americana
122 BC1
123 BC2
124 BC3
125 BlancoWhite C1 Wall rotating
125 BlancoWhite C1 Wall rotating scene
126 BlancoWhite R1 Wall
126 BlancoWhite R1 Wall rotating
127 Comodín cuadrado
127 Comodín rectangular
128 Corso
129 Disco M
129 Disco L
130 Estadio
130 Petit Tatu **New Product**
131 Singular
131 TMM corto
132 TMM largo
132 TMM Metálico
133 Wally


135 Outdoor

136 Amigo
137 Oco 33
137 Oco 55

139 Light sources

149 Furniture

150 Belloch Chair
150 Belloch cuadrada table
150 Belloch rectangular table
151 Cadaqués Lounge Chair
151 Two Seat Cadaqués Sofa
151 Three Seat Cadaqués Sofa
152 Cadaqués Ottoman
152 Diana alta table
152 Diana baja table
153 Digamma Armchair
153 Digamma ottoman
154 Havana **New Product**
154 Ibiza Lounge Chair
155 Moragas Armchair
155 Moragas ottoman
155 Large Moragas ottoman
156 Ramón Chair
156 Subeybaja table



Cesta


Miguel Milá. 1962

Lighting

Americana

Miguel Milá
1964

For further information on light sources go to p.139



Composition

SAM22 + SAMP8 SGD 975

Code	Description	
SAM22	Satin nickel structure	SGD 805
SAMP8	White linen lampshade	SGD 170

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

Asa

Miguel Milá
1961

For further information on light sources go to p.139



Code	Structure	
ASA11	White	SGD 760
ASA12	Black	SGD 760

Metallic structure with matte finish.
White translucent methacrylate shade.
Switch incorporated into the luminaire.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

Babel

Àngel Jové
1971

For further information on light sources go to p.139



Code	Description	
BAB01	Alabaster column	SGD 1.740

Weight: 12,6 kg / 27.8 lb
Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 60 W

Básica M1

Santiago Roqueta,
Santa & Cole Team
1987

For further information on light sources go to p.139



Examples of composition

BASAx* + PM101	SGD 665
BASAx* + PM103	SGD 655
BASAx* + PM109	SGD 690
BASAx* + PML108	SGD 725
BASAx* + PM101 + 6BAS0x**	SGD 765
BASAx* + PM103 + 6BAS0x**	SGD 755
BASAx* + PM109 + 6BAS0x**	SGD 790
BASAx* + PML108 + 6BAS0x**	SGD 825

Code	Lampshade	
PM101	Stitched beige parchment	SGD 170
PM103	Natural ribbon	SGD 160
PM105	Red-amber ribbon	SGD 160
PM106	Black ribbon	SGD 160
PM107	Terracotta Raw Color ribbon	SGD 195
PM108	Mustard Raw Color ribbon	SGD 195
PM109	Green Raw Color ribbon	SGD 195
PML108	White linen	SGD 230

Base

*BASA2	Nickel	SGD 495
*BASA3	Bronze	SGD 495

Stabilizing base (optional)

**6BAS01	Nickel	SGD 100
**6BAS02	Bronze	SGD 100

Birch wood column with metallic base.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included (dimmable):


LED bulb 12 W

Other light sources:

Max. 100 W

Básica M2

Santiago Roqueta,
Santa & Cole Team
1987



For further information on light sources go to p.139

Composition

BASAx* + PM201	SGD 690
BASAx* + PM201 + 6BAS0x**	SGD 790

Code	Lampshade	
PM201	Stitched beige parchment	SGD 195

Base		
*BASA2	Nickel	SGD 495
*BASA3	Bronze	SGD 495

Stabilizing base (optional)		
**6BAS01	Nickel	SGD 100
**6BAS02	Bronze	SGD 100

Birch wood column with metallic base.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included (dimmable):


LED bulb 12 W

Other light sources:

Max. 100 W

Básica Mínima

Santiago Roqueta,
Santa & Cole Team
1994



For further information on light sources go to p.139

Code	Base	Lampshade	
BAM01	Bronze	Beige parchment	SGD 555
BAM12	Nickel	Natural ribbon	SGD 555

Birch wood column with metallic base.
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

Light sources included:

LED bulb 6,5 W


Other light sources:

Max. 40 W

BlancoWhite C1

Antoni Arola
2011

For further information on built-in LED go to p.144



Code	Structure	
BWC101	White S&C	SGD 1.095
BWC102	Graphite	SGD 1.095

Metal structure with matte finish.
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 8 W

BlancoWhite R3

Antoni Arola
2011

For further information on built-in LED go to p.144



Code	Structure	
BWR311	White S&C	SGD 1.970
BWR312	Graphite	SGD 1.970

Metal structure with matte finish.
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 33 W

BlancoWhite R1 Rotating

Antoni Arola
2013

For further information on built-in LED go to p.144



Code	Description	
BWR112	Graphite metal structure with matte finish	SGD 1.935

Rotating head.
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 12 W

Cesta

Miguel Milá
1962

For further information on light sources go to p.139



Code	Description	
CES01	Cherry wood structure White opal glass lampshade	SGD 1.550

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 75 W

Cestita

Miguel Milá
1962

For further information on light sources go to p.139



Code	Lampshade	
CES11	White opal polyethylene	SGD 710
CES12	White opal glass	SGD 710

Cherry wood structure.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W

Other light sources:

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

Cestita Batería

Miguel Milá
2017

For further information on built-in LED go to p.144

New material



Code	Lampshade	
CES16	White opal polyethylene	SGD 950
CES14	White opal glass	SGD 950

Cherry wood structure.

Switch incorporated into the luminaire with 3 intensity levels.

Lithium battery.

Range:

- 5h on high power
- 12h on medium power
- 24h on minimum power

Includes charger.

Battery charging time: 6.5h

To prevent wood degradation, the lamp should not be left outdoors permanently.




Light source included (dimmable):

Built-in LED 2,5 W

Cesta Metálica

Miguel Milá
1962

For further information on light sources go to p.139



Code	Stainless steel structure	
CES02	Without leather handle	SGD 1.840
CES03	With natural colour leather handle	SGD 2.185

White opal glass lampshade.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 60 W

Cestita Metálica

Miguel Milá
1962

For further information on light sources go to p.139



Code	Description	
CES13	Stainless steel structure White opal glass lampshade	SGD 1.455

Dimmer included.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included (dimmable):

LED bulb 4,5 W

Other light sources:


Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"

Diana Menor

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p.139



Examples of composition

DIA12 + DIAP8	SGD 1.360
DIA123 + DIAP6	SGD 1.480

Code	Metallic structure	Lampshade	Upper diffuser ^[1]	
DIA12	Satin nickel			SGD 1.020
DIA123	Brass finish			SGD 1.105
DIAP8	White linen		Translucent white parchment	SGD 340
DIAP6	Black linen		Stone parchment	SGD 375

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included (dimmable):

2 x LED bulb 4,5 W


Other light sources:

Max. 2 x 40 W

Diana

Federico Correa, Alfonso Milá,
Miguel Milá
1995

For further information on light sources go to p.139



Examples of composition

DIA11 + DIAM8	SGD 1.540
DIA113 + DIAM6	SGD 1.685

Code	Metallic structure		
DIA11	Satin nickel		SGD 1.155
DIA113	Brass finish		SGD 1.275
		Lampshade	Upper diffuser ^[1]
DIAM8	White linen	Translucent white parchment	SGD 385
DIAM6	Black linen	Stone parchment	SGD 410

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

2 x LED bulb 12 W


Other light sources:

Max. 2 x 50 W

FAD Menor

Miguel Milá
1973

For further information on light sources go to p.139



Code	Description	
FAD02	Natural oak wood structure. White linen lampshade.	SGD 925



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb: 4,5 W


Other light sources:

Max. 60 W

FAD

Miguel Milá
1973

For further information on light sources go to p.139



Composition

FAD12 + FADP8	SGD 1.325
---------------	-----------

Code Description

FAD12	Natural oak wood structure	SGD 1.045
FADP8	White linen lampshade	SGD 280

Dimmer included.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included (dimmable):

LED bulb 4,5 W


Other light sources:

Max. 60 W

Gira

J.M. Massana, J.M. Tremoleda,
Mariano Ferrer
1978

For further information on light sources go to p.139



Code	Lampshade	
GIR21	Brass	SGD 780
GIR22	Black anodized aluminium	SGD 640
GIR23	Natural anodized aluminium	SGD 640

Chrome-plated structure.
Grey zamak base.



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E27 (Max. hgt. 110 mm / 4.3")

Light source included:

LED bulb 12 W

Other light sources:


Max. 40 W

Specific bulb diameter: 60 mm / 2.36"

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p.144



Code	Metallic lampshades	
MAI11L	White	SGD 1.420
MAI114L	Nude rose	SGD 1.420

Diffuser in white translucent engineering plastic.
Brass legs finished in matte.
Dimmer included.




Light source included (dimmable):

Built-in LED 12 W

Moragas

Antoni de Moragas i Gallissà
1957

For further information on light sources go to p.139



Composition

MOL01 + MOLP3

SGD 2.140

Code

Description

MOL01

Sapeli wood leg

SGD 1.275

MOLP3

Natural cotton ribbon lampshade with silk border

SGD 865

Dimmer included.



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included (dimmable):

3 x LED bulb 4,5 W


Other light sources:

Max. 3 x 30 W

Sin S

Antoni Arola
2013

For further information on built-in LED go to p.144

**Examples of composition with lampshade**

SIN21 + SINS2	SGD 2.585
SIN22 + SINSx*	SGD 2.660

Code	Structure	
SIN21	White S&C	SGD 2.150
SIN22	Graphite	SGD 2.200

Lampshade (optional)		
SIN2	White opal methacrylate	SGD 435
*SINS1	White S&C aluminium	SGD 460
*SINS3	Graphite aluminium	SGD 460

Metal structure with matte finish.
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 12,5 W

Sin L

Antoni Arola
2013

For further information on built-in LED go to p.144

**Examples of composition with lampshade**

SIN31 + SINL2	SGD 2.945
SIN32 + SINLx*	SGD 3.245

Code	Structure	
SIN31	White S&C	SGD 2.450
SIN32	Graphite	SGD 2.510

Lampshade (optional)		
SINL2	White opal methacrylate	SGD 495
*SINL1	White S&C aluminium	SGD 735
*SINL3	Graphite aluminium	SGD 735

Metal structure with matte finish.
Dimmer and switch incorporated into the luminaire.

**Light source included (dimmable):**


Built-in LED 25 W

Sylvestrina

Jordi Garcés, Enric Soria
1974

For further information on built-in LED go to p.144

New product



Code	Description
------	-------------

SYL01	Transparent Pyrex glass lampshade. White translucent diffuser. Glossy black zamak base.	SGD 710
--------------	---	----------------

Lithium battery.

Switch incorporated into the luminaire with 2 levels of intensity.

Power Range: 7h on high power - 14h on minimum power.

Includes contact charger.




Light source included (dimmable):

Built-in LED 1 W

Tatu

André Ricard
1972

For further information on built-in LED go to p.144



Code	ABS plastic structure
------	-----------------------

TAT02	S&C white	SGD 780
TAT05	Red	SGD 780

Gyratory structure.

Applications: table or wall lamp.

Adjustable focal length from 30° to 50°.

Adjustable light intensity 0% to 100%.

Dimmer and switch incorporated into the luminaire.




Light source included (dimmable):

Built-in LED 6 W

TMD
Miguel Milá
1996

For further information on light sources go to p.139



Code	Description	
TME08	Satin nickel structure White linen lampshade	SGD 865

Height-adjustable white linen lampshade.
The light is switched on/off by pulling lightly on the cable.
Under special request, possibility of adapting the product
for areas exposed to saline conditions.



Contact us for further details on the specifics of product versions
for contract projects.

Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

Triopode M3

Santa & Cole Team
2011

For further information on light sources go to p.139



Composition

TM311 + TM3Mx*	SGD 830
TM311 + TM3Mx**	SGD 865

Code Structure

TM311	Black metal	SGD 480
-------	-------------	---------

Ribbon lampshade

*TM3M3	Natural	SGD 350
*TM3M5	Red-amber	SGD 350
*TM3M6	Black	SGD 350
**TM3M7	Terracotta Raw Color	SGD 385
**TM3M8	Mustard Raw Color	SGD 385
**TM3M9	Green Raw Color	SGD 385

Black metal top cover.



Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

Light source included:

LED bulb 6,5 W


Other light sources:

Max. 40 W

Triode G6

Santa & Cole Team
2002

For further information on light sources go to p.139



Composition

TG611 + TG6Mx*	SGD 1.015
TG611 + TG6Mx**	SGD 1.060

Code	Structure	
TG611	Black metal	SGD 555

Ribbon lampshade

*TG6M3	Natural	SGD 460
*TG6M5	Red-amber	SGD 460
*TG6M6	Black	SGD 460
**TG6M7	Terracotta Raw Color	SGD 505
**TG6M8	Mustard Raw Color	SGD 505
**TG6M9	Green Raw Color	SGD 505

Black metal top cover.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):


LED bulb 12 W

Other light sources:

Max. 100 W

Americana

Miguel Milá
2000



For further information on light sources go to p.139

Composition

SAM32 + SAMP8 SGD 1.360

Code	Description	
SAM32	Satin nickel structure	SGD 1.190
SAMP8	White linen lampshade	SGD 170

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:


LED bulb 4,5 W

Other light sources:

Max. 60 W

Diana

Federico Correa,
Alfonso Milá, Miguel Milá
1995



For further information on light sources go to p.139

Examples of composition

DIA21 + DIAM8 SGD 2.005
DIA213 + DIAM6 SGD 2.150

Code	Metallic structure		
DIA21	Satin nickel	SGD 1.620	
DIA213	Brass finish	SGD 1.740	
	Lampshade	Upper diffuser ^[1]	
DIAM8	White linen	Translucent white parchment	SGD 385
DIAM6	Black linen	Stone parchment	SGD 410

^[1] Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Light source included (dimmmable):


2 x LED bulb 12 W

Other light sources:

Max. 2 x 75 W

Diana Mayor

Federico Correa,
Alfonso Milá, Miguel Milá
1995



For further information on light sources go to p.139

Examples of composition

DIA31 + DIAG8	SGD 2.370
DIA313 + DIAG6	SGD 2.525

Code Metallic structure

DIA31	Satin nickel	SGD 1.875
DIA313	Brass finish	SGD 2.005

Lampshade

DIAG8	White linen	SGD 495
DIAG6	Black linen	SGD 520

Under special request, possibility of adapting the product for areas exposed to saline conditions.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Light source included (dimmable):


2 x LED bulb 12 W

Other light sources:

Max. 2 x 75 W

Dórica

Jordi Miralbell,
Mariona Raventós
1994



For further information on light sources go to p.139

Composition

DOR03 + DORP3	SGD 2.210
DOR03 + DORP3 + DOR00	SGD 2.525

Code Description

DOR03	Metal structure with dark brown finish	SGD 1.620
DORP3	Natural ribbon lampshade	SGD 590

Stabilizing base (optional)

DOR00	Dark brown	SGD 315
--------------	------------	---------

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

3 x LED bulb 12 W


Other light sources:

Max. 3 x 50 W

FAD

Miguel Milá
1974

For further information on light sources go to p.139



Composition

FAD22 + FADG8 **SGD 1.830**

Code	Description	
FAD22	Natural oak wood structure	SGD 1.515
FADG8	White linen lampshade	SGD 315

Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

LED bulb 12 W

Other light sources:


Max. 100 W

FAD Fija

Miguel Milá
1974

For further information on light sources go to p.139

New version



Composition

FAD32 + FADG8 **SGD 1.515**

Code	Description	
FAD32	Natural oak wood structure	SGD 1.200
FADG8	White linen lampshade	SGD 315

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 100 W

GATCPAC

Josep Torres Clavé
1931

For further information on light sources go to p.139



Code	Description	
TLC02	Polished aluminium structure and lampshade	SGD 2.390

Adjustable lampshade.
Dimmer included.



Bulb socket:
E27 (Max. hgt. 160 mm / 6.3")


Light source included (dimmable):
LED bulb 12 W

Other light sources:
Max. 150 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p.144



Code	Description	
MAI21L	Metallic lampshade finished in matte white Brass legs finished in matte	SGD 1.995

Diffuser in white translucent methacrylate.
Dimmer included.




Light source included (dimmable):
Built-in LED 24 W

Moaré


Antoni Arola
2003

For further information on light sources go to p.139




Lampshades


Medium (M)



Large (L)



Extra (X)



Examples of composition

MRE21 + MRELx*	SGD 3.460
MRE21 + MREXx*	SGD 4.000
MRE21 + MREMx* + MRELx*	SGD 4.075
MRE21 + MREMx* + MREXx*	SGD 4.615
MRE21 + MRELx* + MREXx*	SGD 4.830

Code	Structure	
MRE21	Aluminium with graphite black finish and cast aluminium base	SGD 2.630

Lampshade M

*MREM3	White	SGD 615
*MREM5	Red	SGD 615
*MREM6	Grey	SGD 615
*MREM7	Black	SGD 615

Lampshade L

*MREL3	White	SGD 830
*MREL5	Red	SGD 830
*MREL6	Grey	SGD 830
*MREL7	Black	SGD 830

Lampshade X

*MREX3	White	SGD 1.370
*MREX5	Red	SGD 1.370
*MREX6	Grey	SGD 1.370
*MREX7	Black	SGD 1.370

Acrylsatiné methacrylate cylindrical diffuser.

Polyester lampshade.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included (dimmable):

3 x LED bulb 12 W


Other light sources:

Max. 3 x 50 W

Pie de Salón G1

Jaume Sans
1963

For further information on light sources go to p.139



Examples of composition

PDS02 + PG101	SGD 1.780
PDS02 + PG103	SGD 1.755
PDS02 + PG107	SGD 1.825
PDS02 + PGL108	SGD 1.850
PDS03 + PG101	SGD 2.235
PDS03 + PG103	SGD 2.210
PDS03 + PG107	SGD 2.280
PDS03 + PGL108	SGD 2.305

Code	Metallic structure	
PDS02	Chrome-plated	SGD 1.405
PDS03	Polished brass	SGD 1.860

	Lampshade	
PG101	Stitched beige parchment	SGD 375
PG103	Natural ribbon	SGD 350
PG105	Red-amber ribbon	SGD 350
PG106	Black ribbon	SGD 350
PG107	Terracotta Raw Color ribbon	SGD 420
PG108	Mustard Raw Color ribbon	SGD 420
PG109	Green Raw Color ribbon	SGD 420
PGL108	White linen	SGD 445

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Light source included (dimmable):

LED bulb 12 W

Other light sources:


Max. 100 W

Pie de Salón G2

Jaume Sans

1963

For further information on light sources go to p.139



Composition

PDS02 + PG20x*	SGD 1.780
PDS02 + PG208	SGD 1.850
PDS03 + PG20x*	SGD 2.235
PDS03 + PG208	SGD 2.305

Code

Metallic structure

PDS02	Chrome-plated	SGD 1.405
PDS03	Polished brass	SGD 1.860

Lampshade

*PG203	Natural ribbon	SGD 375
*PG205	Red-amber ribbon	SGD 375
*PG206	Black ribbon	SGD 375
PG208	White linen	SGD 445

Shaft covered in black leather.

Height-adjustable lampshade.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 100 W

Pie de Salón G3

Jaume Sans
1963

For further information on light sources go to p.139



Examples of composition

PDS02 + PG303	SGD 1.695
PDS02 + PG307	SGD 1.745
PDS02 + PGL308	SGD 1.730
PDS03 + PG303	SGD 2.150
PDS03 + PG307	SGD 2.200
PDS03 + PGL308	SGD 2.185

Code	Metallic structure	
PDS02	Chrome-plated	SGD 1.405
PDS03	Polished brass	SGD 1.860

	Lampshade	
PG303	Natural ribbon	SGD 290
PG305	Red-amber ribbon	SGD 290
PG306	Black ribbon	SGD 290
PG307	Terracotta Raw Color ribbon	SGD 340
PG308	Mustard Raw Color ribbon	SGD 340
PG309	Green Raw Color ribbon	SGD 340
PGL308	White linen	SGD 325

Shaft covered in black leather.
Height-adjustable lampshade.
Dimmer included.



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Light source included (dimmable):


LED bulb 12 W

Other light sources:

Max. 100 W

TMC

Miguel Milá
1961



For further information on light sources go to p.139

Code	Description	
TMC11	Two-part metal structure: upper half chrome-plated and lower half black. Height-adjustable white methacrylate lampshade.	SGD 1.815

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E27 (Max. hgt. 125 mm / 4.9")

Light source included:


LED bulb 12 W

Other light sources:

Max. 100 W

TMD

Miguel Milá
2005



For further information on light sources go to p.139

Composition	
TMD21 + TMDP8	SGD 1.765

Code	Description	
TMD21	Satin nickel structure	SGD 1.105
TMDP8	White linen lampshade	SGD 660

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on /off by pulling lightly on the cable.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E27 (Max. hgt. 125 mm / 4.9")

Light source included:

LED bulb 12 W


Other light sources:

Max. 100 W

TMM

Miguel Milá
1961

For further information on light sources go to p.139

**Composition**

TMMHA + TMMPx*	SGD 1.350
TMMHA + TMMP2D	SGD 1.420
TMMCE + TMMPx*	SGD 1.385
TMMCE + TMMP2D	SGD 1.455
TMMNO + TMMPx*	SGD 1.505
TMMNO + TMMP2D	SGD 1.575
TMMRO + TMMPx*	SGD 1.385
TMMRO + TMMP2D	SGD 1.455
TMMNE + TMMPx*	SGD 1.385
TMMNE + TMMP2D	SGD 1.455

Code Wooden structure

TMMHA	Beech	SGD 735
TMMCE	Cherry	SGD 770
TMMNO	Walnut	SGD 890
TMMRO	Natural oak	SGD 770
TMMNE	Black oak	SGD 770

Parchment lampshade

*TMMP1	Beige	SGD 615
*TMMP2	White	SGD 615
TMMP2D	White with upper diffuser in white translucent methacrylate ^[1]	SGD 685

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

^[1] Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

Light source included:

LED bulb 12 W


Other light sources:

Max. 100 W

Tripode G5

Santa & Cole Team
1997

For further information on light sources go to p.139



Composition

TG501 + TG5Px*	SGD 1.290
TG501 + TG5Px**	SGD 1.340

Code	Structure	
TG501	Black metal	SGD 820

Ribbon lampshade

*TG5P3	Natural	SGD 470
*TG5P5	Red-amber	SGD 470
*TG5P6	Black	SGD 470
**TG5P7	Terracotta Raw Color	SGD 520
**TG5P8	Mustard Raw Color	SGD 520
**TG5P9	Green Raw Color	SGD 520

Dimmer included.



Contact us for further details on the specifics of product versions for contract projects.

Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

Light source included (dimmable):

LED bulb 12 W


Other light sources:

Max. 100 W

Arne Domus

Santa & Cole Team
2015

For further information on built-in LED go to p.144



Code	Structure and canopy	
------	----------------------	--

ARD11	White RAL9002	SGD 1.910
ARD12	Aluminium grey RAL9006	SGD 1.910
ARD13	Mustard RAL1027	SGD 1.910
ARD14	Dark green RAL6015	SGD 1.910

Matte aluminium injection structure.
Acid-etched and tempered glass diffuser.
Metallic circular canopy included with power supply incorporated.
Suitable for dimming 1-10V.
(Not included external dimmer switch 1-10V).
Suitable for outdoor use.
Electric cable length: 4 m / 157.5"
Weight: 6,2 kg / 13.6 lb



UL US LISTED


Light source included (dimmable):

Built-in LED 33 W

Arne S Domus

Santa & Cole Team
2018

For further information on built-in LED go to p.144



Code	Structure and canopy	Dimming ^[1]	
------	----------------------	------------------------	--

ARSD11	White RAL9002	1-10V	SGD 1.500
ARSD11-DALI	White RAL9002	DALI	SGD 1.500
ARSD12	Aluminium grey RAL9006	1-10V	SGD 1.500
ARSD12-DALI	Aluminium grey RAL9006	DALI	SGD 1.500
ARSD13	Mustard RAL1027	1-10V	SGD 1.500
ARSD13-DALI	Mustard RAL1027	DALI	SGD 1.500
ARSD14	Dark green RAL6015	1-10V	SGD 1.500
ARSD14-DALI	Dark green RAL6015	DALI	SGD 1.500

Matte aluminium injection structure with integrated driver.
Primary optics with tempered glass cover.
Metallic circular canopy included.
^[1] Suitable for dimming 1-10V / DALI.
(Not included external dimmer switch 1-10V / DALI).
Suitable for outdoor use.
Electric cable length: 4 m / 157.5"
Weight: 3,3 Kg / 7.2 lb



UL US LISTED

Light source included (dimmable):

Built-in LED 28 W

BlancoWhite
D1 ceiling /
D1 ceiling Up&Down
 Antoni Arola
 2013

For further information on built-in LED go to p.144

Composition

BWD102 + BWF102	SGD 2.080
BWD102 + BWF202 + BWPD12	SGD 2.635

Code	Structure	
BWD102	Graphite metal with matte finish	SGD 1.600

Canopy

BWF102	Circular metal with power supply incorporated	SGD 480
---------------	---	----------------

Up&Down counterweight

BWPD12	Optional	SGD 445
---------------	----------	----------------

Up&Down canopy

BWF202	Optional	SGD 590
---------------	----------	----------------

Option of Up&Down counterweight to adjust height.


Electric cable length: 3 m / 118.1"

Weight: 3 kg / 6.6 lb


Weight with Up&Down counterweight: 4 kg / 8.8 lb



D1 ceiling



D1 ceiling up&down



Light source included:

Built-in LED 22 W

BlancoWhite
D2 ceiling /
D2 ceiling Up&Down
 Antoni Arola
 2013

For further information on built-in LED go to p.144

Composition

BWD202 + BWF102	SGD 2.355
BWD202 + BWF202 + BWPD22	SGD 3.030

Code Structure

BWD202	Graphite metal with matte finish	SGD 1.875
---------------	----------------------------------	------------------

Canopy

BWF102	Circular metal with power supply incorporated	SGD 480
---------------	---	----------------

Up&Down counterweight

BWPD22	Optional	SGD 565
---------------	----------	----------------

Up&Down canopy

BWF202	Optional	SGD 590
---------------	----------	----------------

Option of Up&Down counterweight to adjust height.


Electric cable length: 3 m / 118.1"

Weight: 4 kg / 8.8 lb


Weight with Up&Down counterweight: 5 kg / 11 lb



D2 ceiling



D2 ceiling up&down



Light source included:

Built-in LED 28 W


BlancoWhite R3

Antoni Arola
2013

For further information on built-in LED go to p.144

Code	Description	
BWR302	Graphite metal structure with matte finish. Rectangular metal canopy with power supply incorporated.	SGD 2.700

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Electric cable length: 3 m / 118.1"
Weight: 5,8 kg / 12.8 lb




Light source included (dimmable):
Built-in LED 33 W

BlancoWhite
Golden Gate
 Antoni Arola
 2013

For further information on built-in LED go to p.144

Code	Description	
BWGG02	Graphite metal structure with matte finish. Rectangular metal canopy with power supply incorporated.	SGD 4.720

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
 Includes counterweight to adjust height.
 Electric cable length: 3 m / 118.1”
 Weight: 17,5 kg / 38.5 lb




Light source included (dimmable):
 Built-in LED 66 W

Cirio Simple


Antoni Arola
2010

For further information on built-in LED go to p.144

Canopies



B



Examples of composition

HEFxx* + HEL03 + CIP01	SGD 855
HEFxx* + HEL08 + CIP05	SGD 915
HEFD0x** + HEL03 + CIP06	SGD 1.290
HEFD0x** + HEL08 + CIP01	SGD 1.100

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

^[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades. (p.121).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 1,1 Kg / 2.4 lb



Lampshades





Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

Cirio MúltipleAntoni Arola
2010

For further information on built-in LED go to p.144

**Examples of composition**

CIF11 + 12 HEL03 + 12 CIP01	SGD 8.320
CIF22 + 6 HEL08 + 6 CIP05	SGD 5.480
CIF12 + 8 HEL08 + 8 CIP06	SGD 8.980

Code Circular metal canopy + power supply

CIF11	Black surface dimmable 1-10 V	SGD 1.660
CIF11-DALI	Black surface dimmable DALI	SGD 1.660
CIF12	White surface dimmable 1-10 V	SGD 1.660
CIF12-DALI	White surface dimmable DALI	SGD 1.660
CIF22	White built-in dimmable 1-10 V	SGD 1.790
CIF22-DALI	White built-in dimmable DALI	SGD 1.790

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.



From 6 to a maximum of 12 light sources.


Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p.121).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 8 Kg / 17.5 lb

Lampshades**Light sources included (dimmable):**


Built-in LED 7,7 W

Cirio Cascada 5


Antoni Arola
2017

For further information on built-in LED go to p.144

Spiral
composition



Random
composition



Composition

CIF41* + 5 HEL03 + 5 CIP01	SGD 4.000
CIF41* + 5 HEL08 + 5 CIP01	SGD 4.425
CIF41* + 5 HEL03 + 5 CIP05	SGD 3.875
CIF41* + 5 HEL08 + 5 CIP05	SGD 4.300
CIF41* + 5 HEL03 + 5 CIP06	SGD 5.375
CIF41* + 5 HEL08 + 5 CIP06	SGD 5.800

Code Black metal circular canopy + power supply 5 light sources

*CIF41	Dimming 1-10V	SGD 1.225
*CIF41-DALI	Dimming DALI	SGD 1.225

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 7 Kg / 15.5 lb

8 m: 8 Kg / 17.6 lb



Lampshades



Light sources included (dimmable):

5 x Built-in LED 7,7 W


Cirio Cascada 7

Antoni Arola
2017

For further information on built-in LED go to p.144

Spiral
composition

Random
composition



Composition

CIF51* + 7 HEL03 + 7 CIP01	SGD 5.110
CIF51* + 7 HEL08 + 7 CIP01	SGD 5.705
CIF51* + 7 HEL03 + 7 CIP05	SGD 4.935
CIF51* + 7 HEL08 + 7 CIP05	SGD 5.530
CIF51* + 7 HEL03 + 7 CIP06	SGD 7.035
CIF51* + 7 HEL08 + 7 CIP06	SGD 7.630

Code	Black metal circular canopy + power supply 7 light sources	
*CIF51	Dimming 1-10V	SGD 1.225
*CIF51-DALI	Dimming DALI	SGD 1.225

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 9 Kg / 19.8 lb

8 m: 10 Kg / 22 lb



Lampshades



Light sources included (dimmable):

7 x Built-in LED 7,7 W


Cirio Cascada 9

Antoni Arola
2017

For further information on built-in LED go to p.144

Spiral
composition

Random
composition



Composition

CIF61* + 9 HEL03 + 9 CIP01	SGD 6.365
CIF61* + 9 HEL08 + 9 CIP01	SGD 7.130
CIF61* + 9 HEL03 + 9 CIP05	SGD 6.140
CIF61* + 9 HEL08 + 9 CIP05	SGD 6.905
CIF61* + 9 HEL03 + 9 CIP06	SGD 8.840
CIF61* + 9 HEL08 + 9 CIP06	SGD 9.605

Code Black metal circular canopy + power supply 9 light sources

*CIF61	Dimming 1-10 V	SGD 1.370
*CIF61-DALI	Dimming DALI	SGD 1.370

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 12 Kg / 26.5 lb

8 m: 14 Kg / 30.9 lb



Lampshades



Light sources included (dimmable):


9 x Built-in LED 7,7 W

Cirio Cascada 12

Antoni Arola

2017

For further information on built-in LED go to p.144



Composition

CIF71* + 12 HEL03 + 12 CIP01	SGD 8.460
CIF71* + 12 HEL08 + 12 CIP01	SGD 9.480
CIF71* + 12 HEL03 + 12 CIP05	SGD 8.160
CIF71* + 12 HEL08 + 12 CIP05	SGD 9.180
CIF71* + 12 HEL03 + 12 CIP06	SGD 11.760
CIF71* + 12 HEL08 + 12 CIP06	SGD 12.780

Code Black metal rectangular canopy + power supply 12 light sources

*CIF71	Dimming 1-10 V	SGD 1.800
*CIF71-DALI	Dimming DALI	SGD 1.800

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 18 Kg / 39.7 lb

8 m: 20 Kg / 44 lb



Lampshades




Light sources included (dimmable):

12 x Built-in LED 7,7 W

Cirio Circular M

Antoni Arola
2010

For further information on built-in LED go to p.144



Examples of composition

CIR28 + 2 CIF01 + 28 CIP01	SGD 19.990
CIR28 + 2 CIF31 + 28 CIP05	SGD 19.150

Code	Black metal structure	Light sources	
CIR28	Circular Ø 300 cm / 118,1"	28	SGD 8.920

Black metal canopy + power supply		Drawing
CIF01	Circular Dimming DALI / DSI / SWITCH DIM	C SGD 985
CIF31	Rectangular Dimming 1-10V	R SGD 915
CIF31-DALI	Rectangular Dimming DALI	R SGD 915

Lampshade		Finish	
CIP01	White porcelain	Matte interior and gloss exterior	PP SGD 325
CIP05	White opal glass	Matte	PV SGD 300
CIP06	Brass	Polished	PL SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming.


(Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 33 Kg / 72.8 lb



Lampshades



Ceiling rosettes



Light sources included (dimmable):

Not dimmable (CIF01): 28 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 28 x Built-in LED 7,7 W

Cirio Circular L

Antoni Arola
2010

For further information on built-in LED go to p.144

Examples of composition

CIR42 + 3 CIF01 + 42 CIP01	SGD 31.535
CIR42 + 3 CIF31 + 42 CIP05	SGD 30.275

Code	Black metal structure	Light sources		
CIR42	Circular Ø 520 cm / 204.7"	42		SGD 14.930
Black metal canopy + power supply			Drawing	
CIF01	Circular Dimming DALI / DSI / SWITCH DIM		C	SGD 985
CIF31	Rectangular Dimming 1-10V		R	SGD 915
CIF31-DALI	Rectangular Dimming DALI		R	SGD 915
Lampshade		Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 47 Kg / 103.5 lb




Light sources included (dimmable):


Not dimmable (CIF01): 42 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 42 x Built-in LED 7,7 W


Examples of composition: **S + M + L**



Lampshades



Canopies



Cirio Oval
Antoni Arola
2010

For further information on built-in LED go to p.144

Examples of composition

CIL05 + CII05 + CIR28 + 3 CIF01 + 4 CIN01 + 38 CIP01	SGD 30.885
CIL05 + CII05 + CIR28 + 3 CIF31 + 4 CIN01 + 38 CIP05	SGD 29.725

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	SGD 3.110
CII05	End	5	B	SGD 3.110
CIR28	Circular Ø 300 cm / 118.1"	28	M	SGD 8.920

Black metal canopy + power supply

CIF01	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 985
CIF02	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 1.070
CIF31	Rectangular Dimming 1-10V	R	SGD 915
CIF31-DALI	Rectangular Dimming DALI	R	SGD 915

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Metal connector (to join modules)

CIN01	Linear	SGD 110
--------------	--------	----------------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 46 Kg / 101.5 lb



Light sources included (dimmable):



Not dimmable (CIF01 / CIF02): 38 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 38 x Built-in LED 7,7 W



Lampshades

Canopies



Cirio Lineal

Antoni Arola
2010

For further information on built-in LED go to p.144

Examples of composition

CIL05 + CIF02 + 5 CIP01	SGD 5.805
CIL05 + CIF31 + 5 CIP06	SGD 7.025
CIL05 + 2 CII05 + CIF01 + 2 CIN01 + 15 CIP01	SGD 15.410
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP01	SGD 15.340
CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP05	SGD 14.965

Code	Black metal structure	Light sources	Drawing	
CIL05	Linear	5	A	SGD 3.110
CII05	End	5	B	SGD 3.110

Code	Black metal canopy + power supply		
CIF01	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	C	SGD 985
CIF02	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	D	SGD 1070
CIF31	Rectangular Dimming 1-10V	R	SGD 915
CIF31-DALI	Rectangular Dimming DALI	R	SGD 915

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Metal connector (to join modules)			
CIN01	Linear		SGD 110

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"

Weight Cirio Lineal (A) (with canopy and porcelain lampshade): 7,5 Kg / 16.5 lb

Weight Cirio Final (B) (with porcelain lampshade): 4,5 Kg / 10 lb



Composition instructions:



Circular canopy: For 1 module use CIF02. For 2 or 3 modules use CIF01.

Rectangular canopy: The installation of a new canopy is needed every 3 modules.

Light sources included (dimnable):



Not dimmable (CIF01 / CIF02): 5 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 5 x Built-in LED 7,7 W



Lampshades

Canopies



Cirio Chandelier S

Antoni Arola
2015

For further information on built-in LED go to p.144

Composition

CIC20* + 20 CIP01	SGD 15.420
CIC20* + 20 CIP05	SGD 14.920
CIC20* + 20 CIP06	SGD 20.920

Code **Black metal circular structure Ø100 cm / 39.4"**

*CIC20	Dimming 1-10 V	SGD 8.920
*CIC20-DALI	Dimming DALI	SGD 8.920

	Lampshade	Finish		Drawing
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 25 Kg / 55 lb



Light sources included (dimmable):

20 x Built-in LED 5,7 W

Cirio Chandelier M

Antoni Arola
2015

For further information on built-in LED go to p.144

Composition

CIC30* + 30 CIP01	SGD 22.845
CIC30* + 30 CIP05	SGD 22.095
CIC30* + 30 CIP06	SGD 31.095

Code **Black metal circular structure Ø130 cm / 51.2"**

*CIC30	Dimming 1-10 V	SGD 13.095
*CIC30-DALI	Dimming DALI	SGD 13.095

	Lampshade	Finish		Drawing
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 35 kg / 77 lb




Light sources included (dimmable):

30 x Built-in LED 5,7 W


A



B



Lampshades



Cirio Chandelier L

Antoni Arola
2015

For further information on built-in LED go to p.144

Composition

CIC40* + 40 CIP01	SGD 30.485
CIC40* + 40 CIP05	SGD 29.485
CIC40* + 40 CIP06	SGD 41.485

Code **Black metal circular structure Ø160 cm / 63"**

*CIC40	Dimming 1-10 V	SGD 17.485
*CIC40-DALI	Dimming DALI	SGD 17.485

	Lampshade	Finish		Drawing
CIP01	White porcelain	Matte interior and gloss exterior	PP	SGD 325
CIP05	White opal glass	Matte	PV	SGD 300
CIP06	Brass	Polished	PL	SGD 600

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"




Weight (with porcelain lampshade): 50 kg / 110 lb






Light sources included (dimmable):

40 x Built-in LED 5,7 W


A



B



Lampshades




Estadio 105

1 support

Miguel Milá
1992

For further information on light sources go to p.139



Composition

EST10 + FSCG1 SGD 16.730

Code	Description	
EST10	Black metal structure with glass block lampshade	SGD 13.610
FSCG1	1 support hanging system	SGD 3.120

Light source

6BOM41 LED bulb 12 W - 2.700 K SGD 75

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 93 kg / 205 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

12 x LED bulb 12 W

Other light sources:


Max. 12 x 75 W

Estadio 105

3 supports

Miguel Milá
1992

For further information on light sources go to p.139



Composition

EST10 + FSCG3 SGD 16.025

Code	Description	
EST10	Black metal structure with glass block lampshade	SGD 13.610
FSCG3	3 supports hanging system	SGD 2.415

Light source

6BOM41 LED bulb 12 W - 2.700 K SGD 75

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 93 Kg / 205 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

12 x LED bulb 12 W


Other light sources:

Max. 12 x 75 W

Estadio 150

1 support

Miguel Milá
1992



Composition

EST15 + FSCG1 **SGD 22.060**

Code	Description	
------	-------------	--

EST15	Black metal structure with glass block lampshade	SGD 18.940
FSCG1	1 support hanging system	SGD 3.120

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.5"
Weight: 158 Kg / 348 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

18 x LED bulb 12 W


Other light sources:

Max. 18 x 75 W

Estadio 150

3 supports

Miguel Milá
1992



For further information on light sources go to p.139

Composition

EST15 + FSCG3 **SGD 21.355**

Code	Description	
------	-------------	--

EST15	Black metal structure with glass block lampshade	SGD 18.940
FSCG3	3 supports hanging system	SGD 2.415

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Stainless steel structure hanging system.
Satin nickel canopy included.
Electric cable length: 4 m / 157.4"
Weight: 158 Kg / 348 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

18 x LED bulb 12 W

Other light sources:


Max. 18 x 75 W

Estadio 250

1 support

Miguel Milá
1992

For further information on light sources go to p.139



Composition

EST24 + FSCG1 SGD 36.460

Code Description

EST24 Black metal structure with glass block lampshade SGD 33.340
FSCG1 1 support hanging system SGD 3.120

Light source

6BOM41 LED bulb 12 W - 2.700 K SGD 75

The structure is delivered in 2 parts.
 Stainless steel structure hanging system.
 Satin nickel canopy included.
 Electric cable length: 4 m / 157.5"
 Weight: 330 Kg / 728 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

24 x LED bulb 12 W

Recommended light source:


Max. 24 x 75 W

Estadio 250

3 supports

Miguel Milá
1992

For further information on light sources go to p.139



Composition

EST24 + FSCG3 SGD 35.755

Code Description

EST24 Black metal structure with glass block lampshade SGD 33.340
FSCG3 3 supports hanging system SGD 2.415

Light source

6BOM41 LED bulb 12 W - 2.700 K SGD 75

The structure is delivered in 2 parts.
 Stainless steel structure hanging system.
 Satin nickel canopy included.
 Electric cable length: 4 m / 157.5"
 Weight: 330 Kg / 728 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

24 x LED bulb 12 W


Other light sources:

Max. 24 x 75 W

Línea Estadio

Miguel Milá
2014

For further information on light sources go to p.139



Examples of composition	Modules	Drawing	
ESTL1	1 module	A	SGD 7.430
ESTL1 + ESTL2	2 modules	A + B	SGD 14.080
ESTL1 + 2 ESTL2 + ESTL3	4 modules (with 75 W light source)	A + 2B + C	SGD 28.160

Code	Structure with hanging system		
ESTL1	Initial module	A	SGD 7.430
ESTL2	Alignment module	B	SGD 6.650
ESTL3	Power supply module (> 1200 W)	C	SGD 7.430

Light source


6BOM41	LED bulb 12 W - 2.700 K	SGD 75
--------	-------------------------	--------

Black metal structure with glass block lampshade.
Stainless steel hanging system.
Satin nickel metallic canopy included.




Maximum 1200W per line (6A). One connection per line.
For more than 1200 W, use an extra power supply module (ESTL3).
Electric cable length: 4 m / 157.5"
Weight (1 module): 52 kg / 115 lb

Examples of composition: A + B



Examples of composition with light source 75 W (> 1200 W): A + 2B + C



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

5 x LED bulb 12 W


Other light sources:

Max. 5 x 75 W

Globo Cesta

Miguel Milá
2018

For further information on light sources go to p.139



Code	Description	
CES04	White opal glass lampshade. Black metallic circular canopy.	SGD 940

Suitable for side entry adaptor.
Electric cable length: 3 m / 118.1"
Weight: 2,7 kg / 5.9 lb



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included:

LED bulb 12 W

Other light sources:

Max. 75 W

Maximum bulb diameter: 70 mm / 2.7"

Globo Cestita

Miguel Milá
2018

For further information on light sources go to p.139



Code	Description	
CES15	White opal glass lampshade. Black metallic circular canopy.	SGD 675

Suitable for side entry adaptor.
Electric cable length: 3 m / 118.1"
Weight: 1,1 kg / 2.4 lb



Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 40 W

GT4

Gabriel Ordeig Cole
1983

For further information on light sources go to p.139

**Composition**

SIS13 + PGT41	SGD 1.075
SIS21B + PGT41	SGD 1.060
SIS21N + PGT41	SGD 1.060
SIS22 + PGT41	SGD 1.060

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PGT41	Stitched beige parchment	SGD 820
--------------	--------------------------	----------------

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

LED bulb 12 W


Other light sources:

Max. 60 W

GT5

Santa & Cole Team
1994

For further information on light sources go to p.139

**Examples of composition**

SIS13 + GT513	SGD 930
SISD13 + GT507	SGD 1.145

Code	Sisisi canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240
SISD13	Satin nickel	Black	Double	SGD 385
SISD21B	Textured white finish	White	Double	SGD 350
SISD21N	Textured white finish	Black	Double	SGD 350
SISD22	Textured black finish	Black	Double	SGD 350

Ribbon lampshade

GT513	Natural	SGD 675
GT515	Red-amber	SGD 675
GT516	Black	SGD 675
GT507	Terracotta Raw Color	SGD 760
GT508	Mustard Raw Color	SGD 760
GT509	Green Raw Color	SGD 760

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (not included):

1 x / 2 x LED bulb 12 W


Other light sources:

Max. 1 x / 2 x 100 W

GT6

Santa & Cole Team
1994

For further information on light sources go to p.139

**Examples of composition**

SIS13 + GT613	SGD 775
SISD13 + GT607	SGD 950

Code	Sisis canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240
SISD13	Satin nickel	Black	Double	SGD 385
SISD21B	Textured white finish	White	Double	SGD 350
SISD21N	Textured white finish	Black	Double	SGD 350
SISD22	Textured black finish	Black	Double	SGD 350

Lampshade

GT613	Natural ribbon	SGD 520
GT615	Red-amber ribbon	SGD 520
GT616	Black ribbon	SGD 520
GT607	Terracotta Raw Color ribbon	SGD 565
GT608	Mustard Raw Color ribbon	SGD 565
GT609	Green Raw Color ribbon	SGD 565
GT618	White linen	SGD 520

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Recommended light source (not included):

1 x / 2 x LED bulb 12 W


Other light sources:

Max. 1 x / 2 x 100 W

GT7

Santa & Cole Team
2000

For further information on light sources go to p.139

**Composition**

GT701 + GT722 + GT7Px*	SGD 2.105
GT701 + GT722 + GT7Px**	SGD 2.250
GT701 + GT713 + GT7Px*	SGD 2.130
GT701 + GT713 + GT7Px**	SGD 2.275

Code Socket assembly

GT701	White with black cable	SGD 555
-------	------------------------	---------

Circular metal canopy

GT722	Black	SGD 205
GT713	Satin nickel	SGD 230

Ribbon lampshade

*GT7P3	Natural	SGD 1.345
*GT7P5	Red-amber	SGD 1.345
*GT7P6	Black	SGD 1.345
**GT7P7	Terracotta Raw Color	SGD 1.490
**GT7P8	Mustard Raw Color	SGD 1.490
**GT7P9	Green Raw Color	SGD 1.490

Black metal disc on the upper part: Ø 40 cm / 15.6"

and translucent white PVC diffuser disc

on the lower part: Ø 60 cm / 23.7"

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 8 m / 315"

Weight: 7 Kg / 15 lb

**Bulb socket:**

E27 (Max. hgt. 137 mm / 5.4")

Light source included:

3 x LED bulb 12 W


Other light sources:

Max. 3 x 60 W

GT1000

Santa & Cole Team
2013

For further information on built-in LED go to p.144

**Composition**

GT1502 + GT10Px*	SGD 5.980
GT1502 + GT10Px**	SGD 6.195

Code Electrical structure + lamp socket

GT1502	LED	SGD 2.895
---------------	------------	------------------

Ribbon lampshade

*GT10P3	Natural	SGD 3.085
*GT10P5	Red-amber	SGD 3.085
*GT10P6	Black	SGD 3.085
**GT10P7	Terracotta Raw Color	SGD 3.300
**GT10P8	Mustard Raw Color	SGD 3.300
**GT10P9	Green Raw Color	SGD 3.300

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 83 cm. / 32.7".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 12 Kg / 26.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

GT1500

Santa & Cole Team
2011

For further information on built-in LED go to p.144

**Composition**

GT1502 + GT15Px*	SGD 7.455
GT1502 + GT15x**	SGD 7.795

Code Electrical structure + lamp socket

GT1502	LED	SGD 2.895
---------------	-----	------------------

Ribbon lampshade

*GT15P3	Natural	SGD 4.560
*GT15P5	Red-amber	SGD 4.560
*GT15P6	Black	SGD 4.560
**GT15P7	Terracotta Raw Color	SGD 4.900
**GT15P8	Mustard Raw Color	SGD 4.900
**GT15P9	Green Raw Color	SGD 4.900

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 125 cm / 49.2".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 17 Kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

HeadHat Bowl S

Santa & Cole Team
2013

For further information on built-in LED go to p.144



Examples of composition

HEFxx* + HEL03 + HATS1x*	SGD 760
HEFxx* + HEL08 + HATS1x*	SGD 845
HEFD0x** + HEL03 + HATS1x*	SGD 920
HEFD0x** + HEL08 + HATS1x*	SGD 1.005

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Lampshade

*HATS12	White ceramic S	SGD 230
*HATS11	Black ceramic S	SGD 230

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

^[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,1 kg / 2.4 lb



Canopies



Light source included (dimmable) *:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Bowl L

Santa & Cole Team
2013

For further information on built-in LED go to p.144



Examples of composition

HEFxx* + HEL03 + HATL1x*	SGD 870
HEFxx* + HEL08 + HATL1x*	SGD 955
HEFD0x** + HEL03 + HATL1x*	SGD 1.030
HEFD0x** + HEL08 + HATL1x*	SGD 1.115

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Lampshade

*HATL12	White ceramic L	SGD 340
*HATL11	Black ceramic L	SGD 340

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

^[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures.(p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,6 kg / 3.5 lb



Canopies



Light source included (dimmable) *:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate S

Santa & Cole Team
2013

For further information on built-in LED go to p.144

New color



Examples of composition

HEFxx* + HEL03 + HATS02	SGD 990
HEFxx* + HEL08 + HATS03	SGD 1.075
HEFD0x** + HEL03 + HATS04	SGD 1.150
HEFD0x** + HEL08 + HATS05	SGD 1.235

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Metallic lampshade

HATS02	White	SGD 460
HATS03	Berry blue	SGD 460
HATS04	Truffle brown	SGD 460
HATS05	Hematite red	SGD 460

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

^[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,5 kg / 3 lb



Canopies



Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate M

Santa & Cole Team
2013

For further information on built-in LED go to p.144

New color



Examples of composition

HEFxx* + HEL03 + HATM02	SGD 1.060
HEFxx* + HEL08 + HATM03	SGD 1.145
HEFD0x** + HEL03 + HATM04	SGD 1.220
HEFD0x** + HEL08 + HATM05	SGD 1.305

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Metallic lampshade

HATM02	White	SGD 530
HATM03	Berry blue	SGD 530
HATM04	Truffle brown	SGD 530
HATM05	Hematite red	SGD 530

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

^[1]Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,9 kg / 4.2 lb



Canopies



Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

HeadHat Plate L

Santa & Cole Team
2013

For further information on built-in LED go to p.144

New color



Examples of composition

HEFxx* + HEL03 + HATL02	SGD 1.325
HEFxx* + HEL08 + HATL03	SGD 1.410
HEFD0x** + HEL03 + HATL04	SGD 1.485
HEFD0x** + HEL08 + HATL05	SGD 1.570

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Metallic lampshade

HATL02	White	SGD 795
HATL03	Berry blue	SGD 795
HATL04	Truffle brown	SGD 795
HATL05	Hematite red	SGD 795

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

^[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 3 kg / 6.8 lb



Canopies



Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

La Colilla
Carles Riart
1976

For further information on light sources go to p.139

Code	Description	
COL01	Methacrylate diffuser tube	SGD 565

Plug without switch.
Electric cable length: 3 m / 118.1"
Weight: 1 kg / 2.2 lb



Light source included:
Neon bulbs strip 6 W

Lámina 45

Antoni Arola
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAM451	0-10V	SGD 1.345
LAM451-DALI	DALI	SGD 1.345

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 2,8 Kg / 6.2 lb



Light source included (dimmable):

Built-in LED 18 W

Sistema Lámina 45

Antoni Arola
2018

For further information on built-in LED go to p.144

Examples of composition	Modules	Drawing	
LAM452	2 modules	A	SGD 2.580
LAM452 + LAM453	3 modules	A + B	SGD 3.985
LAM452 + 2 LAM453	4 modules	A + 2B	SGD 5.390

Code	Structure with hanging system	Dimming		
LAM452	Initial and final doble module	0-10V	A	SGD 2.580
LAM452-DALI	Initial and final doble module	DALI	A	SGD 2.580
LAM453	Intermediate module	0-10V	B	SGD 1.405
LAM453-DALI	Intermediate module	DALI	B	SGD 1.405

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.


(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 4 Kg / 8.8 lb



Examples of composition



Light source included (dimmable):

Built-in LED 31 W


Lámina 85

Antoni Arola
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAM851	0-10V	SGD 1.585
LAM851-DALI	DALI	SGD 1.585

Black metal structure with matte finish.
S&C white metallic shade with brilliant finish (exterior).
Polycarbonate diffuser.
Suitable for dimming 0-10V / DALI.
(Not included external dimmer switch 0-10V / DALI).
Electric cable length: 3 m / 118.1"
Weight: 3,7 Kg / 8.2 lb

**Light source included (dimmable):**

Built-in LED 31 W

Sistema Lámina 85

Antoni Arola
2018

For further information on built-in LED go to p.144

Examples of composition	Modules	Drawing
LAM852	2 modules	A SGD 3.025
LAM852 + LAM853	3 modules	A + B SGD 4.685
LAM852 + 2 LAM853	4 modules	A + 2B SGD 6.345

Code	Structure with hanging system	Dimming		
LAM852	Initial and final doble module	0-10V	A	SGD 3.025
LAM852-DALI	Initial and final doble module	DALI	A	SGD 3.025
LAM853	Intermediate module	0-10V	B	SGD 1.660
LAM853-DALI	Intermediate module	DALI	B	SGD 1.660

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.


(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 5,9 Kg / 13 lb



Examples of composition



Light source included (dimmable):

Built-in LED 54 W

Lámina 165

Antoni Arola
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAM1651	0-10V	SGD 1.960
LAM1651-DALI	DALI	SGD 1.960

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 3,8 Kg / 8.4 lb



Light source included (dimmable):

Built-in LED 54 W

Lámina Mayor

Antoni Arola
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAMM	0-10V	SGD 2.140
LAMM-DALI	DALI	SGD 2.140

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 12,3 Kg / 27.1 lb




Light source included (dimmable):

Built-in LED 44 W

Leonardo 60

Antoni Arola
2003

For further information on light sources go to p.139



Code	Description	
LEO02	Slats of natural birch wood	SGD 2.800

Stainless steel inner structure.
White metallic circular canopy included.
Electric cable length: 3 m / 118.1"
Weight: 3 Kg / 6.6 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Light source included:

LED bulb 12 W


Other light sources:

Max. 100 W

Leonardo 100

Antoni Arola
2003

For further information on light sources go to p.139



Code	Description	
LEO12	Slats of natural birch wood	SGD 7.430

Stainless steel inner structure.
White metallic circular canopy included.
Electric cable length: 3 m / 118.1"
Weight: 3,7 kg / 8.2 lb



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Light source included:


LED bulb 12 W

Other light sources:

Max. 100 W

Liceo 70

Lluís Dilmé, Xavier Fabré,
Eulàlia Serra,
Ignasi de Solà-Morales
1999



For further information on light sources go to p.139

Code	Description	
LIC11	Satin brass structure Bronze net lampshade	SGD 13.240



Circular polished brass canopy included.
Electric cable length: 3 m / 118.1"
Weight: 15 kg / 33 lb

Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Light source included:


3 x LED bulb 12 W

Other light sources:

Max. 3 X 75 W

Liceo 120

Lluís Dilmé, Xavier Fabré,
Eulàlia Serra,
Ignasi de Solà-Morales
1999



For further information on light sources go to p.139

Code	Description	
LIC31	Satin brass structure Bronze net lampshade	SGD 33.940



Circular polished brass canopy included.
Electric cable length: 3 m / 118.1"
Weight: 45 kg / 99 lb

Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Light source included:


3 x LED bulb 12 W

Other light sources:

Max. 3 X 75 W

M64Miguel Milá
1964

For further information on built-in LED go to p.144

**Examples of composition**

HEFxx* + HEL03 + M640x*	SGD 1.035
HEFxx* + HEL08 + M6404	SGD 1.325
HEFD0x** + HEL03 + M640x*	SGD 1.195
HEFD0x** + HEL08 + M6404	SGD 1.485

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 300
*HEF02	White surface (not dimmable)	A	SGD 300
**HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
**HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
**HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
*HEF12	White built-in (not dimmable)	B	SGD 300

LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Lampshade

*M6401	White matte aluminium	SGD 505
*M6402	Black matte aluminium	SGD 505
*M6403	Polished aluminium	SGD 505
*M6405	Brilliant red aluminium	SGD 505
M6404	Brass	SGD 710

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

^[1] Suitable for dimming 1-10V / DALI.


(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures. (p.42-43).

Electric cable length: 3 m / 118.1 - 8 m / 315"

Weight with brass lampshade: 1,35 kg / 2.98 lb

Weight with aluminium lampshade: 1 kg / 2.2 lb

**Canopies****Light source included:**

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

M68

Miguel Milá

1962

For further information on light sources go to p.139



Code	Lampshade	Circular canopy	
CAM02	White matte aluminium	White	SGD 1.010
CAM03	Polished aluminium	Chrome-plated	SGD 900
CAM05	Brilliant red aluminium	Red	SGD 1.045
CAM06	Black matte aluminium	Black	SGD 1.045

Canopy suitable for side entry adaptor. (p.119).

Electric cable length: 3 m / 118.1"

Weight: 1,6 kg / 3.5 lb

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Light source included:

LED bulb 12 W


Other light sources:

Max. 100 W

Maija 15

Ilmari Tapiovaara
1955

For further information on built-in LED go to p.144



Code Metallic lampshades

MAI32L White

SGD 1.260

MAI324L Nude rose

SGD 1.260

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 1,4 kg / 3.1 lb




Light source included (dimmable):

Built-in LED 6 W

Maija 30

Ilmari Tapiovaara
1955

For further information on built-in LED go to p.144



Code Metallic lampshades

MAI31L White

SGD 1.620

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 2,9 kg / 6.4 lb




Light source included (dimmable):

Built-in LED 8,4 W




Moaré

Antoni Arola
2003

For further information on light sources go to p.139



Lampshades



Examples of composition

MRE31 + MREXx*	SGD 1.515
MRE31 + MREXx* + MRESx*	SGD 1.865
MRE31 + MRELx*	SGD 1.730
MRE31 + MRELx* + MREXx*	SGD 2.345
MRE31 + MREXx*	SGD 2.270
MRE31 + MREXx* + MREXx*	SGD 2.885
MRE31 + MREXx* + MRELx*	SGD 3.100

Code	Structure	
MRE31	With cylindrical acrylsatiné methacrylate diffuser	SGD 900

Lampshade S

*MRES3	White	SGD 350
*MRES5	Red	SGD 350
*MRES6	Grey	SGD 350

Lampshade M

*MREM3	White	SGD 615
*MREM5	Red	SGD 615
*MREM6	Grey	SGD 615
*MREM7	Black	SGD 615

Lampshade L

*MREL3	White	SGD 830
*MREL5	Red	SGD 830
*MREL6	Grey	SGD 830
*MREL7	Black	SGD 830

Lampshade X

*MREX3	White	SGD 1.370
*MREX5	Red	SGD 1.370
*MREX6	Grey	SGD 1.370
*MREX7	Black	SGD 1.370

Metallic graphite black square canopy included.

Polyester lampshade.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

Light source included:

3 x LED bulb 12 W


Other light sources:

Max. 3 x 100 W

Moaré Liviana S

Antoni Arola
2017

For further information on light sources go to p.139



Composition

SIS13 + MRESL3	SGD 750
SIS21B + MRESL3	SGD 735
SIS21N + MRESL3	SGD 735
SIS22 + MRESL3	SGD 735

Code	Sisís canopy (metallic structure)	Cable	Light source	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Polyester lampshade

MRESL3	White S	SGD 495
---------------	---------	----------------

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

White cardboard cylindrical diffuser.

Electric cable length: 3 m / 118.1"



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

LED bulb 12 W


Other light sources:

Max. 60 W

Moaré Liviana M

Antoni Arola
2017

For further information on light sources go to p.139

**Composition**

SIS13 + MREML3	SGD 1.015
SIS21B + MREML3	SGD 1.000
SIS21N + MREML3	SGD 1.000
SIS22 + MREML3	SGD 1.000

Code	Sisis canopy (metallic structure)	Cable	Light source	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Polyester lampshade

MREML3	White M	SGD 760
---------------	---------	----------------

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

White cardboard cylindrical diffuser.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

LED bulb 12 W


Other light sources:

Max. 60 W

Nagoya

Ferran Freixa
1961

For further information on light sources go to p.139



Code	Description	
NAGN3	Wood strips lampshade	SGD 880

With plug.

Electric cable length: 3 m / 118.1"

Weight: 1,1 kg / 2.4 lb

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

Light source included:

LED bulb 12 W


Other light sources:

Max. 60 W

Nimba 60

Antoni Arola
1997

For further information on built-in LED go to p.144



Code	Stainless steel structure	
NIM06LED	Matte finish. Dimmable 1-10 V	SGD 5.965
NIM06LED-DALI	Matte finish. Dimmable DALI	SGD 5.965
NIM063LED	Golden finish. Dimmable 1-10 V	SGD 6.350
NIM063LED-DALI	Golden finish. Dimmable DALI	SGD 6.350

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 7,4 kg / 16.3 lb




Light source included (dimmable):

Built-in LED 45 W

Nimba 90

Antoni Arola
1997

For further information on built-in LED go to p.144



Code	Stainless steel structure	
NIM09LED	Matte finish. Dimmable 1-10 V	SGD 7.645
NIM09LED-DALI	Matte finish. Dimmable DALI	SGD 7.645
NIM093LED	Golden finish. Dimmable 1-10 V	SGD 7.860
NIM093LED-DALI	Golden finish. Dimmable DALI	SGD 7.860

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 9,5 kg / 20.9 lb




Light source included (dimmable):

Built-in LED 65 W

Nimba 120Antoni Arola
1997

For further information on built-in LED go to p.144

**Code****Stainless steel structure**

NIM12LED	Matte finish. Dimmable 1-10 V	SGD 11.835
NIM12LED-DALI	Matte finish. Dimmable DALI	SGD 11.835
NIM123LED	Golden finish. Dimmable 1-10 V	SGD 12.040
NIM123LED-DALI	Golden finish. Dimmable DALI	SGD 12.040

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight: 12,6 kg / 27.8 lb

**Light source included (dimmable):**

Built-in LED 95 W

Nimba 180Antoni Arola
1997

For further information on built-in LED go to p.144

**Code****Stainless steel structure**

NIM18LED	Matte finish. Dimmable 1-10 V	SGD 20.605
NIM18LED-DALI	Matte finish. Dimmable DALI	SGD 20.605
NIM183LED	Golden finish. Dimmable 1-10 V	SGD 20.805
NIM183LED-DALI	Golden finish. Dimmable DALI	SGD 20.805

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 17 kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 140 W

Sexta

Miguel Milá
2003

For further information on light sources go to p.139



Composition

SXT41 + SXT01	SGD 4.315
SXT41 + SXT02	SGD 4.340
SXT41 + SXT03	SGD 4.675
SXT41 + SXT00	SGD 3.920
SXT41 + SXT01 + 6SXT03	SGD 4.700
SXT41 + SXT02 + 6SXT03	SGD 4.725
SXT41 + SXT03 + 6SXT03	SGD 5.060
SXT41 + SXT00 + 6SXT03	SGD 4.305

Code 6 Lampshades

SXT41 White translucent PVC SGD 3.700

6 Lower discs (optionals)

6SXT03 Translucent opal methacrylate SGD 385

Telescopic tube

SXT01	40 / 75 cm - 15.75 / 29.5"	SGD 615
SXT02	82 / 152 cm - 32.3 / 59.8"	SGD 640
SXT03	156 / 302 cm - 61.4 / 118.9"	SGD 975
SXT00	Without telescopic tube	SGD 220

Chrome-plated structure, pendulous and telescopic support.

Chrome-plated metallic circular canopy included.

Suitable for side entry adaptor (p.119).

Weight: 6 Kg / 13.2 lb



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included:

6 x LED bulb 12 W


Other light sources:

Max. 6 x 60 W

Sexta 12

Miguel Milá
2014

For further information on light sources go to p.139



Code Structure and circular canopy

SXT12 Chrome-plated **SGD 6.900**

12 lower discs (optional)

6SXT04 Translucent opal methacrylate **SGD 675**

Hanging system of 1 support.
12 white translucent PVC lampshades.
Weight: 8,2 kg / 18 lb



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Light source included:

12 x LED bulb 12 W

Other light sources:

Max. 12 x 60 W


Sistema Fonda

Gabriel Ordeig Cole


1990

For further information on light sources go to p.139


AP1



AP2



AM1



Examples of composition	Structure	Drawing
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP101	3 Lampshades	AP1 SGD 2.235
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP201	3 Lampshades	AP2 SGD 2.295
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PM101	3 Lampshades	AM1 SGD 2.265
6 FON23 + 2 FONU3 + 4 FONA3 + CSF01 + FSC13 + 18 PP203	18 Lampshades	SGD 11.145

Code	Structure		
FON13	For 1 lampshade	B	SGD 435
FON23	For 3 lampshades	C	SGD 1.010

Lampshade P1

PP101	Stitched beige parchment	P1	SGD 160
PP103	Natural ribbon	P1	SGD 145
PP105	Red-amber ribbon	P1	SGD 145
PP106	Black ribbon	P1	SGD 145
PP107	Terracotta Raw Color ribbon	P1	SGD 180
PP108	Mustard Raw Color ribbon	P1	SGD 180
PP109	Green Raw Color ribbon	P1	SGD 180

Lampshade P2

PP201	Stitched beige parchment	P2	SGD 180
PP203	Natural ribbon	P2	SGD 170
PP208	White linen	P2	SGD 240

Lampshade M1

PM101	Stitched beige parchment	M1	SGD 170
PM103	Natural ribbon	M1	SGD 160
PM105	Red-amber ribbon	M1	SGD 160
PM106	Black ribbon	M1	SGD 160
PM107	Terracotta Raw Color ribbon	M1	SGD 195
PM108	Mustard Raw Color ribbon	M1	SGD 195
PM109	Green Raw Color ribbon	M1	SGD 195
PML108	White linen	M1	SGD 230

Connection

FONF3	End	D	SGD 220
FONU3	Intermediate	E	SGD 230
FONA3	90° angle	F	SGD 315


Canopy

CSF01	3 m / 118.1" electric cable	SGD 75
FSC13	S&C canopy	SGD 230




Lampshades


P1



P2




M1




Structure

B




C




D



E



F



Satin nickel tubular structure with natural beech wood supports for 1 or 3 lampshades.

S&C satin nickel metallic canopy. Suitable for side entry adaptor.

Maximum 1200 W per line (6A). One connection per line.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Weight structure for 3 lampshades (without lampshade): 2.7 kg / 5.9 lb

Weight structure for 18 lampshades (without lampshade): 13 kg / 29 lb

Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")


Light source included:

1 x / 3 x LED bulb 12 W

Other light sources:

Max. 1 x / 3 x 100 W

Examples of composition



Sistema Gran Fonda

Gabriel Ordeig Cole
1990

For further information on light sources go to p.139

Examples of composition		Structure	
FON18 + 2 FONF3 + PGF15 + FSC13 + CSF01		For 1 lampshade	SGD 1.780
FON18 + FON28 + 2 FONF3 + FONU3 + 3 PGF13 + FSC13 + CSF01		For 3 lampshades	SGD 3.970
Code	Structure	Drawing	
FON18	For 1 lampshade	B	SGD 530
FON28	For 2 lampshades	C	SGD 950
Lampshade			
PGF13	Natural ribbon	D	SGD 505
PGF15	Red-amber ribbon	D	SGD 505
PGF16	Black ribbon	D	SGD 505
PGF17	Terracotta Raw Color ribbon	D	SGD 555
PGF18	Mustard Raw Color ribbon	D	SGD 555
PGF19	Green Raw Color ribbon	D	SGD 555
PGFL18	White linen	D	SGD 505
Connection			
FONF3	End	E	SGD 220
FONU3	Intermediate	F	SGD 230
FONA3	90° angle	G	SGD 315
Canopy			
CSF01	3 m / 118.1" electric cable		SGD 75
FSC13	S&C canopy		SGD 230

Satin nickel tubular structure for 1 or 2 lampshades.

Each lampshade includes a translucent white diffuser disk.

S&C satin nickel metallic canopy. Suitable for side entry adaptor.

Maximum 1200W per line (6A). One connection per line.

Under special request, possibility of adapting the product

for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1'

Weight structure with 1 lampshade: 4 kg / 8.8 lb

Weight structure with 3 lampshades: 6,3 kg / 14 lb



Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")


Light source included:

1 x / 2 x LED bulb 12 W


Other light sources:

Max. 1 x / 2 x 100 W



Lampshade




Three lampshades composition



Structure




Examples of composition



Sistema Sisisí PT1

Santa & Cole Team
1993

For further information on light sources go to p.139



Examples of composition

SIS13 + PPT11	SGD 415
SIS21B + PPT13	SGD 385
SIS22 + PPT17	SGD 420

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PPT11	Stitched beige parchment	SGD 160
PPT13	Natural ribbon	SGD 145
PPT15	Red-amber ribbon	SGD 145
PPT16	Black ribbon	SGD 145
PPT17	Terracotta Raw Color ribbon	SGD 180
PPT18	Mustard Raw Color ribbon	SGD 180
PPT19	Green Raw Color ribbon	SGD 180

Light source

6BOM45	LED bulb 4,5 W - 2.700 K	SGD 25
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (not included):

LED bulb 4,5 W


Other light sources:

Max. 60 W

Sistema Sisisí PT2

Santa & Cole Team
1993

For further information on light sources go to p.139



Composition

SIS13 + PPT21	SGD 435
SIS21B + PPT21	SGD 420
SIS21N + PPT21	SGD 420
SIS22 + PPT21	SGD 420
SIS13 + PPT23	SGD 425
SIS21B + PPT23	SGD 410
SIS21N + PPT23	SGD 410
SIS22 + PPT23	SGD 410

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PPT21	Stitched beige parchment	SGD 180
PPT23	Natural ribbon	SGD 170

Light source

6BOM45	LED bulb 4,5 W - 2.700 K	SGD 25
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (not included):

LED bulb 4,5 W


Other light sources:

Max. 60 W

Sistema Sisisí MT1

Santa & Cole Team
1993

For further information on light sources go to p.139



Examples of composition

SIS13 + PMT11	SGD 425
SIS21B + PMT13	SGD 400
SIS22 + PMT17	SGD 435

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PMT11	Stitched beige parchment	SGD 170
PMT13	Natural ribbon	SGD 160
PMT15	Red-amber ribbon	SGD 160
PMT16	Black ribbon	SGD 160
PMT17	Terracotta Raw Color ribbon	SGD 195
PMT18	Mustard Raw Color ribbon	SGD 195
PMT19	Green Raw Color ribbon	SGD 195
PMTL18	White linen	SGD 230

Light source

6BOM45	LED bulb 4,5 W - 2.700 K	SGD 25
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Recommended light source (not included):

LED bulb 4,5 W


Other light sources:

Max. 60 W

Sistema Sisisí MT2

Santa & Cole Team
1993

For further information on light sources go to p.139



Composition

SIS13 + PMT21	SGD 450
SIS21B + PMT21	SGD 435
SIS21N + PMT21	SGD 435
SIS22 + PMT21	SGD 435

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PMT21	Stitched beige parchment	SGD 195
--------------	--------------------------	----------------

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):

LED bulb 12 W


Other light sources:

Max. 60 W

Sistema Sisisí GT1

Santa & Cole Team
1993

For further information on light sources go to p.139



Examples of composition

SIS13 + PGT11	SGD 655
SISD13 + PGT17	SGD 820

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240
SISD13	Satin nickel	Black	Double	SGD 385
SISD21B	Textured white finish	White	Double	SGD 350
SISD21N	Textured white finish	Black	Double	SGD 350
SISD22	Textured black finish	Black	Double	SGD 350

Lampshade

PGT11	Stitched beige parchment	SGD 400
PGT13	Natural ribbon	SGD 385
PGT15	Red-amber ribbon	SGD 385
PGT16	Black ribbon	SGD 385
PGT17	Terracotta Raw Color ribbon	SGD 435
PGT18	Mustard Raw Color ribbon	SGD 435
PGT19	Green Raw Color ribbon	SGD 435
PGTL18	White linen	SGD 460

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (not included):

1 x / 2 x LED bulb 12 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT2

Santa & Cole Team
1993

For further information on light sources go to p.139



Examples of composition

SIS13 + PGT23	SGD 655
SISD13 + PGT28	SGD 845

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240
SISD13	Satin nickel	Black	Double	SGD 385
SISD21B	Textured white finish	White	Double	SGD 350
SISD21N	Textured white finish	Black	Double	SGD 350
SISD22	Textured black finish	Black	Double	SGD 350

Lampshade

PGT23	Natural ribbon	SGD 400
PGT25	Red-amber ribbon	SGD 400
PGT26	Black ribbon	SGD 400
PGT28	White linen	SGD 460

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

Recommended light source (not included):

1 x / 2 x LED bulb 12 W


Other light sources:

Max. 1 x / 2 x 60 W

Sistema Sisisí GT3

Santa & Cole Team
1993

For further information on light sources go to p.139



Examples of composition

SIS13 + PGT31	SGD 570
SIS21B + PGT33	SGD 540
SIS22 + PGT37	SGD 590

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Lampshade

PGT31	Stitched beige parchment	SGD 315
PGT33	Natural ribbon	SGD 300
PGT35	Red-amber ribbon	SGD 300
PGT36	Black ribbon	SGD 300
PGT37	Terracotta Raw Color ribbon	SGD 350
PGT38	Mustard Raw Color ribbon	SGD 350
PGT39	Green Raw Color ribbon	SGD 350
PGTL38	White linen	SGD 340

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

Recommended light source (not included):


LED bulb 12 W

Other light sources:

Max. 60 W

Tekiò Vertical P1Anthony Dickens
2017

For further information on built-in LED go to p.144

**Composition****TEKVE1 + TEKVP1 + TEKFO1** **SGD 2.565****Code** **Description**

TEKVE1	White S&C metal P1 structure with matte finish	SGD 795
TEKVP1	Washi Japanese paper P1 shade	SGD 975
TEKFO1	White S&C metallic canopy with power supply incorporated	SGD 795


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Warm dim control 2200K – 2700K.
Methacrylate inner diffuser.

**Light source included (dimmable):**

Built-in LED 43 W

Tekiò Vertical P2Anthony Dickens
2017

For further information on built-in LED go to p.144

**Composition****TEKVE2 + TEKVP2 + TEKFO1** **SGD 3.635****Code** **Description**

TEKVE2	White S&C metal P2 structure with matte finish	SGD 1.420
TEKVP2	Washi Japanese paper P2 shade	SGD 1.420
TEKFO1	White S&C metallic canopy with power supply incorporated	SGD 795

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Warm dim control 2200K – 2700K.
Methacrylate inner diffuser.


**Light source included (dimmable):**

Built-in LED 73 W

Tekiò Vertical P3

Anthony Dickens
2017

For further information on built-in LED go to p.144



Composition

TEKVE3 + TEKVP3 + TEKF01 **SGD 4.890**

Code	Description	
TEKVE3	White S&C metal P3 structure with matte finish	SGD 2.220
TEKVP3	Washi Japanese paper P3 shade	SGD 1.875
TEKF01	White S&C metallic canopy with power supply incorporated	SGD 795

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Warm dim control 2200K – 2700K.
Methacrylate inner diffuser.




Light source included (dimmable):

Built-in LED 100 W

Tekiò Vertical P4

Anthony Dickens
2017

For further information on built-in LED go to p.144



Composition

TEKVE4 + TEKVP4 + TEKF01 **SGD 5.890**

Code	Description	
TEKVE4	White S&C metal P4 structure with matte finish	SGD 2.775
TEKVP4	Washi Japanese paper P4 shade	SGD 2.320
TEKF01	White S&C metallic canopy with power supply incorporated	SGD 795

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Warm dim control 2200K – 2700K.
Methacrylate inner diffuser.



Light source included (dimmable):

Built-in LED 120 W

Tekiò Horizontal P1

Anthony Dickens
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE1 + TEKHP1 + TEKF01		A	SGD 2.565
TEKHE1 + TEKHP1 + TEKF03		B	SGD 2.565

Code	Structure	
TEKHE1	P1	SGD 795

Lampshade		
TEKHP1	P1	SGD 975

Canopy			
TEKF01	Circular	A	SGD 795
TEKF03	Rectangular	B	SGD 795

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



A



B



Light source included (dimmable):

Built-in LED 43 W

Tekiò Horizontal P2

Anthony Dickens
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE2 + TEKHP2 + TEKFO1		A	SGD 3.635
TEKHE2 + TEKHP2 + TEKFO3		B	SGD 3.635
Code	Structure		
TEKHE2	P2	SGD 1.420	
Lampshade			
TEKHP2	P2	SGD 1.420	
Canopy			
TEKF01	Circular	A	SGD 795
TEKF03	Rectangular	B	SGD 795

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



A



B



Light source included (dimmable):

Built-in LED 73 W

Tekiò Horizontal P3

Anthony Dickens
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE3 + TEKHP3 + TEKFO1		A	SGD 4.930
TEKHE3 + TEKHP3 + TEKFO3		B	SGD 4.930
Code	Structure		
TEKHE3	P3		SGD 2.260
Lampshade			
TEKHP3	P3		SGD 1.875
Canopy			
TEKF01	Circular	A	SGD 795
TEKF03	Rectangular	B	SGD 795

White S&C metal structure with matte finish.



Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

**A****B**

Light source included (dimmable):


Built-in LED 100 W

Tekiò Horizontal P4
 Anthony Dickens
 2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE4 + TEKHP4 + TEKF01		A	SGD 6.115
TEKHE4 + TEKHP4 + TEKF03		B	SGD 6.115
Code	Structure		
TEKHE4	P4	SGD 3.000	
		Lampshade	
TEKHP4	P4	SGD 2.320	
		Canopy	
TEKF01	Circular	A	SGD 795
TEKF03	Rectangular	B	SGD 795

White S&C metal structure with matte finish.
 Washi Japanese paper shade.
 White S&C metallic canopy with power supply incorporated.
 Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
 Warm dim control 2200K – 2700K.
 Methacrylate inner diffuser.



Light source included (dimmable):
 Built-in LED 120 W

Tekiò Circular P8

Anthony Dickens
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKCE8 + TEKCP8 + TEKFO2		A	SGD 8.925
TEKCE8 + TEKCP8 + 2 TEKFO3		B	SGD 9.395
Code	Structure		
TEKCE8	P8	SGD 4.155	
		Lampshade	
TEKCP8	P8	SGD 3.650	
		Canopy	
TEKF02	Circular ^[1]	A	SGD 1.120
TEKF03	Rectangular ^[2]	B	SGD 795

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.

^[1] For the composition with circular rosette (A), 1 unit of TEKFO2 is required.




^[2] For the composition with rectangular rosette (B), 2 units of TEKFO3 are required.



A



B



Light source included (dimmable):

Built-in LED 200 W

Tekìo Oval P12

Anthony Dickens
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 2 TEKFO2		A	SGD 14.905
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 4 TEKFO3		B	SGD 15.845
Code	Structure		
TEKCE8	P8	SGD 4.155	
TEKOE4	P4	SGD 3.000	
Lampshade			
TEKCP8	P8	SGD 3.650	
TEKOP4	P4	SGD 1.860	
Canopy			
TEKF02	Circular ^[1]	A	SGD 1.120
TEKF03	Rectangular ^[2]	B	SGD 795

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

^[1] For the composition with circular rosette (**A**) 2 units of TEKFO2 are required.

^[2] For the composition with rectangular rosette (**B**) 4 units of TEKFO3 are required.



Light source included (dimmable):

Built-in LED 320 W

Vaghe Stelle


Antoni de Moragas i Spà
1982

For further information on light sources go to p.139

Code	Description	
VGS01	Structure, socket, central ring and circular canopy made of polished varnished brass. Pyrex tubes. Transparent electrical cable.	SGD 10.345

Electric cable length: 5 m / 196.8"

Weight: 10 Kg / 22 lb



Bulb socket:


E14 (Max. hgt. 155 mm / 6.1")

Light source included:

18 x Filament tubular incandescent bulbs 25 W

Sisisí canopy

Gabriel Ordeig Cole
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SIS13	Satin nickel	Black	Simple	SGD 255
SIS21B	Textured white finish	White	Simple	SGD 240
SIS21N	Textured white finish	Black	Simple	SGD 240
SIS22	Textured black finish	Black	Simple	SGD 240

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Black neoprene or white silicone cable (depending on model), with lamp holder and support for lampshade.

Suitable for side entry adaptor (p.119).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1". Weight: 0,5 kg / 1.1 lb



Bulb socket:

E27 (Max. hgt. depending on shade)

Recommended light source (not included):


LED bulb 12 W

Other light sources:

Max. 60 W

Sisisí canopy Dual lamp socket

Gabriel Ordeig Cole
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
SISD13	Satin nickel	Black	Double	SGD 385
SISD21B	Textured white finish	White	Double	SGD 350
SISD21N	Textured white finish	Black	Double	SGD 350
SISD22	Textured black finish	Black	Double	SGD 350

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Black neoprene or white silicone cable (depending on model), with 2 lamp holders and support for lampshade.

Suitable for side entry adaptor (p.119).

Can be combined with GT1, GT2, GT5 and GT6 lampshades.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1".

Weight: 0,7 kg / 1.5 lb



Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

Recommended light source:

2 x LED bulb 12 W


Other light sources:

Max. 2 x 100 W

S&C canopy

Gabriel Ordeig Cole

1993



Code	Metallic structure	
FSC13	Satin nickel	SGD 230
FSC21	Textured white finish	SGD 170
FSC22	Textured black finish	SGD 170

Suitable for side entry adaptor (p.119).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

S&C Connection

Gabriel Ordeig Cole

1997



Code	Length	Color	
CSC01	3 m / 118.1"	Black	SGD 100
CSC02	8 m / 315"	Black	SGD 160
CSC01B	3 m / 118.1"	White	SGD 100
CSC02B	8 m / 315"	White	SGD 160

Light source

6BOM41	LED bulb 12 W - 2.700 K	SGD 75
---------------	-------------------------	---------------

Black neoprene or white silicone cable (depending on model), with lamp holder and support for lampshade.



Bulb socket:

E27 (Max. hgt. depending on shade)


Recommended light source (not included):

LED bulb 12 W

Other light sources:

Max. 60 W


Side entry adaptor



Code	Description	
6FSC01	Side entry adaptor	SGD 110

HeadLed System S&C LED Capsule

Santa & Cole Team
2013



Code LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 230
HEL08	8 m / 315"	SGD 315

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable with HeadLed System lampshades. (p.121).




Light source included:

Built-in LED 3,7 W / 7,7 W

HeadLed System S&C LED canopy

Santa & Cole Team
2013



Código Florón circular metálico + equipo

Código	Florón circular metálico + equipo	Dibujo	
HEF01	Black surface (not dimmable)	A	SGD 300
HEF02	White surface (not dimmable)	A	SGD 300
HEFD01	Black surface dimmable 1-10V ^[1]	A	SGD 460
HEFD01-DALI	Black surface dimmable DALI ^[1]	A	SGD 460
HEFD02	White surface dimmable 1-10V ^[1]	A	SGD 460
HEFD02-DALI	White surface dimmable DALI ^[1]	A	SGD 460
HEF12	White built-in (not dimmable)	B	SGD 300

Metallic circular canopy with a smooth matte finish and power supply incorporated.

^[1] Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).




Headled System S&C LED Lampshades

New color

Santa & Cole Team
2013

Code	Lampshade	Finish	Drawing
------	-----------	--------	---------

Cirio



Cirio

CIP01	White porcelain	Matte interior and gloss exterior	PP SGD 325
CIP05	White opal glass	Matte	PV SGD 300
CIP06	Brass	Polished	PL SGD 600

M64

M6401	White aluminium	Mate	M64 SGD 505
M6402	Black aluminium	Mate	M64 SGD 505
M6403	Aluminium	Polished	M64 SGD 505
M6404	Brass	Polished	M64 SGD 710
M6405	Red aluminium	Brilliant	M64 SGD 505

M64




HeadHat Bowl

HATS12	White ceramic S	Matte interior and gloss exterior	SC SGD 230
HATS11	Black ceramic S	Matte interior and gloss exterior	SC SGD 230
HATL12	White ceramic L	Matte interior and gloss exterior	LC SGD 340
HATL11	Black ceramic L	Matte interior and gloss exterior	LC SGD 340

HeadHat Plate

HATS02	White metallic S	Matte	SM SGD 460
HATS03	Berry blue metallic S	Matte	SM SGD 460
HATS04	Truffle brown metallic S	Matte	SM SGD 460
HATS05	Hematite red metallic S	Matte	SM SGD 460
HATM02	White metallic M	Matte	MM SGD 530
HATM03	Berry blue metallic M	Matte	SM SGD 530
HATM04	Truffle brown metallic M	Matte	SM SGD 530
HATM05	Hematite red metallic M	Matte	SM SGD 530
HATL02	White metallic L	Matte	LM SGD 795
HATL03	Berry blue metallic L	Matte	SM SGD 795
HATL04	Truffle brown metallic L	Matte	SM SGD 795
HATL05	Hematite red metallic L	Matte	SM SGD 795


HeadHat Bowl



Suitable for S&C LED capsule and Cirio structures.




HeadHat Plate



Americana

Miguel Milá
1999



For further information on light sources go to p.139

Composition

SAM12 + SAMP8 SGD 870

Code	Description	
SAM12	Satin nickel structure	SGD 700
SAMP8	White linen lampshade	SGD 170

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:


LED bulb 4,5 W

Other light sources:

Max. 60 W

BC1

Santa & Cole Team
1995



For further information on light sources go to p.139

Examples of composition

BC102 + PP101	SGD 785
BC102 + PP103	SGD 770
BC102 + PP107	SGD 805

Code	Structure	
BC102	Satin nickel and beech wood handle	SGD 625
Lampshade		
PP101	Stitched beige parchment	SGD 160
PP103	Natural ribbon	SGD 145
PP105	Red-amber ribbon	SGD 145
PP106	Black ribbon	SGD 145
PP107	Terracotta Raw Color ribbon	SGD 180
PP108	Mustard Raw Color ribbon	SGD 180
PP109	Green Raw Color ribbon	SGD 180

Moveable arm with plug.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included (dimmable):

LED bulb 4,5 W


Other light sources:

Max. 60 W

BC2

Santa & Cole Team
1995

For further information on light sources go to p.139

**Examples of composition**

BC202 + PP101	SGD 630
BC202 + PP103	SGD 615
BC202 + PP107	SGD 650

Code	Structure	
BC202	Satin nickel and beech wood handle	SGD 470

Lampshade

PP101	Stitched beige parchment	SGD 160
PP103	Natural ribbon	SGD 145
PP105	Red-amber ribbon	SGD 145
PP106	Black ribbon	SGD 145
PP107	Terracotta Raw Color ribbon	SGD 180
PP108	Mustard Raw Color ribbon	SGD 180
PP109	Green Raw Color ribbon	SGD 180

Under special request, possibility of adapting the product for areas exposed to saline conditions.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

BC3

Santa & Cole Team
1995

For further information on light sources go to p.139

**Examples of composition**

BC302 + PP101	SGD 785
BC302 + PP103	SGD 770
BC302 + PP107	SGD 805

Code	Structure	
BC302	Satin nickel and beech wood handle	SGD 625

Lampshade

PP101	Stitched beige parchment	SGD 160
PP103	Natural ribbon	SGD 145
PP105	Red-amber ribbon	SGD 145
PP106	Black ribbon	SGD 145
PP107	Terracotta Raw Color ribbon	SGD 180
PP108	Mustard Raw Color ribbon	SGD 180
PP109	Green Raw Color ribbon	SGD 180

Moveable arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

Light source included:


LED bulb 4,5 W

Other light sources:

Max. 60 W

BlancoWhite C1 Wall rotating

Antoni Arola
2013



For further information on built-in LED go to p.144

Code	Description	
BWC132	Graphite metal structure with matte finish with power supply incorporated	SGD 1.320

Rotating head.




Light source included:

Built-in LED 8 W

BlancoWhite C1 Wall rotating scene

Antoni Arola
2013



For further information on built-in LED go to p.144

Code	Description	
BWC132-S5	Graphite metal structure with matte finish with power supply incorporated	SGD 1.455

Rotating head.
Wall Scene red sheet.




Light source included:

Built-in LED 8 W

BlancoWhite R1 Wall

Antoni Arola
2013

For further information on built-in LED go to p.144



Code	Description	
BWR122	Graphite metal structure with matte finish with power supply incorporated	SGD 1.130




Light source included:
Built-in LED 10 W

BlancoWhite R1 Wall rotating

Antoni Arola
2013

For further information on built-in LED go to p.144



Code	Description	
BWR132	Graphite metal structure with matte finish with power supply incorporated	SGD 1.465

Rotating head.




Light source included:
Built-in LED 10 W

Comodín cuadrado

Santa & Cole Team
1994

For further information on light sources go to p.139



Examples of composition

COM01 + COM19	SGD 445
COM01 + COM39	SGD 485

Code	Structure	
COM01	Chrome-plated	SGD 265
Lampshade		
COM18	Stitched beige parchment	SGD 195
COM19	Natural ribbon	SGD 180
COM35	Red-amber ribbon	SGD 180
COM36	Black ribbon	SGD 180
COM37	Terracotta Raw Color ribbon	SGD 220
COM38	Mustard Raw Color ribbon	SGD 220
COM39	Green Raw Color ribbon	SGD 220

Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W

Other light sources:


Max. 60 W



Comodín rectangular

Santa & Cole Team
1994

For further information on light sources go to p.139



Examples of composition

COM01 + COM29	SGD 445
COM01 + COM47	SGD 485

Code	Structure	
COM01	Chrome-plated	SGD 265
Lampshade		
COM28	Stitched beige parchment	SGD 220
COM29	Natural ribbon	SGD 180
COM45	Red-amber ribbon	SGD 180
COM46	Black ribbon	SGD 180
COM47	Terracotta Raw Color ribbon	SGD 220
COM48	Mustard Raw Color ribbon	SGD 220
COM49	Green Raw Color ribbon	SGD 220

Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W

Other light sources:

Max. 60 W



Corso
Antoni Arola
2007

For further information on light sources go to p.139

Composition

CRS01 + CRS11 **SGD 5.680**

Code **Description**


CRS01 Printed Dibond recessed fixture with colour gradient

SGD 1.815

(from yellow to red) and matte finish

CRS11 Black metal structural frame with moveable arm

SGD 3.865



Bulb socket: G5

Light sources included:

2 x Fluorescent, T5, Linear 24 W


Disco M

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p.144

Code	Description	
DIS04L	Satin nickel structure and lampshade	SGD 805

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.
Under special request, possibility of adapting the product for areas exposed to saline conditions.

**Light source included (dimmable):**

Built-in LED: 9 W


Disco L

Jordi Miralbell
Mariona Raventós
1995

For further information on built-in LED go to p.144

Code	Description	
DIS06L	Satin nickel structure and lampshade	SGD 1.000

Suitable for phase-cut dimming.
Does not include external phase-cut dimmer.
Under special request, possibility of adapting the product for areas exposed to saline conditions.


**Light source included (dimmable):**

Built-in LED: 9 W

Estadio

Miguel Milá
2015

For further information on light sources go to p.139



Code	Description	
ESTA1	Black metal structure with white matte reflector 7 glass block shades	SGD 1.500

Diffuser in white translucent methacrylate.
Weight: 11 kg / 24.25 lb



Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

Light source included:

LED bulb 12 W

Other light sources:


Max. 75 W

Petit Tatu

André Ricard
2019

For further information on built-in LED go to p.144

New product



Code	ABS plastic structure	
TATP02	S&C white	SGD 660
TATP05	Red	SGD 660

Gyratory structure.
Adjustable focal length from 30° to 50°.
*Suitable for dimming 1-10V.
(Not included external dimmer switch 1-10V).
Available from March 2020.

UL listing in progress.




Light source included (dimmable):

Built-in LED 6 W

Singular

Miguel Milá
2000

For further information on light sources go to p.139



Composition

COM01 + SIN28 **SGD 505**

Code	Description	
COM01	Chrome-plated structure	SGD 265
SIN28	White linen lampshade	SGD 240



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

TMM corto

Miguel Milá
1964

For further information on light sources go to p.139



Code	Parchment lampshade	Connection	
ATM01	Beige	With plug ^[1]	SGD 470
ATM02	White	With plug ^[1]	SGD 470
ATM31	Beige	Direct wall	SGD 460
ATM32	White	Direct wall	SGD 460
ATM32D	White with upper diffuser in white translucent methacrylate ^[2]	Direct wall	SGD 505

Beech wood structure.

^[1] The light is switched on/off by pulling lightly on the cable.

^[2] Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

TMM largo

Miguel Milá
1964

For further information on light sources go to p.139



Code	Parchment lampshade	
ATL01	Beige	SGD 495
ATL02	White	SGD 495

Beech wood structure.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

TMM Metálico

Miguel Milá
2002

For further information on light sources go to p.139



Code	Description	
ATL15	Satin nickel structure White methacrylate shade	SGD 685

Under special request, possibility of adapting the product for areas exposed to saline conditions.



Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W


Other light sources:

Max. 60 W

Wally

Miguel Milá
1962

For further information on light sources go to p.139



Code	Metallic structure
------	--------------------

WLY01	Bronze finish
WLY02	Matte white

SGD 820
SGD 820

White opal glass lampshade.
Suitable for outdoor use.



Bulb socket:


E27 (Max. hgt. 105 mm / 4.1")

Light source included:

LED bulb 4,5 W

Other light sources:

Max. 40 W



Amigo


Gonzalo Milá, Miguel Milá. 2009

135

Outdoor

Amigo
Gonzalo Milá
Miguel Milá
2009

For further information on built-in LED go to p.144



Código	Descripción	
AMA21L	White metallic structure. Cylindrical translucent methacrylate diffuser.	SGD 1.190

Suitable for dimming systems 1-10V.
(External dimmer switch 1-10V not included).
Suitable for indoor and outdoor use.

CE  IP 55


 US LISTED

Light source included (dimmable):
Built-in LED 40 W

Oco 33

Causas Externas
2010

For further information on built-in LED go to p.144



Code	Upper cover	
OCO33A	Amber	SGD 555

	Base (optional)	
OCO00	Black steel	SGD 195

Black aluminium shaft.
Polycarbonate casing.
Luminaire 33 cm / 12.9" with spike.
Power supply incorporated.

CE IP 54


Light source included:

Built-in LED 4,2 W

Oco 55

Causas Externas
2010

For further information on built-in LED go to p.144



Code	Upper cover	
OCO55A	Amber	SGD 590

	Base (optional)	
OCO00	Black steel	SGD 195

Black aluminium shaft.
Polycarbonate casing.
Luminaire 55 cm / 21.6" with spike.
Power supply incorporated.

CE IP 54

Light source included:

Built-in LED 4,2 W

Light sources

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
Table lamps			
Americana	1 u.	4,5W	Max. 60W
Asa	1 u.	4,5W	Max. 60W
Babel	1 u.	12W	Max. 60W
Básica, M1, M2	1 u.	12W	Max. 100W
Básica Mínima	1 u.	6,5W	Max. 40W
Cesta	1 u.	12W	Max. 75W
Cestita	1 u.	4,5W	Max. 40W (UL Market: Max. 7W)
Cesta Metálica	1 u.	12W	Max. 60W
Cestita Metálica	1 u.	4,5W	Max. 40W
Diana Menor	2 u.	4,5W	Max. 40W (With diffuser: Max. 25W)
Diana	2 u.	12W	Max. 50W (With diffuser: Max. 25W)
FAD Menor	1 u.	4,5W	Max. 60W
FAD	1 u.	4,5W	Max. 60W
Gira	1 u.	12W	Max. 40W
Moragas	3 u.	4,5W	Max. 30W
TMD	1 u.	4,5W	Max. 60W
Trípode M3	1 u.	6,5W	Max. 40W
Trípode G6	1 u.	12W	Max. 100W
Floor lamps			
Americana	1 u.	4,5W	Max. 60W
Diana	2 u.	12W	Max. 75W (With diffuser: Max. 25W)
Diana Mayor	2 u.	12W	Max. 75W
Dórica	3 u.	12W	Max. 50W
FAD	1 u.	12W	Max. 100W
FAD fija	1 u.	12W	Max. 100W
GATCPAC	1 u.	12W	Max. 150W
Moaré	3 u.	12W	Max. 50W
Pie de Salón G1, G2, G3	1 u.	12W	Max. 100W
TMC	1 u.	12W	Max. 100W
TMD	1 u.	12W	Max. 100W
TMM	1 u.	12W	Max. 100W (With diffuser: Max. 25W)
Trípode G5	1 u.	12W	Max. 100W
Wall lamps			
Americana	1 u.	4,5W	Max. 60W
BC1	1 u.	4,5W	Max. 60W
BC2	1 u.	4,5W	Max. 60W
BC3	1 u.	4,5W	Max. 60W
Comodín cuadrado/rectangular	1 u.	4,5W	Max. 60W
Corso	2 u.		T5. Lineal. 24W
Estadio	1 u.	12W	Max. 75W
Singular	1 u.	4,5W	Max. 60W
TMM corto / largo	1 u.	4,5W	Max. 60W (With diffuser: Max. 25W)
TMM Metálico	1 u.	4,5W	Max. 60W
Wally	1 u.	4,5W	Max. 40W (UL Market: Max. 7W)

Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	105 mm / 4.1"	CE Market		p. 8
E27	E26	105 mm / 4.1"	CE Market		p. 8
E27	E26	115 mm / 4.5"	CE Market	X	p. 9
E27	E26	115 mm / 4.5"	CE Market	X	p. 10-11
E14	E12	85 mm / 3.3"	CE Market		p. 11
E27	E26	130 mm / 5.1"	CE Market	X	p. 13
E27	E26	105 mm / 4.1"	CE Market	X	p. 13
E27	E26	130 mm / 5.1"	CE Market	X	p. 14
E27	E26	105 mm / 4.1"	CE Market	X	p. 15
E27	E26	105 mm / 4.1"	CE Market	X	p. 16
E27	E26	130 mm / 5.1"	CE Market	X	p. 17
E27	E26	105 mm / 4.1"	CE Market	X	p. 18
E27	E26	105 mm / 4.1"	CE Market	X	p. 18
E27	E26	110 mm / 4.3"	CE Market		p. 19
E27	E26	115 mm / 4.5"	CE Market	X	p. 20
E27	E26	105 mm / 4.1"	CE Market		p. 23
E14	E12	85 mm / 3.3"	CE Market		p. 24
E27	E26	130 mm / 5.1"	CE Market	X	p. 25
E27	E26	105 mm / 4.1"	CE Market		p. 26
E27	E26	137 mm / 5.4"	CE Market	X	p. 26
E27	E26	137 mm / 5.4"	CE Market	X	p. 27
E27	E26	130 mm / 5.1"	CE Market	X	p. 27
E27	E26	130 mm / 5.1"	CE Market	X	p. 28
E27	E26	130 mm / 5.1"	CE Market	X	p. 28
E27	E26	160 mm / 6.3"	CE Market	X	p. 29
E27	E26	130 mm / 5.1"	CE Market	X	p. 30
E27	E26	137 mm / 5.4"	CE Market	X	p. 31-32-33
E27	E26	125 mm / 4.9"	CE Market		p. 34
E27	E26	125 mm / 4.9"	CE Market		p. 34
E27	E26	125 mm / 4.9"	CE Market		p. 35
E27	E26	160 mm / 6.3"	CE Market	X	p. 36
E27	E26	105 mm / 4.1"	CE Market		p. 122
E27	E26	105 mm / 4.1"	CE Market	X	p. 122
E27	E26	105 mm / 4.1"	CE Market		p. 123
E27	E26	105 mm / 4.1"	CE Market		p. 124
E27	E26	105 mm / 4.1"	CE Market		p. 127
G5	G5	549 mm / 21.6"	X		p. 128
E27	E26	160 mm / 6.3"	CE Market		p. 130
E27	E26	105 mm / 4.1"	CE Market		p. 131
E27	E26	105 mm / 4.1"	CE Market		p. 131-132
E27	E26	105 mm / 4.1"	CE Market		p. 132
E27	E26	105 mm / 4.1"	CE Market		p. 133

Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
Pendant Lamps			
Estadio 105	12 u.	12W	Max. 75W
Estadio 150	18 u.	12W	Max. 75W
Estadio 250	24 u.	12W	Max. 75W
Línea Estadio	5 u.	12W	Max. 75W
Globo Cesta	1 u.	12W	Max. 40W
Globo Cestita	1 u.	4,5W	Max. 75W
GT4	1 u.	12W	Max. 60W
GT5	1 u. / 2 u.	12W	Max. 100W
GT6	1 u. / 2 u.	12W	Max. 100W
GT7	3 u.	12W	Max. 60W
La Colilla			Neon bulbs strip 6W
Leonardo 60, 100	1 u.	12W	Max. 150W
Liceo 70	3 u.	12W	Max. 75W
Liceo 120	3 u.	12W	Max. 75W
M68	1 u.	12W	Max. 100W
Moaré	3 u.	12W	Max. 100W
Moaré Liviana S, M	1 u.	12W	Max. 60W
Nagoya	1 u.	12W	Max. 60W
Sexta	6 u.	12W	Max. 60W
Sexta 12	12 u.	12W	Max. 60W
Sistema Fonda	1 u. / 3 u.	12W	Max. 100W
Sistema Gran Fonda	1 u. / 2 u.	12W	Max. 100W
Sistema Sisisí PT1	1 u.	4,5W	Max. 60W
Sistema Sisisí PT2	1 u.	4,5W	Max. 60W
Sistema Sisisí MT1	1 u.	4,5W	Max. 60W
Sistema Sisisí MT2	1 u.	12W	Max. 60W
Sistema Sisisí GT1	1 u. / 2 u.	12W	Max. 60W
Sistema Sisisí GT2	1 u. / 2 u.	12W	Max. 60W
Sistema Sisisí GT3	1 u.	12W	Max. 60W
Vaghe Stelle	18 u.	2W (Only UL Market)	Max. 25W

Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	155 mm / 6.1"			p. 62
E27	E26	155 mm / 6.1"			p. 63
E27	E26	155 mm / 6.1"			p. 64
E27	E26	155 mm / 6.1"			p. 65
E27	E26	130 mm / 5.1"	CE Market		p. 66
E27	E26	130 mm / 5.1"	CE Market		p. 67
E27	E26	155 mm / 6.1"	CE Market		p. 68
E27	E26	130 mm / 5.1"	CE Market		p. 69
E27	E26	130 mm / 5.1"	CE Market		p. 70
E27	E26	137 mm / 5.4"	CE Market		p. 71
			X		p. 79
E27	E26	155 mm / 6.1"	CE Market		p. 86
E27	E26	155 mm / 6.1"	CE Market		p. 87
E27	E26	155 mm / 6.1"	CE Market		p. 87
E27	E26	130 mm / 5.1"	CE Market		p. 89
E27	E26	130 mm / 5.1"	CE Market		p. 91
E27	E26	155 mm / 6.1"	CE Market		p. 92-93
E27	E26	115 mm / 4.5"	CE Market		p. 93
E27	E26	115 mm / 4.5"	CE Market		p. 96
E27	E26	115 mm / 4.5"	CE Market		p. 97
E27	E26	115 mm / 4.5"	CE Market		p. 98
E27	E26	125 mm / 4.9"	CE Market		p. 100
E27	E26	105 mm / 4.1"			p. 102
E27	E26	105 mm / 4.1"			p. 103
E27	E26	105 mm / 4.1"			p. 104
E27	E26	155 mm / 6.1"			p. 105
E27	E26	115 mm / 4.5"			p. 106
E27	E26	115 mm / 4.5"			p. 107
E27	E26	155 mm / 6.1"			p. 108
E14	E12	155 mm / 6.1"	CE Market		p. 117

For dimming systems to work properly,
(dimmer luminaire / installation), the compact fluorescent and LED
light sources must be adjustable.

Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
Lámparas de sobremesa				
BlancoWhite C1	8W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		100 – 230
BlancoWhite R1 table Rotating	10W	12VDC		100 – 230
Cestita Batería	3,7W	2,9VDC		100 – 240
Majja 15	12W	24VDC		90 – 264
Sin S	12,5W	24VDC		100 – 230
Sin L	25W	24VDC		100 – 230
Sylvestrina	1W		350mA	CE 220 – 240 / USA 100 – 300
Tatu	6W		350mA	CE 220 – 240 / USA 100 – 300
Floor lamps				
Majja 30	24W	24VDC		90 – 305
Pendant lamps				
Arne Domus	33W		700mA	90 – 305
Arne S Domus	24W		700mA	90 – 305
BlancoWhite D1 ceiling / D1 ceiling up&down	22W	12VDC		100 – 230
BlancoWhite D2 ceiling / D2 ceiling up&down	28W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		110 – 277
BlancoWhite Golden Gate	66W	12VDC		110 – 230
Cirio Simple	3,7W / 7,7W		350mA / 700 mA	100 – 230 / 100 – 277
Cirio Múltiple	46,2 – 92,4W = (6u.–12u.)		700mA	120 – 277
Cirio Cascada 5	46W		700mA	120 – 277
Cirio Cascada 7	65W		700mA	120 – 277
Cirio Cascada 9	83W		700mA	120 – 277
Cirio Cascada 12	110W		700mA	120 – 277
Cirio Circular S	44,4W / 92,4W (12u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Circular M	103,6W / 215,6W (28u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Circular L	155,4W / 323,4W (42u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Oval	140,6W / 292,6W (28u. + 5u. + 5u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF32/CIF31-DALI)
Cirio Lineal	18,5W / 38,5W (5u.)		350mA / 700 mA	230 (CIF02)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Chandelier S	114W (20u.)		530mA	120 – 277
Cirio Chandelier M	171W (30u.)		530mA	120 – 277
Cirio Chandelier L	228W (40u.)		530mA	120 – 277
GT1000	78W		1.400mA	90 – 305
GT1500	78W		1.400mA	90 – 305
HeadHat Bowl / Plate	3,7W / 7,7W		350mA* / 700 mA	110 – 230 / 100 – 277
Lámina 45	18W		750mA	100 – 277
Sistema Lámina 45	31W		750mA	100 – 277
Lámina 85	31W		750mA	100 – 277
Sistema Lámina 85	54W		1.400mA	100 – 277
Lámina 165	54W		1.400mA	100 – 277
Lámina Mayor	44W		1.050mA	100 – 277
M64	3,7W / 7,7W		350mA* / 700 mA	110 – 230 / 100 – 277
Majja 15	6W		500mA	90 – 305
Majja 30	8,4W		700mA	90 – 305
Nimba 60	45W	24VDC		100 – 277
Nimba 90	65W	24VDC		100 – 277
Nimba 120	95W	24VDC		100 – 277
Nimba 180	140W	24VDC		100 – 277

Luminaires with built-in LED

T° Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Others	Product page
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
2.700K	90	40.000h	3 Light intensity levels		p. 14
2.700K	90	40.000h	Dimmer on the luminaire		p. 19
2.700K	90	40.000h	Dimmer on the luminaire		p. 21
2.700K	90	40.000h	Dimmer on the luminaire		p. 21
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 29
2.700K	90	40.000h	1-10V		p. 37
2.700K	90	40.000h	1-10V		p. 37
3.000K	90	40.000h			p. 38
3.000K	90	40.000h			p. 39
3.000K	90	40.000h	1-10V		p. 40
3.000K	90	40.000h	1-10V		p. 41
2.700K	90	40.000h	1-10V (700mA)	*CE Market	p. 42
2.700K	90	40.000h	1-10V - DALI		p. 43
2.700K	90	40.000h	1-10V - DALI		p. 44
2.700K	90	40.000h	1-10V - DALI		p. 45
2.700K	90	40.000h	1-10V - DALI		p. 46
2.700K	90	40.000h	1-10V - DALI		p. 47
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 48
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 49
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 50
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 52
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF02)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 54
2.700K	90	40.000h	1-10V - DALI		p. 56
2.700K	90	40.000h	1-10V - DALI		p. 58
2.700K	90	40.000h	1-10V - DALI		p. 60
2.700K	90	40.000h	1-10V		p. 72
2.700K	90	40.000h	1-10V		p. 73
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 74-75-76-77-78
2.700K	90	40.000h	0-10V		p. 80
2.700K	90	40.000h	0-10V		p. 81
2.700K	90	40.000h	0-10V		p. 82
2.700K	90	40.000h	0-10V		p. 83
2.700K	90	40.000h	0-10V		p. 84
2.700K	90	40.000h	0-10V		p. 85
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 88
2.700K	90	40.000h	1-10V		p. 90
2.700K	90	40.000h	1-10V		p. 90
2.700K	90	40.000h	1-10V - DALI		p. 94
2.700K	90	40.000h	1-10V - DALI		p. 94
2.700K	90	40.000h	1-10V - DALI		p. 95
2.700K	90	40.000h	1-10V - DALI		p. 95

*Voltage adapted to the country of destination


Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
Pendant lamps				
Tekiò Vertical P1	43W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P2	73W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P3	100W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P4	120W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P1	43W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P2	73W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P3	100W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P4	120W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Circular P8	200W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Oval P12	320W	24VDC		CE 220-240 / USA 120 ~ 277
Wall lamps				
BlancoWhite C1 Wall	8W	12VDC		90 ~ 264
BlancoWhite R1 Wall	10W	12VDC		90 ~ 264
Disco M	9W			CE 220 ~ 240 / USA 120
Disco L	9W			CE 220 ~ 240 / USA 120
Petit Tatu	6W		350mA	CE 220 ~ 240 / USA 100 ~ 277
Outdoor				
Amigo	40W		700mA	90 ~ 305
Oco	4,2W		350mA	120 ~ 240

Luminaires with built-in LED

T° Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Others	Product page
2.200-2.700K	90	40.000h	1-10V		p. 109
2.200-2.700K	90	40.000h	1-10V		p. 109
2.200-2.700K	90	40.000h	1-10V		p. 110
2.200-2.700K	90	40.000h	1-10V		p. 110
2.200-2.700K	90	40.000h	1-10V		p. 111
2.200-2.700K	90	40.000h	1-10V		p. 112
2.200-2.700K	90	40.000h	1-10V		p. 113
2.200-2.700K	90	40.000h	1-10V		p. 114
2.200-2.700K	90	40.000h	1-10V		p. 115
2.200-2.700K	90	40.000h	1-10V		p. 116
3.000K	90	40.000h			p. 125
3.000K	90	40.000h			p. 126
2.700K	90	40.000h	By phase cut		p. 129
2.700K	90	40.000h	By phase cut		p. 129
2.700K	90	40.000h	By phase cut		p. 130
2.700K	90	40.000h	1-10V		p. 136
2.700K	85	40.000h			p. 137

*Voltage adapted to the country of destination




Subeybaja

Robert Heritage, Roger Webb. 1979

Belloch Chair

Lagranja Design
2009



Code	Color	Legs	
BES11	White RAL9002	Natural beech wood	SGD 385
BES12	Grey RAL7010	Natural beech wood	SGD 385
BES14	Black RAL9017	Natural beech wood	SGD 445
BES15	Brown RAL8028	Natural beech wood	SGD 445
BES16	Green RAL6020	Natural beech wood	SGD 445
BES17	Red RAL3011	Natural beech wood	SGD 445
BES21	White RAL9002	Matte anodized aluminium ^[1]	SGD 470
BES22	Grey RAL7010	Matte anodized aluminium ^[1]	SGD 470

Polypropylene (PP) + glass fiber seat and back.

Stackable.


^[1] Suitable for outdoor use.

CE

ANSI BIFMA 5.1 X

Belloch square table

Lagranja Design
2009





Code	Description	
BEM11	White metallic structure with natural beech wood legs Color Core white colour top	SGD 2.450

CE

Belloch rectangular table

Lagranja Design
2009



Code	Description	
BEM21	White metallic structure with natural beech wood legs Color Core white colour top	SGD 3.470


CE

Cadaqués Lounge Chair

Federico Correa

Alfonso Milá

1959



Code Upholstered

CAD10	Customer's fabric	SGD 4.645
CAD11	kvadrat Remix 3 fabric	SGD 5.810
CAD12	kvadrat HARALD-3 by Raf Simons fabric	SGD 6.325

Beech wood legs with a wenge colour finish.

Plain fabric measures: 5 m / 5.47 yd long

by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




Two Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code Upholstered

CAD20	Customer's fabric	SGD 5.905
CAD21	kvadrat Remix 3 fabric	SGD 8.690
CAD22	kvadrat HARALD-3 by Raf Simons fabric	SGD 9.480

Beech wood legs with a wenge colour finish.

Plain fabric measures: 8 m / 8.75 yd long

by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




Three Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



Code Upholstered

CAD30	Customer's fabric	SGD 7.875
CAD31	kvadrat Remix 3 fabric	SGD 12.195
CAD32	kvadrat HARALD-3 by Raf Simons fabric	SGD 13.275

Beech wood legs with a wenge colour finish.

Plain fabric measures: 12 m / 13.1 yd long

by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




Cadaqués Ottoman

Federico Correa

Alfonso Milá

2010



Code	Upholstered	
CAP00	Customer's fabric	SGD 2.260
CAP01	kvadrat Remix 3 fabric	SGD 3.745
CAP02	kvadrat HARALD-3 by Raf Simons fabric	SGD 4.080

Beech wood legs with a wenge colour finish.

Plain fabric measures: 1,80 m / 1.97 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




Diana alta table

Federico Correa

Alfonso Milá

Miguel Milá

1996



Code	Description	
DIA01	Satin nickel structure Tempered glass top	SGD 1.550

Under special request, possibility of adapting the product for areas exposed to saline conditions.




Diana baja table

Federico Correa

Alfonso Milá

Miguel Milá

1996




Code	Description	
DIA02	Satin nickel structure Tempered glass top	SGD 1.695

Under special request, possibility of adapting the product for areas exposed to saline conditions.



Digamma Armchair

Ignazio Gardella
1957



Code	Upholstered	
DIB00	Customer's fabric ^[1]	SGD 6.890
DIB01	kvadrat Remix 3 fabric	SGD 7.635

Black metallic legs and polished brass feet.

Upholstered seat, backrest and arms.

3-position reclining back.

Plain fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.


^[1] To be validated by S&C.

On special request also available in CMHR foam with a 5% price increase.



Digamma ottoman

Ignazio Gardella
1957



Code	Upholstered	
DIP00	Customer's fabric ^[1]	SGD 2.785
DIP01	kvadrat Remix 3 fabric	SGD 3.160

Black metallic legs and polished brass feet.

Upholstered seat.

Plain fabric measures: 0,85 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

^[1] To be validated by S&C.


On special request also available in CMHR foam with a 5% price increase.




Havana

Josep Maria Massana,
Josep Maria Tremoleda
1990

New product



Code	Havana bench 1,25 m	
HVB24	Ash tree veneered plywood with painted structure.	SGD 2.040
HVB01	Initial attachment system. Optional*	SGD 135
HVB02	Aligned attachment system. Optional**	SGD 170



Code	Havana side table	
HVM24	Compact stratified laminated tabletop	SGD 820


*Optionally to attach a single bench to the floor use an initial attachment system (HVB01).

**Optionally to attach more than one bench to the floor, combine an initial attachment system (HVB01) for the first piece + an aligned attachment system (HVB02) for each additional piece.



Ibiza Lounge Chair

Germán Rodríguez Arias
1950



Code	Upholstered	
IBB00	Customer's fabric	SGD 2.365
IBB01	kvadrat Remix 3 fabric	SGD 2.870
IBB02	kvadrat HARALD-3 by Raf Simons fabric	SGD 2.905

Chrome-plated steel tube structure.


Plain fabric measures: 1,40 m / 1.53 yd long (70 cm / 0.76 yd seat and 70 cm / 0.76 yd back) and 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



Moragas Armchair

Antoni de Moragas i Gallissà
1957



Code Upholstered

MOS00	Customer's fabric	SGD 3.900
MOS01	kvadrat Remix 3 fabric	SGD 4.980
MOS02	kvadrat HARALD-3 by Raf Simons fabric	SGD 5.270

Beech legs with cherry wood colour finish.


Fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code Upholstered

MOP00	Customer's fabric	SGD 1.035
MOP01	kvadrat Remix 3 fabric	SGD 1.515
MOP02	kvadrat HARALD-3 by Raf Simons fabric	SGD 1.560

Beech legs with cherry wood colour finish.


Fabric measures: 2 m / 2.19 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



Large Moragas ottoman

Antoni de Moragas i Gallissà
1957



Code Upholstered

MOP10	Customer's fabric	SGD 1.440
MOP11	kvadrat Remix 3 fabric	SGD 2.280
MOP12	kvadrat HARALD-3 by Raf Simons fabric	SGD 2.330

Beech legs with cherry wood colour finish.

Fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.


On special request also available in CMHR foam with a 5% price increase.



Ramón Chair

Ramón Bigas

1975



Code Seat and backrest

RAS13	Natural	SGD 900
RAS14	White	SGD 900

White metallic structure.

Seat and back made of hand-woven synthetic rattan.

Stackable.


For indoor and outdoor.



Subeybaja table

Robert Heritage, Roger Webb

1979



Code Structure and top

SUB03	Natural oak	SGD 2.080
SUB05	Black oak	SGD 2.080

Adjustable to 7 heights, from 39 cm / 15.3" to 72 cm / 28.3".



Classification and regulations

EC Regulations

CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



Classification and regulations

Classification of luminaires

CE

· Luminaire classification according to protection against electrical shock:

CLASS I. In addition to being electrically insulated, these luminaires are also provided with an earthing point.



CLASS II. These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



CLASS III. Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

Classification and regulations

Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

First digit:

- IP 0** - No protection.
- IP 1** - Protected against solid objects > 50 mm.
- IP 2** - Protected against solid objects > 12 mm.
- IP 3** - Protected against solid objects > 2.5 mm.
- IP 4** - Protected against the solid objects of 1 mm.
- IP 5** - Protected against dust.
- IP 6** - Protected against dust (totally).

Second digit:

- IP - 0** No protection.
- IP - 1** Protected against water falling vertically.
- IP - 2** Protected against direct water drips up to 15° from vertical.
- IP - 3** Protected against direct sprays up to 60° from vertical.
- IP - 4** Protected against sprays from all directions
- IP - 5** Protected against low-pressure jets from all directions.
- IP - 6** Protected against high-pressure jets from all directions.
- IP - 7** Protected against immersion between 15 cm and 1 m.
- IP - 8** Protected against immersion under pressure.

Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

• Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

• Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

• Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

Quality Management System

ISO 9001 is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



Environmental Management System

ISO 14001 ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

1. ORDERS

1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes.

Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order.

4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

General conditions of sale

6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: aftersales@santacole.com.

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit.

9. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

10. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

11. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.

HEADQUARTERS

Parc de Belloch
Ctra. C-251, Km 5,6
E-08430 La Roca (Barcelona)
T. +34 938 619 100
F. +34 938 711 767
info@santacole.com
www.santacole.com

SALES

Spain

ventas@santacole.com

International

internationalsales@santacole.com

AFTER SALES

Spain

postventa@santacole.com

International

aftersales@santacole.com

INTERNATIONAL OFFICES

US

East Coast and Central
T. +1 512 620 2096
samuelc@santacole.com

West Coast

T. +1 424 303 3010
jordi.nadal@santacole.com

General inquiries

usinfo@santacole.com

UK - London

T. +44 (0) 7596 831 942
london.uk@santacole.com

Follow us

Facebook, Twitter, Instagram,
Pinterest: @santacole

