



**SANTA & COLE**

**Singapore Price List 2020**



Dear friends,

We are pleased to present you our 2020 price list, which comes into force on January 1st 2020. We hope you find it quick and easy to use.

All of the new catalogue entries, including new products, materials, sizes and finishes, are highlighted in the contents page to make them easier to find.

An important change this year is the **inclusion of light sources (bulbs)** in most of our products. Our aim is to let our customers use our lamps from the very beginning, enjoying the best light quality.

We remind you that Santa & Cole also offers the possibility to adapt our products in order to meet the needs of specific projects (Contract). A consultation and prior technical study will be necessary. We are offering a selection of products with a Contract version (specified in this price list) ensuring durability for public use in projects.

Regarding upholstery we have two Kvadrat references (Remix 3 and HARALD 3-by Raf Simons), as well as your choice of fabric, and we also offer personal advice.

Please visit [santacole.com](http://santacole.com) for all technical details. An image gallery with high-resolution photos of the products in our catalogue can also be found on our website.

Santa & Cole reserves the right to change the prices in this price list without prior notice.

Santa & Cole's team is available for any queries you may have. You can phone us on +34 938 619 100 or write to us at [info@santacole.com](mailto:info@santacole.com)

We thank you for your kind cooperation, and we remain at your disposal.

Barcelona, December 2019

# Contents

## 7 Lighting

### 8 Table lamps

---

- 8 Americana
- 8 Asa
- 9 Babel
- 10 Básica M1
- 11 Básica M2
- 11 Básica Mínima
- 12 BlancoWhite C1
- 12 BlancoWhite R3
- 12 BlancoWhite R1 Rotating
- 13 Cesta
- 13 Cestita
- 14 Cestita Batería **New material**
- 14 Cesta Metálica
- 15 Cestita Metálica
- 16 Diana Menor
- 17 Diana
- 18 FAD Menor
- 18 FAD
- 19 Gira
- 19 Maija 15
- 20 Moragas
- 21 Sin S
- 21 Sin L
- 22 Sylvestrina **New Product**
- 22 Tatu
- 23 TMD
- 24 Trípode M3
- 25 Trípode G6

### 26 Floor lamps

---

- 26 Americana
- 26 Diana
- 27 Diana Mayor
- 27 Dórica
- 28 FAD
- 28 FAD Fija **New version**
- 29 GATCPAC
- 29 Maija 30
- 30 Moaré
- 31 Pie de Salón G1
- 32 Pie de Salón G2
- 33 Pie de Salón G3
- 34 TMC
- 34 TMD
- 35 TMM
- 36 Trípode G5

### 37 Pendant lamps

---

- 37 Arne Domus
- 37 Arne S Domus
- 38 BlancoWhite D1 ceiling / D1 ceiling Up&Down
- 39 BlancoWhite D2 ceiling / D2 ceiling Up&Down
- 40 BlancoWhite R3
- 41 BlancoWhite Golden Gate
- 42 Cirio Simple
- 43 Cirio Múltiple
- 44 Cirio Cascada 5
- 45 Cirio Cascada 7
- 46 Cirio Cascada 9
- 47 Cirio Cascada 12
- 48 Cirio Circular S
- 49 Cirio Circular M
- 50 Cirio Circular L
- 52 Cirio Oval
- 54 Cirio Lineal
- 56 Cirio Chandelier S
- 58 Cirio Chandelier M
- 60 Cirio Chandelier L
- 62 Estadio 105 1 support
- 62 Estadio 105 3 supports
- 63 Estadio 150 1 support
- 63 Estadio 150 3 supports
- 64 Estadio 250 1 support
- 64 Estadio 250 3 supports
- 65 Línea Estadio
- 66 Globo Cesta
- 67 Globo Cestita
- 68 GT4
- 69 GT5
- 70 GT6
- 71 GT7
- 72 GT1000
- 73 GT1500
- 74 HeadHat Bowl S
- 75 HeadHat Bowl L
- 76 HeadHat Plate S **New color**
- 77 HeadHat Plate M **New color**
- 78 HeadHat Plate L **New color**
- 79 La Colilla
- 80 Lámina 45
- 81 Sistema Lámina 45
- 82 Lámina 85
- 83 Sistema Lámina 85
- 84 Lámina 165
- 85 Lámina Mayor

86 Leonardo 60  
86 Leonardo 100  
87 Liceo 70  
87 Liceo 120  
88 M64  
89 M68  
90 Maija 15  
90 Maija 30  
91 Moaré  
92 Moaré Liviana S  
93 Moaré Liviana M  
93 Nagoya  
94 Nimba 60  
94 Nimba 90  
95 Nimba 120  
95 Nimba 180  
96 Sexta  
97 Sexta 12  
98 Sistema Fonda  
100 Sistema Gran Fonda  
102 Sistema Sisisí PT1  
103 Sistema Sisisí PT2  
104 Sistema Sisisí MT1  
105 Sistema Sisisí MT2  
106 Sistema Sisisí GT1  
107 Sistema Sisisí GT2  
108 Sistema Sisisí GT3  
109 Tekiò Vertical P1  
109 Tekiò Vertical P2  
110 Tekiò Vertical P3  
110 Tekiò Vertical P4  
111 Tekiò Horizontal P1  
112 Tekiò Horizontal P2  
113 Tekiò Horizontal P3  
114 Tekiò Horizontal P4  
115 Tekiò Circular P8  
116 Tekiò Oval P12  
117 Vaghe Stelle

## 118 Canopies

---

118 Sisisí canopy  
118 Sisisí canopy dual lamp socket  
119 S&C canopy  
119 S&C Connection  
119 Side entry adaptor  
120 HeadLed System / S&C LED Capsule  
120 HeadLed System / S&C LED Canopy  
121 Headled System / S&C LED Lampshades

## 122 Wall lamps

---

122 Americana  
122 BC1  
123 BC2  
124 BC3  
125 BlancoWhite C1 Wall rotating  
125 BlancoWhite C1 Wall rotating scene  
126 BlancoWhite R1 Wall  
126 BlancoWhite R1 Wall rotating  
127 Comodín cuadrado  
127 Comodín rectangular  
128 Corso  
129 Disco M  
129 Disco L  
130 Estadio  
130 Petit Tatu **New Product**  
131 Singular  
131 TMM corto  
132 TMM largo  
132 TMM Metálico  
133 Wally

## 135 Outdoor

---


136 Amigo  
137 Oco 33  
137 Oco 55

## 139 Light sources

## 149 Furniture

---

150 Belloch Chair  
150 Belloch cuadrada table  
150 Belloch rectangular table  
151 Cadaqués Lounge Chair  
151 Two Seat Cadaqués Sofa  
151 Three Seat Cadaqués Sofa  
152 Cadaqués Ottoman  
152 Diana alta table  
152 Diana baja table  
153 Digamma Armchair  
153 Digamma ottoman  
154 Havana **New Product**  
154 Ibiza Lounge Chair  
155 Moragas Armchair  
155 Moragas ottoman  
155 Large Moragas ottoman  
156 Ramón Chair  
156 Subeybaja table



## Cesta


Miguel Milá. 1962

# Lighting

## Americana

Miguel Milá  
1964

For further information on light sources go to p.139



### Composition

**SAM22 + SAMP8**

G8; %\$&)

### Code

### Description

**SAM22**

Satin nickel structure

G; 8; ( )

**SAMP8**

White linen lampshade

G; 8 % \$

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Asa

Miguel Milá  
1961

For further information on light sources go to p.139



### Code

### Structure

**ASA11**

White

G; 8 +- )

**ASA12**

Black

G; 8 +- )

Metallic structure with matte finish.

White translucent methacrylate shade.

Switch incorporated into the luminaire.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W


### Other light sources:

Max. 60 W

# Babel

Àngel Jové  
1971

For further information on light sources go to p.139



Code	Description	
<b>BAB01</b>	Alabaster column	G; 8 %, ' \$

Weight: 12,6 kg / 27.8 lb  
Dimmer included.



**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

**Light source included (dimmable):**

LED bulb 12 W


**Other light sources:**

Max. 60 W

## Básica M1

Santiago Roqueta,  
Santa & Cole Team  
1987

For further information on light sources go to p.139



### Examples of composition

<b>BASAx* + PM101</b>	G; 8 '+\$\$
<b>BASAx* + PM103</b>	G; 8 ', )
<b>BASAx* + PM109</b>	G; 8 '+&)
<b>BASAx* + PML108</b>	G; 8 '+* \$
<b>BASAx* + PM101 + 6BAS0x**</b>	G; 8 ', \$)
<b>BASAx* + PM103 + 6BAS0x**</b>	G; 8 '+- \$
<b>BASAx* + PM109 + 6BAS0x**</b>	G; 8 ', ' \$
<b>BASAx* + PML108 + 6BAS0x**</b>	G; 8 ', * )

Code	Lampshade	
<b>PM101</b>	Stitched beige parchment	G; 8 % \$
<b>PM103</b>	Natural ribbon	G; 8 %')
<b>PM105</b>	Red-amber ribbon	G; 8 %')
<b>PM106</b>	Black ribbon	G; 8 %')
<b>PM107</b>	Terracotta Raw Color ribbon	G; 8 &\$)
<b>PM108</b>	Mustard Raw Color ribbon	G; 8 &\$)
<b>PM109</b>	Green Raw Color ribbon	G; 8 &\$)
<b>PML108</b>	White linen	G; 8 &(\$

### Base

<b>*BASA2</b>	Nickel	G; 8 ) &\$
<b>*BASA3</b>	Bronze	G; 8 ) &\$

### Stabilizing base (optional)

<b>**6BAS01</b>	Nickel	G; 8 %\$)
<b>**6BAS02</b>	Bronze	G; 8 %\$)

Birch wood column with metallic base.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

### Light source included (dimmable):


LED bulb 12 W

### Other light sources:

Max. 100 W

## Básica M2

Santiago Roqueta,  
Santa & Cole Team  
1987



For further information on light sources go to p.139

### Composition

<b>BASAx* + PM201</b>	G; 8 ; +&)
<b>BASAx* + PM201 + 6BAS0x**</b>	G; 8 ; ' \$

Code	Lampshade	
<b>PM201</b>	Stitched beige parchment	G; 8 ; &\$)

Base		
<b>*BASA2</b>	Nickel	G; 8 ; )&\$
<b>*BASA3</b>	Bronze	G; 8 ; )&\$

Stabilizing base (optional)		
<b>**6BAS01</b>	Nickel	G; 8 ; %\$)
<b>**6BAS02</b>	Bronze	G; 8 ; %\$)

Birch wood column with metallic base.  
Dimmer included.



### Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

### Light source included (dimmable):


LED bulb 12 W

### Other light sources:

Max. 100 W

## Básica Mínima

Santiago Roqueta,  
Santa & Cole Team  
1994



For further information on light sources go to p.139

Code	Base	Lampshade	
<b>BAM01</b>	Bronze	Beige parchment	G; 8 ; ), \$
<b>BAM12</b>	Nickel	Natural ribbon	G; 8 ; ), \$

Birch wood column with metallic base.  
Metal disc Ø 8,5 cm / 3.3".



Contact us for further details on the specifics of product versions  
for contract projects.

### Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

### Light sources included:

LED bulb 6,5 W


### Other light sources:

Max. 40 W

**BlancoWhite C1**

Antoni Arola  
2011

For further information on built-in LED go to p.144



Code	Structure	
<b>BWC101</b>	White S&C	G; 8 %%) \$
<b>BWC102</b>	Graphite	G; 8 %%) \$

Metal structure with matte finish.  
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 8 W

**BlancoWhite R3**

Antoni Arola  
2011

For further information on built-in LED go to p.144



Code	Structure	
<b>BWR311</b>	White S&C	G; 8 &'\$\$ \$
<b>BWR312</b>	Graphite	G; 8 &'\$\$ \$

Metal structure with matte finish.  
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 33 W

**BlancoWhite R1 Rotating**

Antoni Arola  
2013

For further information on built-in LED go to p.144



Code	Description	
<b>BWR112</b>	Graphite metal structure with matte finish	G; 8 &'\$\$ \$

Rotating head.  
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 12 W

## Cesta

Miguel Milá  
1962

For further information on light sources go to p.139



Code	Description	
<b>CES01</b>	Cherry wood structure White opal glass lampshade	G; 8 %* * \$

Dimmer included.



**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

**Light source included (dimmable):**

LED bulb 12 W


**Other light sources:**

Max. 75 W

## Cestita

Miguel Milá  
1962

For further information on light sources go to p.139



Code	Lampshade	
<b>CES11</b>	White opal polyethylene	G; 8 +()
<b>CES12</b>	White opal glass	G; 8 +()

Cherry wood structure.



**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W

**Other light sources:**

Max. 40 W


Maximum bulb diameter: 60 mm / 2.36"

## Cestita Batería

Miguel Milá  
2017

For further information on built-in LED go to p.144

**New material**



Code	Lampshade	
<b>CES16</b>	White opal polyethylene	G; 8 %\$\$\$
<b>CES14</b>	White opal glass	G; 8 %\$\$\$

Cherry wood structure.

Switch incorporated into the luminaire with 3 intensity levels.

Lithium battery.

Range:

- 5h on high power

- 12h on medium power

- 24h on minimum power

Includes charger.

Battery charging time: 6.5h

To prevent wood degradation, the lamp should not be left outdoors permanently.




### Light source included (dimmable):

Built-in LED 2,5 W

## Cesta Metálica

Miguel Milá  
1962

For further information on light sources go to p.139



Code	Stainless steel structure	
<b>CES02</b>	Without leather handle	G; 8 %-' \$
<b>CES03</b>	With natural colour leather handle	G; 8 %'&'-)

White opal glass lampshade.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

### Light source included (dimmable):

LED bulb 12 W


### Other light sources:

Max. 60 W

# Cestita Metálica

Miguel Milá  
1962

For further information on light sources go to p.139



Code	Description	
<b>CES13</b>	Stainless steel structure White opal glass lampshade	G; 8 %& )

Dimmer included.



**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included (dimmable):**

LED bulb 4,5 W

**Other light sources:**


Max. 40 W

Maximum bulb diameter: 60 mm / 2.36"

## Diana Menor

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p.139



### Examples of composition

<b>DIA12 + DIAP8</b>	G; 8 %(' \$
<b>DIA123 + DIAP6</b>	G; 8 %))

### Code Metallic structure

<b>DIA12</b>	Satin nickel	G; 8 %\$+)
<b>DIA123</b>	Brass finish	G; 8 %%% \$

	Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAP8</b>	White linen	Translucent white parchment	G; 8 ' ) )
<b>DIAP6</b>	Black linen	Stone parchment	G; 8 ' - )

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product  
for areas exposed to saline conditions.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included (dimmable):

2 x LED bulb 4,5 W


### Other light sources:

Max. 2 x 40 W

## Diana

Federico Correa, Alfonso Milá,  
Miguel Milá  
1995

For further information on light sources go to p.139



### Examples of composition

<b>DIA11 + DIAM8</b>	G; 8 %*% %)
<b>DIA113 + DIAM6</b>	G; 8 %'++\$

### Code Metallic structure

<b>DIA11</b>	Satin nickel	G; 8 %&%\$
<b>DIA113</b>	Brass finish	G; 8 %" (\$

	Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAM8</b>	White linen	Translucent white parchment	G; 8'(\$)
<b>DIAM6</b>	Black linen	Stone parchment	G; 8'(\$

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product  
for areas exposed to saline conditions.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

### Light source included (dimmable):

2 x LED bulb 12 W


### Other light sources:

Max. 2 x 50 W

## FAD Menor

Miguel Milá  
1973

For further information on light sources go to p.139



Code	Description	
FAD02	Natural oak wood structure. White linen lampshade.	G; 8' - +)



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb: 4,5 W


### Other light sources:

Max. 60 W

## FAD

Miguel Milá  
1973

For further information on light sources go to p.139



### Composition

FAD12 + FADP8		G; 8 %* - \$
---------------	--	--------------

Code	Description	
FAD12	Natural oak wood structure	G; 8 %%\$\$\$
FADP8	White linen lampshade	G; 8 &- \$

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included (dimmable):

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Gira

J.M. Massana, J.M. Tremoleda,  
Mariano Ferrer  
1978

For further information on light sources go to p.139



Code	Lampshade	
<b>GIR21</b>	Brass	G; 8'; &\$
<b>GIR22</b>	Black anodized aluminium	G; 8' * +\$
<b>GIR23</b>	Natural anodized aluminium	G; 8' * +\$

Chrome-plated structure.  
Grey zamak base.



Contact us for further details on the specifics of product versions  
for contract projects.

### Bulb socket:

E27 (Max. hgt. 110 mm / 4.3")

### Light source included:

LED bulb 12 W

### Other light sources:


Max. 40 W

Specific bulb diameter: 60 mm / 2.36"

## Maija 15

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p.144



Code	Metallic lampshades	
<b>MAI11L</b>	White	G; 8' %(- \$
<b>MAI114L</b>	Nude rose	G; 8' %(- \$

Diffuser in white translucent engineering plastic.  
Brass legs finished in matte.  
Dimmer included.




### Light source included (dimmable):

Built-in LED 12 W

## Moragas

Antoni de Moragas i Gallissà  
1957

For further information on light sources go to p.139



### Composition

**MOL01 + MOLP3**

G; 8' & (&) \$

### Code

### Description

**MOL01**

Sapeli wood leg

G; 8' %" (\$

**MOLP3**

Natural cotton ribbon lampshade with silk border

G; 8' - %\$

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

### Light source included (dimmable):

3 x LED bulb 4,5 W


### Other light sources:

Max. 3 x 30 W

**Sin S**

Antoni Arola  
2013

For further information on built-in LED go to p.144

**Examples of composition with lampshade**

<b>SIN21 + SINS2</b>	G; 8' &' + %
<b>SIN22 + SINSx*</b>	G; 8' &' + - \$

Code	Structure	
<b>SIN21</b>	White S&C	G; 8' &' &' \$
<b>SIN22</b>	Graphite	G; 8' &' %\$

Lampshade (optional)		
<b>SIN2</b>	White opal methacrylate	G; 8' ( )
<b>*SINS1</b>	White S&C aluminium	G; 8' ( , \$
<b>*SINS3</b>	Graphite aluminium	G; 8' ( , \$

Metal structure with matte finish.  
Dimmer and switch incorporated into the luminaire.


**Light source included (dimmable):**

Built-in LED 12,5 W

**Sin L**

Antoni Arola  
2013

For further information on built-in LED go to p.144

**Examples of composition with lampshade**

<b>SIN31 + SINL2</b>	G; 8' ' '\$ - )
<b>SIN32 + SINLx*</b>	G; 8' ' "( \$)

Code	Structure	
<b>SIN31</b>	White S&C	G; 8' &' ) +)
<b>SIN32</b>	Graphite	G; 8' &' )*

Lampshade (optional)		
<b>SINL2</b>	White opal methacrylate	G; 8' ) &\$
<b>*SINL1</b>	White S&C aluminium	G; 8' + + \$
<b>*SINL3</b>	Graphite aluminium	G; 8' + + \$

Metal structure with matte finish.  
Dimmer and switch incorporated into the luminaire.

**Light source included (dimmable):**


Built-in LED 25 W

## Sylvestrina

Jordi Garcés, Enric Soria  
1974

For further information on built-in LED go to p.144

**New product**



Code	Description	
<b>SYL01</b>	Transparent Pyrex glass lampshade. White translucent diffuser. Glossy black zamak base.	G; 8'+()

Lithium battery.



Switch incorporated into the luminaire with 2 levels of intensity.

Power Range: 7h on high power - 14h on minimum power.

Includes contact charger.


### Light source included (dimmable):

Built-in LED 1 W

## Tatu

André Ricard  
1972

For further information on built-in LED go to p.144



Code	ABS plastic structure	
<b>TAT02</b>	S&C white	G; 8'; &\$
<b>TAT05</b>	Red	G; 8'; &\$

Gyratory structure.

Applications: table or wall lamp.

Adjustable focal length from 30° to 50°.

Adjustable light intensity 0% to 100%.

Dimmer and switch incorporated into the luminaire.




### Light source included (dimmable):

Built-in LED 6 W

# TMD

Miguel Milá  
1996

For further information on light sources go to p.139



Code	Description	
TME08	Satin nickel structure White linen lampshade	G; 8'-%\$

Height-adjustable white linen lampshade.  
The light is switched on/off by pulling lightly on the cable.  
Under special request, possibility of adapting the product  
for areas exposed to saline conditions.



Contact us for further details on the specifics of product versions  
for contract projects.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W


**Other light sources:**

Max. 60 W

## Triopode M3

Santa & Cole Team  
2011

For further information on light sources go to p.139



### Composition

<b>TM311 + TM3Mx*</b>	G; 8'; +)
<b>TM311 + TM3Mx**</b>	G; 8'; -%\$

### Code Structure

<b>TM311</b>	Black metal	G; 8') \$)
--------------	-------------	------------

### Ribbon lampshade

<b>*TM3M3</b>	Natural	G; 8' +\$
<b>*TM3M5</b>	Red-amber	G; 8' +\$
<b>*TM3M6</b>	Black	G; 8' +\$
<b>**TM3M7</b>	Terracotta Raw Color	G; 8' (\$)
<b>**TM3M8</b>	Mustard Raw Color	G; 8' (\$)
<b>**TM3M9</b>	Green Raw Color	G; 8' (\$)

Black metal top cover.



### Bulb socket:

E14 (Max. hgt. 85 mm / 3.3")

### Light source included:

LED bulb 6,5 W


### Other light sources:

Max. 40 W

# Triode G6

Santa & Cole Team  
2002

For further information on light sources go to p.139



## Composition

TG611 + TG6Mx*	G; 8 %\$*\$ \$
TG611 + TG6Mx**	G; 8 %%%\$ \$

## Code Structure

TG611	Black metal	G; 8 ), \$
-------	-------------	------------

## Ribbon lampshade

*TG6M3	Natural	G; 8 (, \$
*TG6M5	Red-amber	G; 8 (, \$
*TG6M6	Black	G; 8 (, \$
**TG6M7	Terracotta Raw Color	G; 8 )' \$
**TG6M8	Mustard Raw Color	G; 8 )' \$
**TG6M9	Green Raw Color	G; 8 )' \$

Black metal top cover.

Dimmer included.



## Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

## Light source included (dimmable):

LED bulb 12 W


## Other light sources:

Max. 100 W

## Americana

Miguel Milá  
2000

For further information on light sources go to p.139



### Composition

**SAM32 + SAMP8** G; 8 %(' \$

Code	Description	
<b>SAM32</b>	Satin nickel structure	G; 8 %&) \$
<b>SAMP8</b>	White linen lampshade	G; 8 % \$

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Diana

Federico Correa,  
Alfonso Milá, Miguel Milá  
1995

For further information on light sources go to p.139



### Examples of composition

**DIA21 + DIAM8** SGD 2.110  
**DIA213 + DIAM6** SGD 2.260

Code	Metallic structure	
<b>DIA21</b>	Satin nickel	G; 8 %'+\$)
<b>DIA213</b>	Brass finish	G; 8 %,' \$

	Lampshade	Upper diffuser <sup>[1]</sup>	
<b>DIAM8</b>	White linen	Translucent white parchment	G; 8 '( \$)
<b>DIAM6</b>	Black linen	Stone parchment	G; 8 '( \$)

<sup>[1]</sup> Upper diffuser for energy saving bulbs only (LED/compact fluorescent).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Light source included (dimmmable):


2 x LED bulb 12 W

### Other light sources:

Max. 2 x 75 W

## Diana Mayor

Federico Correa,  
Alfonso Milá, Miguel Milá  
1995



For further information on light sources go to p.139

### Examples of composition

<b>DIA31 + DIAG8</b>	G; 8' &'(- - \$
<b>DIA313 + DIAG6</b>	G; 8' &'(*) \$

### Code Metallic structure

<b>DIA31</b>	Satin nickel	G; 8' %'(- + \$
<b>DIA313</b>	Brass finish	G; 8' %'(\$)

### Lampshade

<b>DIAG8</b>	White linen	G; 8' ) &\$
<b>DIAG6</b>	Black linen	G; 8' ) ( )

Under special request, possibility of adapting the product for areas exposed to saline conditions.  
Dimmer included.



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Light source included (dimmable):


2 x LED bulb 12 W

### Other light sources:

Max. 2 x 75 W

## Dórica

Jordi Miralbell,  
Mariona Raventós  
1994



For further information on light sources go to p.139

### Composition

<b>DOR03 + DORP3</b>	G; 8' &'&)
<b>DOR03 + DORP3 + DOR00</b>	G; 8' &'(*) )

### Code Description

<b>DOR03</b>	Metal structure with dark brown finish	G; 8' %'(\$)
<b>DORP3</b>	Natural ribbon lampshade	G; 8' * &\$

### Stabilizing base (optional)

<b>DOR00</b>	Dark brown	G; 8' ' ' \$
--------------	------------	--------------

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

### Light source included (dimmable):

3 x LED bulb 12 W


### Other light sources:

Max. 3 x 50 W

## FAD

Miguel Milá  
1974

For further information on light sources go to p.139



### Composition

**FAD22 + FADG8** G; 8 % - &\$

Code	Description	
<b>FAD22</b>	Natural oak wood structure	G; 8 % - \$
<b>FADG8</b>	White linen lampshade	G; 8 ' ' \$

Height-adjustable lampshade.  
Dimmer included.



### Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

### Light source included (dimmable):

LED bulb 12 W

### Other light sources:


Max. 100 W

## FAD Fija

Miguel Milá  
1974

For further information on light sources go to p.139

**New version**



### Composition

**FAD32 + FADG8** G; 8 % - \$

Code	Description	
<b>FAD32</b>	Natural oak wood structure	G; 8 % &* \$
<b>FADG8</b>	White linen lampshade	G; 8 ' ' \$

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

### Light source included (dimmable):

LED bulb 12 W

### Other light sources:

Max. 100 W

## GATCPAC

Josep Torres Clavé  
1931

For further information on light sources go to p.139



Code	Description	
TLC02	Polished aluminium structure and lampshade	G; 8 & '\$) %&#

Adjustable lampshade.  
Dimmer included.



**Bulb socket:**  
E27 (Max. hgt. 160 mm / 6.3")


**Light source included (dimmable):**  
LED bulb 12 W

**Other light sources:**  
Max. 150 W

## Maija 30

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p.144



Code	Description	
MAI21L	Metallic lampshade finished in matte white Brass legs finished in matte	G; 8 & '\$-)

Diffuser in white translucent methacrylate.  
Dimmer included.




**Light source included (dimmable):**  
Built-in LED 24 W

# Moaré


Antoni Arola  
2003

For further information on light sources go to p.139




## Lampshades


### Medium (M)



### Large (L)



### Extra (X)



## Examples of composition

MRE21 + MRELx*	G; 8 ' "' '\$'
MRE21 + MREXx*	G; 8 ('&\$'
MRE21 + MREMx* + MRELx*	G; 8 ('&+)
MRE21 + MREMx* + MREXx*	G; 8 (' ( )
MRE21 + MRELx* + MREXx*	G; 8 ) '\$+\$'

Code	Structure
MRE21	Aluminium with graphite black finish and cast aluminium base G; 8 '&'+*\$

## Lampshade M

*MREM3	White	G; 8 '* ( )
*MREM5	Red	G; 8 '* ( )
*MREM6	Grey	G; 8 '* ( )
*MREM7	Black	G; 8 '* ( )

## Lampshade L

*MREL3	White	G; 8 ', +\$
*MREL5	Red	G; 8 ', +\$
*MREL6	Grey	G; 8 ', +\$
*MREL7	Black	G; 8 ', +\$

## Lampshade X

*MREX3	White	G; 8 %(((\$
*MREX5	Red	G; 8 %(((\$
*MREX6	Grey	G; 8 %(((\$
*MREX7	Black	G; 8 %(((\$

Acrylsatiné methacrylate cylindrical diffuser.

Polyester lampshade.

Dimmer included.



## Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

## Light source included (dimmable):

3 x LED bulb 12 W


## Other light sources:

Max. 3 x 50 W

# Pie de Salón G1

Jaume Sans  
1963

For further information on light sources go to p.139



## Examples of composition

PDS02 + PG101	G; 8 %' +\$
PDS02 + PG103	G; 8 %' ( )
PDS02 + PG107	G; 8 %' - &&
PDS02 + PGL108	G; 8 %' - ( )
PDS03 + PG101	G; 8 %' " ) \$
PDS03 + PG103	G; 8 %' " &
PDS03 + PG107	G; 8 %' " ( \$ \$
PDS03 + PGL108	G; 8 %' " ( &

Code	Metallic structure	
PDS02	Chrome-plated	G; 8 %' ( +)
PDS03	Polished brass	G; 8 %' - )

Lampshade		
PG101	Stitched beige parchment	G; 8 %' - )
PG103	Natural ribbon	G; 8 %' + \$
PG105	Red-amber ribbon	G; 8 %' + \$
PG106	Black ribbon	G; 8 %' + \$
PG107	Terracotta Raw Color ribbon	G; 8 %' ( ( )
PG108	Mustard Raw Color ribbon	G; 8 %' ( ( )
PG109	Green Raw Color ribbon	G; 8 %' ( ( )
PGL108	White linen	G; 8 %' ( + \$

Shaft covered in black leather.  
Height-adjustable lampshade.  
Dimmer included.



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Light source included (dimmable):

LED bulb 12 W

### Other light sources:


Max. 100 W

## Pie de Salón G2

Jaume Sans

1963

For further information on light sources go to p.139



### Composition

PDS02 + PG20x*	G; 8 %; +\$
PDS02 + PG208	G; 8 %- (-)
PDS03 + PG20x*	G; 8 '&' (\$) \$
PDS03 + PG208	G; 8 '&' (&)

### Code

### Metallic structure

PDS02	Chrome-plated	G; 8 % (+)
PDS03	Polished brass	G; 8 %- (-)

### Lampshade

*PG203	Natural ribbon	G; 8 ' (-)
*PG205	Red-amber ribbon	G; 8 ' (-)
*PG206	Black ribbon	G; 8 ' (-)
PG208	White linen	G; 8 '( +\$)

Shaft covered in black leather.

Height-adjustable lampshade.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Light source included (dimmable):

LED bulb 12 W


### Other light sources:

Max. 100 W

# Pie de Salón G3

Jaume Sans  
1963

For further information on light sources go to p.139



## Examples of composition

PDS02 + PG303	G; 8 %'+, \$
PDS02 + PG307	G; 8 %', ' \$
PDS02 + PGL308	G; 8 %', &\$
PDS03 + PG303	G; 8 '&'&* \$
PDS03 + PG307	G; 8 '&'" %\$
PDS03 + PGL308	G; 8 '&'" \$\$

Code	Metallic structure	
PDS02	Chrome-plated	G; 8 %'( +)
PDS03	Polished brass	G; 8 %'(-)

	Lampshade	
PG303	Natural ribbon	G; 8 ' \$)
PG305	Red-amber ribbon	G; 8 ' \$)
PG306	Black ribbon	G; 8 ' \$)
PG307	Terracotta Raw Color ribbon	G; 8 ' ))
PG308	Mustard Raw Color ribbon	G; 8 ' ))
PG309	Green Raw Color ribbon	G; 8 ' ))
PGL308	White linen	G; 8 ' ( )

Shaft covered in black leather.  
Height-adjustable lampshade.  
Dimmer included.



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Light source included (dimmable):

LED bulb 12 W


### Other light sources:

Max. 100 W

## TMC

Miguel Milá  
1961

For further information on light sources go to p.139



Code	Description	
<b>TMC11</b>	Two-part metal structure: upper half chrome-plated and lower half black. Height-adjustable white methacrylate lampshade.	<b>SGD 1.905</b>

The light is switched on/off by pulling lightly on the cable.

Contact us for further details on the specifics of product versions for contract projects.



### Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

### Light source included:

LED bulb 12 W


### Other light sources:

Max. 100 W

## TMD

Miguel Milá  
2005

For further information on light sources go to p.139



Composition	
<b>TMD21 + TMDP8</b>	G; 8 %%, ))

Code	Description	
<b>TMD21</b>	Satin nickel structure	G; 8 %%% \$
<b>TMDP8</b>	White linen lampshade	G; 8 '* -)

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on /off by pulling lightly on the cable.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Contact us for further details on the specifics of product versions for contract projects.



### Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

### Light source included:

LED bulb 12 W


### Other light sources:

Max. 100 W

**TMM**

Miguel Milá  
1961

For further information on light sources go to p.139

**Composition**

TMMHA + TMMPx*	G; 8 % ( % )
TMMHA + TMMP2D	G; 8 % ( - \$ )
TMMCE + TMMPx*	G; 8 % ( ) )
TMMCE + TMMP2D	G; 8 % ( ' \$ )
TMMNO + TMMPx*	G; 8 % ( , \$ )
TMMNO + TMMP2D	G; 8 % ( * ) )
TMMRO + TMMPx*	G; 8 % ( ) )
TMMRO + TMMP2D	G; 8 % ( ' \$ )
TMMNE + TMMPx*	G; 8 % ( ) )
TMMNE + TMMP2D	G; 8 % ( ' \$ )

**Code Wooden structure**

TMMHA	Beech	G; 8 ++ \$
TMMCE	Cherry	G; 8 ; % \$
TMMNO	Walnut	G; 8 - ' )
TMMRO	Natural oak	G; 8 ; % \$
TMMNE	Black oak	G; 8 ; % \$

**Parchment lampshade**

*TMMP1	Beige	G; 8 * ( )
*TMMP2	White	G; 8 * ( )
TMMP2D	White with upper diffuser in white translucent methacrylate <sup>[1]</sup>	G; 8 + & \$

Height-adjustable lampshade.

The lampshade is delivered with cable, bulb socket and fastening system to the structure.

The light is switched on/off by pulling lightly on the cable.

<sup>[1]</sup> Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



Contact us for further details on the specifics of product versions for contract projects.

**Bulb socket:**

E27 (Max. hgt. 125 mm / 4.9")

**Light source included:**

LED bulb 12 W


**Other light sources:**

Max. 100 W

## Tripode G5

Santa & Cole Team  
1997

For further information on light sources go to p.139



### Composition

TG501 + TG5Px*	G; 8 % ( )
TG501 + TG5Px**	G; 8 % ( \$ )

### Code Structure

TG501	Black metal	G; 8 ; * \$
-------	-------------	-------------

### Ribbon lampshade

*TG5P3	Natural	G; 8 (-)
*TG5P5	Red-amber	G; 8 (-)
*TG5P6	Black	G; 8 (-)
**TG5P7	Terracotta Raw Color	G; 8 ( )
**TG5P8	Mustard Raw Color	G; 8 ( )
**TG5P9	Green Raw Color	G; 8 ( )

Dimmer included.



Contact us for further details on the specifics of product versions for contract projects.

### Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

### Light source included (dimmable):

LED bulb 12 W


### Other light sources:

Max. 100 W

## Arne Domus

Santa & Cole Team  
2015

For further information on built-in LED go to p.144



### Code Structure and canopy

<b>ARD11</b>	White RAL9002	G; 8 &'\$\$\$)
<b>ARD12</b>	Aluminium grey RAL9006	G; 8 &'\$\$\$)
<b>ARD13</b>	Mustard RAL1027	G; 8 &'\$\$\$)
<b>ARD14</b>	Dark green RAL6015	G; 8 &'\$\$\$)

Matte aluminium injection structure.

Acid-etched and tempered glass diffuser.

Metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).

Suitable for outdoor use.

Electric cable length: 4 m / 157.5"

Weight: 6,2 kg / 13.6 lb

CE IP 54




### Light source included (dimmable):

Built-in LED 33 W

## Arne S Domus

Santa & Cole Team  
2018

For further information on built-in LED go to p.144



### Code Structure and canopy Dimming [1]

<b>ARSD11</b>	White RAL9002	1-10V	G; 8 (%) +)
<b>ARSD11-DALI</b>	White RAL9002	DALI	G; 8 (%) +)
<b>ARSD12</b>	Aluminium grey RAL9006	1-10V	G; 8 (%) +)
<b>ARSD12-DALI</b>	Aluminium grey RAL9006	DALI	G; 8 (%) +)
<b>ARSD13</b>	Mustard RAL1027	1-10V	G; 8 (%) +)
<b>ARSD13-DALI</b>	Mustard RAL1027	DALI	G; 8 (%) +)
<b>ARSD14</b>	Dark green RAL6015	1-10V	G; 8 (%) +)
<b>ARSD14-DALI</b>	Dark green RAL6015	DALI	G; 8 (%) +)

Matte aluminium injection structure with integrated driver.

Primary optics with tempered glass cover.

Metallic circular canopy included.

[1] Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Suitable for outdoor use.

Electric cable length: 4 m / 157.5"

Weight: 3,3 Kg / 7.2 lb

CE IP 65



### Light source included (dimmable):

Built-in LED 28 W

**BlancoWhite**  
**D1 ceiling /**  
**D1 ceiling Up&Down**  
 Antoni Arola  
 2013

For further information on built-in LED go to p.144

**Composition**

<b>BWD102 + BWF102</b>	G; 8' & % )
<b>BWD102 + BWF202 + BWPD12</b>	G; 8' & "+\$

Code	Structure	
<b>BWD102</b>	Graphite metal with matte finish	G; 8' %*, \$

**Canopy**

<b>BWF102</b>	Circular metal with power supply incorporated	G; 8' ) \$
---------------	---	------------

**Up&Down counterweight**

<b>BWPD12</b>	Optional	G; 8' ( +\$
---------------	----------	-------------

**Up&Down canopy**

<b>BWF202</b>	Optional	G; 8' * & \$
---------------	----------	--------------

Option of Up&Down counterweight to adjust height.


Electric cable length: 3 m / 118.1"

Weight: 3 kg / 6.6 lb


Weight with Up&Down counterweight: 4 kg / 8.8 lb



D1 ceiling



D1 ceiling up&down



**Light source included:**

Built-in LED 22 W

**BlancoWhite**  
**D2 ceiling /**  
**D2 ceiling Up&Down**  
 Antoni Arola  
 2013

For further information on built-in LED go to p.144

**Composition**

<b>BWD202 + BWF102</b>	G; 8 &'(+)
<b>BWD202 + BWF202 + BWPD22</b>	G; 8 ' "%)

**Code Structure**

<b>BWD202</b>	Graphite metal with matte finish	G; 8 %- +\$
---------------	----------------------------------	-------------

**Canopy**

<b>BWF102</b>	Circular metal with power supply incorporated	G; 8 ) \$)
---------------	---	------------

**Up&Down counterweight**

<b>BWPD22</b>	Optional	G; 8 ) -)
---------------	----------	-----------

**Up&Down canopy**

<b>BWF202</b>	Optional	G; 8 '* &\$
---------------	----------	-------------

Option of Up&Down counterweight to adjust height.


Electric cable length: 3 m / 118.1"

Weight: 4 kg / 8.8 lb


Weight with Up&Down counterweight: 5 kg / 11 lb



D2 ceiling



D2 ceiling up&down



**Light source included:**

Built-in LED 28 W


# BlancoWhite R3

Antoni Arola  
2013

For further information on built-in LED go to p.144

Code	Description	
<b>BWR302</b>	Graphite metal structure with matte finish. Rectangular metal canopy with power supply incorporated.	G; 8' & ' )

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Electric cable length: 3 m / 118.1"  
Weight: 5,8 kg / 12.8 lb



### Light source included (dimmable):


Built-in LED 33 W

**BlancoWhite**  
**Golden Gate**  
 Antoni Arola  
 2013

For further information on built-in LED go to p.144

Code	Description	
<b>BWGG02</b>	Graphite metal structure with matte finish. Rectangular metal canopy with power supply incorporated.	G; 8 (" - )

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
 Includes counterweight to adjust height.  
 Electric cable length: 3 m / 118.1"  
 Weight: 17,5 kg / 38.5 lb




**Light source included (dimmable):**  
 Built-in LED 66 W

# Cirio Simple


Antoni Arola  
2010

For further information on built-in LED go to p.144

## Canopies



B



## Examples of composition

HEFxx* + HEL03 + CIP01	G; 8' - \$\$
HEFxx* + HEL08 + CIP05	G; 8' - *\$
HEFD0x** + HEL03 + CIP06	G; 8' % ) \$
HEFD0x** + HEL08 + CIP01	G; 8' % % )

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	G; 8' %
*HEF02	White surface (not dimmable)	A	G; 8' %
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A	G; 8' (, \$
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A	G; 8' (, \$
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A	G; 8' (, \$
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A	G; 8' (, \$
*HEF12	White built-in (not dimmable)	B	G; 8' %

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8' & \$
HEL08	8 m / 315"	G; 8' ' \$

	Lampshade	Finish		
CIP01	White porcelain	Matte interior and gloss exterior	PP	G; 8' ( )
CIP05	White opal glass	Matte	PV	G; 8' %
CIP06	Brass	Polished	PL	G; 8' *' \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades. (p.121).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 1,1 Kg / 2.4 lb



## Lampshades



## Light source included:



Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

# Cirio Múltiple

Antoni Arola  
2010

For further information on built-in LED go to p.144



## Examples of composition

**CIF11 + 12 HEL03 + 12 CIP01**

G; 8'; "+\* \$

**CIF22 + 6 HEL08 + 6 CIP05**

G; 8') "+) \$

**CIF12 + 8 HEL08 + 8 CIP06**

G; 8' - "( & \$

## Code Circular metal canopy + power supply

<b>CIF11</b>	Black surface dimmable 1-10 V	G; 8' %+(\$
<b>CIF11-DALI</b>	Black surface dimmable DALI	G; 8' %+(\$
<b>CIF12</b>	White surface dimmable 1-10 V	G; 8' %+(\$
<b>CIF12-DALI</b>	White surface dimmable DALI	G; 8' %+(\$
<b>CIF22</b>	White built-in dimmable 1-10 V	G; 8' %', \$
<b>CIF22-DALI</b>	White built-in dimmable DALI	G; 8' %', \$

## LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	G; 8' & (\$
<b>HEL08</b>	8 m / 315"	G; 8' ' \$

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	G; 8' ( )
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	G; 8' %
<b>CIP06</b>	Brass	Polished	<b>PL</b>	G; 8' *' \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.



From 6 to a maximum of 12 light sources.

Suitable for dimming 1-10V / DALI.


(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p.121).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight (with porcelain lampshade): 8 Kg / 17.5 lb

## Lampshades



## Light sources included (dimmable):

Built-in LED 7,7 W


# Cirio Cascada 5

Antoni Arola  
2017

For further information on built-in LED go to p.144

Spiral  
composition

Random  
composition



## Composition

CIF41* + 5 HEL03 + 5 CIP01	G; 8' (8%)
CIF41* + 5 HEL08 + 5 CIP01	G; 8' (***)
CIF41* + 5 HEL03 + 5 CIP05	G; 8' (\$*)
CIF41* + 5 HEL08 + 5 CIP05	G; 8' (') %
CIF41* + 5 HEL03 + 5 CIP06	G; 8' (** (\$
CIF41* + 5 HEL08 + 5 CIP06	G; 8' *\$-\$

Code Black metal circular canopy + power supply 5 light sources

*CIF41	Dimming 1-10V	G; 8' %&- \$
*CIF41-DALI	Dimming DALI	G; 8' %&- \$

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8' (&(\$
HEL08	8 m / 315"	G; 8' ' \$

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	G; 8' ( )
CIP05	White opal glass	Matte	PV	G; 8' %
CIP06	Brass	Polished	PL	G; 8' *' \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 7 Kg / 15.5 lb

8 m: 8 Kg / 17.6 lb



## Lampshades



## Light sources included (dimmable):

5 x Built-in LED 7,7 W


# Cirio Cascada 7

Antoni Arola  
2017

For further information on built-in LED go to p.144

Spiral  
composition

Random  
composition



## Composition

CIF51* + 7 HEL03 + 7 CIP01	G; 8 )" , )
CIF51* + 7 HEL08 + 7 CIP01	G; 8 *"\$%&
CIF51* + 7 HEL03 + 7 CIP05	G; 8 )"%&+
CIF51* + 7 HEL08 + 7 CIP05	G; 8 )" , \$)
CIF51* + 7 HEL03 + 7 CIP06	G; 8 +", \$)
CIF51* + 7 HEL08 + 7 CIP06	G; 8 ; "\$%&

<b>Code</b>	<b>Black metal circular canopy + power supply 7 light sources</b>
*CIF51	Dimming 1-10V G; 8 %&- \$
*CIF51-DALI	Dimming DALI G; 8 %&- \$

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8 &(\$
HEL08	8 m / 315"	G; 8 ' ' \$

	Lampshade	Finish	Drawing
CIP01	White porcelain	Matte interior and gloss exterior	PP G; 8 ' ( )
CIP05	White opal glass	Matte	PV G; 8 ' %
CIP06	Brass	Polished	PL G; 8 '* ' \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 9 Kg / 19.8 lb

8 m: 10 Kg / 22 lb



## Lampshades



## Light sources included (dimmable):

7 x Built-in LED 7,7 W


# Cirio Cascada 9

Antoni Arola  
2017

For further information on built-in LED go to p.144

Spiral  
composition

Random  
composition



## Composition

CIF61* + 9 HEL03 + 9 CIP01	SGD 6.705
CIF61* + 9 HEL08 + 9 CIP01	SGD 7.515
CIF61* + 9 HEL03 + 9 CIP05	SGD 6.435
CIF61* + 9 HEL08 + 9 CIP05	SGD 7.245
CIF61* + 9 HEL03 + 9 CIP06	SGD 9.270
CIF61* + 9 HEL08 + 9 CIP06	SGD 10.080

Code Black metal circular canopy + power supply 9 light sources

*CIF61	Dimming 1-10 V	G; 8' (\$
*CIF61-DALI	Dimming DALI	G; 8' (\$

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8' (\$
HEL08	8 m / 315"	G; 8' (\$

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	G; 8' ( )
CIP05	White opal glass	Matte	PV	G; 8' ( )
CIP06	Brass	Polished	PL	G; 8' ( )

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 12 Kg / 26.5 lb

8 m: 14 Kg / 30.9 lb



## Lampshades




## Light sources included (dimmable):

9 x Built-in LED 7,7 W

# Cirio Cascada 12

Antoni Arola  
2017

For further information on built-in LED go to p.144



## Composition

CIF71* + 12 HEL03 + 12 CIP01	SGD 8.910
CIF71* + 12 HEL08 + 12 CIP01	SGD 9.990
CIF71* + 12 HEL03 + 12 CIP05	SGD 8.550
CIF71* + 12 HEL08 + 12 CIP05	SGD 9.630
CIF71* + 12 HEL03 + 12 CIP06	SGD 12.330
CIF71* + 12 HEL08 + 12 CIP06	SGD 13.410

Code Black metal rectangular canopy + power supply 12 light sources

*CIF71	Dimming 1-10 V	G; 8 %; - \$
*CIF71-DALI	Dimming DALI	G; 8 %; - \$

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8 % (\$
HEL08	8 m / 315"	G; 8 % ' \$

	Lampshade	Finish	Drawing	
CIP01	White porcelain	Matte interior and gloss exterior	PP	G; 8 % ( )
CIP05	White opal glass	Matte	PV	G; 8 % %
CIP06	Brass	Polished	PL	G; 8 % * \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 3 m / 118.1" - 8 m / 315"


Weight (with porcelain lampshade):

3 m: 18 Kg / 39.7 lb

8 m: 20 Kg / 44 lb



## Lampshades




## Light sources included (dimmable):

12 x Built-in LED 7,7 W

# Cirio Circular S

Antoni Arola  
2010

For further information on built-in LED go to p.144



### Examples of composition


<b>CIR12 + CIF01 + 12 CIP01</b>	<b>SGD 10.720</b>
<b>CIR12 + CIF31 + 12 CIP05</b>	<b>SGD 10.285</b>

Code	Black metal structure	Light sources		
<b>CIR12</b>	Circular Ø 130 cm / 51.1"	12	G; 8 ) ) ( )	
<b>Black metal canopy + power supply Drawing</b>				
<b>CIF01</b>	Circular Dimming DALI / DSI / SWITCH DIM		<b>C</b> G; 8 %\$' )	
<b>CIF31</b>	Rectangular Dimming 1-10V		<b>R</b> G; 8 - * \$	
<b>CIF31-DALI</b>	Rectangular Dimming DALI		<b>R</b> G; 8 - * \$	
<b>Lampshade Finish</b>				
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b> G; 8 " ( )	
<b>CIP05</b>	White opal glass	Matte	<b>PV</b> G; 8 " %	
<b>CIP06</b>	Brass	Polished	<b>PL</b> G; 8 * * \$	


Capsule with LED module, translucent white diffuser and heat sink with black matte finish.  
Suitable for dimming.  
(Not included external dimmer switch).  
Electric cable length: 5 m / 196.8"  
Weight (with porcelain lampshade): 13 Kg / 28.6 lb



### Lampshades



### Canopies




### Light sources included (dimmable):

Not dimmable (CIF01): 12 x Built-in LED 3,7 W  
Dimmable (CIF31 / CIF31-DALI): 12 x Built-in LED 7,7 W

# Cirio Circular M

Antoni Arola  
2010

For further information on built-in LED go to p.144



### Examples of composition

- CIR28 + 2 CIF01 + 28 CIP01 G; 8' 8%\$-)
- CIR28 + 2 CIF31 + 28 CIP05 G; 8' 8%\$%)

Code	Black metal structure	Light sources	
CIR28	Circular Ø 300 cm / 118,1"	28	G; 8' - " *
Black metal canopy + power supply Drawing			
CIF01	Circular Dimming DALI / DSI / SWITCH DIM	7	G; 8' %\$' )
CIF31	Rectangular Dimming 1-10V	R	G; 8' - * \$
CIF31-DALI	Rectangular Dimming DALI	R	G; 8' - * \$
Lampshade		Finish	
CIP01	White porcelain	Matte interior and gloss exterior	PP G; 8' ( )
CIP05	White opal glass	Matte	PV G; 8' %) )
CIP06	Brass	Polished	PL G; 8' *' \$

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming.


(Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 33 Kg / 72.8 lb



### Lampshades



### Ceiling rosettes



### Light sources included (dimmable):

Not dimmable (CIF01): 28 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 28 x Built-in LED 7,7 W

# Cirio Circular L

Antoni Arola  
2010

For further information on built-in LED go to p.144

## Examples of composition

<b>CIR42 + 3 CIF01 + 42 CIP01</b>	G; 8 " ' "&+\$'
<b>CIR42 + 3 CIF31 + 42 CIP05</b>	G; 8 " %'+, ) ''

Code	Black metal structure	Light sources		
<b>CIR42</b>	Circular Ø 520 cm / 204.7"	42		<b>SGD 15.675</b>
Black metal canopy + power supply			Drawing	
<b>CIF01</b>	Circular Dimming DALI / DSI / SWITCH DIM		<b>C</b>	<b>SGD 1.035</b>
<b>CIF31</b>	Rectangular Dimming 1-10V		<b>R</b>	<b>SGD 960</b>
<b>CIF31-DALI</b>	Rectangular Dimming DALI		<b>R</b>	<b>SGD 960</b>
Lampshade		Finish		
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>SGD 345</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>SGD 315</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>SGD 630</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"

Weight (with porcelain lampshade): 47 Kg / 103.5 lb




### Light sources included (dimmable):


Not dimmable (CIF01): 42 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 42 x Built-in LED 7,7 W


Examples of composition: **S + M + L**



Lampshades



Canopies



**Cirio Oval**  
Antoni Arola  
2010

For further information on built-in LED go to p.144

**Examples of composition**

<b>CIL05 + CII05 + CIR28 + 3 CIF01 + 4 CIN01 + 38 CIP01</b>	G; 8" "&") +\$
<b>CIL05 + CII05 + CIR28 + 3 CIF31 + 4 CIN01 + 38 CIP05</b>	G; 8" "%&\$) ``

Code	Black metal structure	Light sources	Drawing
<b>CIL05</b>	Linear	5	<b>A</b> G; 8" "&*)
<b>CII05</b>	End	5	<b>B</b> G; 8" "&*)
<b>CIR28</b>	Circular Ø 300 cm / 118.1"	28	<b>M</b> G; 8" -" *)

**Black metal canopy + power supply**

<b>CIF01</b>	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	<b>C</b>	G; 8" %\$' )
<b>CIF02</b>	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	<b>C</b>	G; 8" %&%)
<b>CIF31</b>	Rectangular Dimming 1-10V	<b>R</b>	G; 8" - *\$
<b>CIF31-DALI</b>	Rectangular Dimming DALI	<b>R</b>	G; 8" - *\$

	Lampshade	Finish	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b> G; 8" ( )
<b>CIP05</b>	White opal glass	Matte	<b>PV</b> G; 8" %)
<b>CIP06</b>	Brass	Polished	<b>PL</b> G; 8" '*' \$

**Metal connector (to join modules)**

<b>CIN01</b>	Linear	G; 8" %)
--------------	--------	----------

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 46 Kg / 101.5 lb



**Light sources included (dimmable):**



Not dimmable (CIF01 / CIF02): 38 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 38 x Built-in LED 7,7 W



Lampshades

Canopies



## Cirio Lineal

Antoni Arola  
2010

For further information on built-in LED go to p.144

### Examples of composition

<b>CIL05 + CIF02 + 5 CIP01</b>	G; 8 " * % 0 0 )
<b>CIL05 + CIF31 + 5 CIP06</b>	G; 8 " + " + )
<b>CIL05 + 2 CII05 + CIF01 + 2 CIN01 + 15 CIP01</b>	G; 8 % * & )
<b>CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP01</b>	G; 8 % * % & \$
<b>CIL05 + 2 CII05 + CIF31 + 2 CIN01 + 15 CIP05</b>	G; 8 % ) " + % &

Code	Black metal structure	Light sources	Drawing	
<b>CIL05</b>	Linear	5	<b>A</b>	<b>SGD 3.265</b>
<b>CII05</b>	End	5	<b>B</b>	<b>SGD 3.265</b>

Code	Black metal canopy + power supply		
<b>CIF01</b>	Circular (37 - 60 W) Dimming DALI / DSI / SWITCH DIM	<b>C</b>	<b>SGD 1.035</b>
<b>CIF02</b>	Circular (20 W) Dimming DALI / DSI / SWITCH DIM	<b>D</b>	<b>SGD 1.125</b>
<b>CIF31</b>	Rectangular Dimming 1-10V	<b>R</b>	<b>SGD 960</b>
<b>CIF31-DALI</b>	Rectangular Dimming DALI	<b>R</b>	<b>SGD 960</b>

	Lampshade	Finish		
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>SGD 345</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>SGD 315</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>SGD 630</b>

Metal connector (to join modules)			
<b>CIN01</b>	Linear		<b>SGD 115</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable for dimming. (Not included external dimmer switch).

Electric cable length: 5 m / 196.8"

Weight Cirio Lineal (A) (with canopy and porcelain lampshade): 7,5 Kg / 16.5 lb

Weight Cirio Final (B) (with porcelain lampshade): 4,5 Kg / 10 lb



### Composition instructions:



Circular canopy: For 1 module use CIF02. For 2 or 3 modules use CIF01.

Rectangular canopy: The installation of a new canopy is needed every 3 modules.

### Light sources included (dimmable):



Not dimmable (CIF01 / CIF02): 5 x Built-in LED 3,7 W

Dimmable (CIF31 / CIF31-DALI): 5 x Built-in LED 7,7 W



Lampshades

Canopies



## Cirio Chandelier S

Antoni Arola  
2015

For further information on built-in LED go to p.144

### Composition

<b>CIC20* + 20 CIP01</b>	<b>SGD 16.265</b>
<b>CIC20* + 20 CIP05</b>	<b>SGD 15.665</b>
<b>CIC20* + 20 CIP06</b>	<b>SGD 21.965</b>

### Code      **Black metal circular structure Ø100 cm / 39.4"**

<b>*CIC20</b>	Dimming 1-10 V	<b>SGD 9.365</b>
<b>*CIC20-DALI</b>	Dimming DALI	<b>SGD 9.365</b>

	Lampshade	Finish		Drawing
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>SGD 345</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>SGD 315</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>SGD 630</b>

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 25 Kg / 55 lb




### Light sources included (dimmable):

20 x Built-in LED 5,7 W


A



B



Lampshades



## Cirio Chandelier M

Antoni Arola  
2015

For further information on built-in LED go to p.144

### Composition

<b>CIC30* + 30 CIP01</b>	G; 8' & "%%\$'
<b>CIC30* + 30 CIP05</b>	G; 8' & "%%\$'
<b>CIC30* + 30 CIP06</b>	G; 8' & "%%\$'

### Code      **Black metal circular structure Ø130 cm / 51.2"**

<b>*CIC30</b>	Dimming 1-10 V	G; 8' % "+) \$
<b>*CIC30-DALI</b>	Dimming DALI	G; 8' % "+) \$

	Lampshade	Finish	Drawing	
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	G; 8' ( )
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	G; 8' %)
<b>CIP06</b>	Brass	Polished	<b>PL</b>	G; 8' *' \$

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight (with porcelain lampshade): 35 kg / 77 lb




### Light sources included (dimmable):

30 x Built-in LED 5,7 W


A



B



Lampshades



## Cirio Chandelier L

Antoni Arola  
2015

For further information on built-in LED go to p.144

### Composition

<b>CIC40* + 40 CIP01</b>	<b>SGD 32.160</b>
<b>CIC40* + 40 CIP05</b>	<b>SGD 30.960</b>
<b>CIC40* + 40 CIP06</b>	<b>SGD 43.560</b>

### Code      **Black metal circular structure Ø160 cm / 63"**

<b>*CIC40</b>	Dimming 1-10 V	<b>SGD 18.360</b>
<b>*CIC40-DALI</b>	Dimming DALI	<b>SGD 18.360</b>

	Lampshade	Finish		Drawing
<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b>	<b>SGD 345</b>
<b>CIP05</b>	White opal glass	Matte	<b>PV</b>	<b>SGD 315</b>
<b>CIP06</b>	Brass	Polished	<b>PL</b>	<b>SGD 630</b>

Capsule with LED module, translucent white diffuser and heat sink finished in matte black.

Black metallic circular canopy included with power supply incorporated.

2 hanging system options:

- Direct cable to canopy (A)
- Direct cable to ceiling (B)

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"



Weight (with porcelain lampshade): 50 kg / 110 lb





### Light sources included (dimmable):

40 x Built-in LED 5,7 W


A



B



Lampshades




## Estadio 105

### 1 support

Miguel Milá  
1992

For further information on light sources go to p.139



#### Composition

**EST10 + FSCG1** SGD 17.570

Code	Description	
<b>EST10</b>	Black metal structure with glass block lampshade	SGD 14.290
<b>FSCG1</b>	1 support hanging system	SGD 3.280

#### Light source

**6BOM41** SGD 80

Stainless steel structure hanging system.

Satin nickel canopy included.

Electric cable length: 4 m / 157.5"

Weight: 93 kg / 205 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

12 x LED bulb 12 W

#### Other light sources:


Max. 12 x 75 W

## Estadio 105

### 3 supports

Miguel Milá  
1992

For further information on light sources go to p.139



#### Composition

**EST10 + FSCG3** SGD 16.825

Code	Description	
<b>EST10</b>	Black metal structure with glass block lampshade	SGD 14.290
<b>FSCG3</b>	3 supports hanging system	SGD 2.535

#### Light source

**6BOM41** SGD 80

Stainless steel structure hanging system.

Satin nickel canopy included.

Electric cable length: 4 m / 157.5"

Weight: 93 Kg / 205 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

12 x LED bulb 12 W


#### Other light sources:

Max. 12 x 75 W

## Estadio 150

### 1 support

Miguel Milá  
1992



#### Composition

**EST15 + FSCG1** G; 8' & '0%

#### Code Description

**EST15** Black metal structure with glass block lampshade G; 8' % ", , )  
**FSCG1** 1 support hanging system G; 8' " & , \$

#### Light source

**6BOM41** LED bulb 12 W - 2.700 K G; 8' , \$

Stainless steel structure hanging system.

Satin nickel canopy included.

Electric cable length: 4 m / 157.5"

Weight: 158 Kg / 348 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

18 x LED bulb 12 W


#### Other light sources:

Max. 18 x 75 W

## Estadio 150

### 3 supports

Miguel Milá  
1992



For further information on light sources go to p.139

#### Composition

**EST15 + FSCG3** G; 8' & & '(& \$

#### Code Description

**EST15** Black metal structure with glass block lampshade G; 8' % ", , )  
**FSCG3** 3 supports hanging system G; 8' & ' )

#### Light source

**6BOM41** LED bulb 12 W - 2.700 K G; 8' , \$

Stainless steel structure hanging system.

Satin nickel canopy included.

Electric cable length: 4 m / 157.4"

Weight: 158 Kg / 348 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

18 x LED bulb 12 W

#### Other light sources:


Max. 18 x 75 W

## Estadio 250

### 1 support

Miguel Milá  
1992

For further information on light sources go to p.139



#### Composition

**EST24 + FSCG1** G; 8' , "& , )

#### Code Description

**EST24** Black metal structure with glass block lampshade G; 8' ) "\$\$)  
**FSCG1** 1 support hanging system G; 8' "& , \$

#### Light source

**6BOM41** LED bulb 12 W - 2.700 K G; 8' , \$

The structure is delivered in 2 parts.  
 Stainless steel structure hanging system.  
 Satin nickel canopy included.  
 Electric cable length: 4 m / 157.5"  
 Weight: 330 Kg / 728 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

24 x LED bulb 12 W

#### Recommended light source:


Max. 24 x 75 W

## Estadio 250

### 3 supports

Miguel Milá  
1992

For further information on light sources go to p.139



#### Composition

**EST24 + FSCG3** G; 8' +') (\$

#### Code Description

**EST24** Black metal structure with glass block lampshade G; 8' ) "\$\$)  
**FSCG3** 3 supports hanging system G; 8' &') '

#### Light source

**6BOM41** LED bulb 12 W - 2.700 K G; 8' , \$

The structure is delivered in 2 parts.  
 Stainless steel structure hanging system.  
 Satin nickel canopy included.  
 Electric cable length: 4 m / 157.5"  
 Weight: 330 Kg / 728 lb



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):

24 x LED bulb 12 W

#### Other light sources:




Max. 24 x 75 W

# Línea Estadio

Miguel Milá

2014

For further information on light sources go to p.139



Examples of composition	Modules	Drawing	
<b>ESTL1</b>	1 module	<b>A</b>	SGD 7.800
<b>ESTL1 + ESTL2</b>	2 modules	<b>A + B</b>	SGD 14.785
<b>ESTL1 + 2 ESTL2 + ESTL3</b>	4 modules (with 75 W light source)	<b>A + 2B + C</b>	SGD 29.570

Code	Structure with hanging system		
<b>ESTL1</b>	Initial module	<b>A</b>	SGD 7.800
<b>ESTL2</b>	Alignment module	<b>B</b>	SGD 6.985
<b>ESTL3</b>	Power supply module (> 1200 W)	<b>C</b>	SGD 7.800

## Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	SGD 80
---------------	-------------------------	--------

Black metal structure with glass block lampshade.

Stainless steel hanging system.

Satin nickel metallic canopy included.

Maximum 1200W per line (6A). One connection per line.


For more than 1200 W, use an extra power supply module (ESTL3).

Electric cable length: 4 m / 157.5"


Weight (1 module): 52 kg / 115 lb



Examples of composition: **A + B**



Examples of composition with light source 75 W (> 1200 W): **A + 2B + C**



## Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

## Recommended light source (not included):

5 x LED bulb 12 W


## Other light sources:

Max. 5 x 75 W

## Globo Cesta

Miguel Milá  
2018

For further information on light sources go to p.139



Code	Description	
<b>CES04</b>	White opal glass lampshade. Black metallic circular canopy.	<b>SGD 985</b>

Suitable for side entry adaptor.  
Electric cable length: 3 m / 118.1"  
Weight: 2,7 kg / 5.9 lb



**Bulb socket:**  
E27 (Max. hgt. 130 mm / 5.1")

**Light source included:**  
LED bulb 12 W

**Other light sources:**  
Max. 75 W

Maximum bulb diameter: 70 mm / 2.7"

# Globo Cestita

Miguel Milá  
2018

For further information on light sources go to p.139



Code	Description	
<b>CES15</b>	White opal glass lampshade. Black metallic circular canopy.	G; 8'+%\$

Suitable for side entry adaptor.  
Electric cable length: 3 m / 118.1"  
Weight: 1,1 kg / 2.4 lb



**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

**Light source included:**

LED bulb 4,5 W


**Other light sources:**

Max. 40 W

**GT4**

Gabriel Ordeig Cole  
1983

For further information on light sources go to p.139

**Composition**

<b>SIS13 + PGT41</b>	<b>SGD 1.125</b>
<b>SIS21B + PGT41</b>	<b>SGD 1.115</b>
<b>SIS21N + PGT41</b>	<b>SGD 1.115</b>
<b>SIS22 + PGT41</b>	<b>SGD 1.115</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket
<b>SIS13</b>	Satin nickel	Black	Simple G; 8 &*)
<b>SIS21B</b>	Textured white finish	White	Simple G; 8 &*)
<b>SIS21N</b>	Textured white finish	Black	Simple G; 8 &*)
<b>SIS22</b>	Textured black finish	Black	Simple G; 8 &*)

**Lampshade**

<b>PGT41</b>	Stitched beige parchment	G; 8; *\$
--------------	--------------------------	-----------

**Light source**

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	G; 8; \$
---------------	-------------------------	----------

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

**Recommended light source (not included):**

LED bulb 12 W


**Other light sources:**

Max. 60 W

**GT5**

Santa & Cole Team  
1994

For further information on light sources go to p.139

**Examples of composition**

<b>SIS13 + GT513</b>	<b>SGD 975</b>
<b>SISD13 + GT507</b>	<b>SGD 1.200</b>

Code	Sisisi canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	G; 8' &* )
<b>SIS21B</b>	Textured white finish	White	Simple	G; 8' & )
<b>SIS21N</b>	Textured white finish	Black	Simple	G; 8' & )
<b>SIS22</b>	Textured black finish	Black	Simple	G; 8' & )
<b>SISD13</b>	Satin nickel	Black	Double	G; 8' ( \$ )
<b>SISD21B</b>	Textured white finish	White	Double	G; 8' + \$ )
<b>SISD21N</b>	Textured white finish	Black	Double	G; 8' + \$ )
<b>SISD22</b>	Textured black finish	Black	Double	G; 8' + \$ )

**Ribbon lampshade**

<b>GT513</b>	Natural	G; 8' + % \$ )
<b>GT515</b>	Red-amber	G; 8' + % \$ )
<b>GT516</b>	Black	G; 8' + % \$ )
<b>GT507</b>	Terracotta Raw Color	G; 8' +- )
<b>GT508</b>	Mustard Raw Color	G; 8' +- )
<b>GT509</b>	Green Raw Color	G; 8' +- )

**Light source**

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	G; 8' , \$ )
---------------	-------------------------	--------------

Lower disk in translucent white PVC Ø 40 cm / 15.7".

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

**Recommended light source (not included):**

1 x / 2 x LED bulb 12 W


**Other light sources:**

Max. 1 x / 2 x 100 W

**GT6**

Santa & Cole Team  
1994

For further information on light sources go to p.139

**Examples of composition****SIS13 + GT613****SGD 810****SISD13 + GT607****SGD 1.000**

Code	Sisis canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	G; 8 &*)
<b>SIS21B</b>	Textured white finish	White	Simple	G; 8 &)
<b>SIS21N</b>	Textured white finish	Black	Simple	G; 8 &)
<b>SIS22</b>	Textured black finish	Black	Simple	G; 8 &)
<b>SISD13</b>	Satin nickel	Black	Double	G; 8 (\$) )
<b>SISD21B</b>	Textured white finish	White	Double	G; 8' +\$
<b>SISD21N</b>	Textured white finish	Black	Double	G; 8' +\$
<b>SISD22</b>	Textured black finish	Black	Double	G; 8' +\$

**Lampshade**

<b>GT613</b>	Natural ribbon	G; 8 ) ( )
<b>GT615</b>	Red-amber ribbon	G; 8 ) ( )
<b>GT616</b>	Black ribbon	G; 8 ) ( )
<b>GT607</b>	Terracotta Raw Color ribbon	G; 8 ) - )
<b>GT608</b>	Mustard Raw Color ribbon	G; 8 ) - )
<b>GT609</b>	Green Raw Color ribbon	G; 8 ) - )
<b>GT618</b>	White linen	G; 8 ) ( )

**Light source**

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	G; 8 ; \$
---------------	-------------------------	-----------

Lower disk in translucent white PVC Ø 36 cm / 14.2".

Canopy suitable for side entry adaptor (p.119).

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

**Recommended light source (not included):**

1 x / 2 x LED bulb 12 W

**Other light sources:**


Max. 1 x / 2 x 100 W



**GT1000**

Santa & Cole Team  
2013

For further information on built-in LED go to p.144

**Composition**

<b>GT1502 + GT10Px*</b>	<b>SGD 6.280</b>
<b>GT1502 + GT10Px**</b>	<b>SGD 6.505</b>

**Code Electrical structure + lamp socket**

<b>GT1502</b>	LED	<b>SGD 3.040</b>
---------------	-----	------------------

**Ribbon lampshade**

<b>*GT10P3</b>	Natural	<b>SGD 3.240</b>
<b>*GT10P5</b>	Red-amber	<b>SGD 3.240</b>
<b>*GT10P6</b>	Black	<b>SGD 3.240</b>
<b>**GT10P7</b>	Terracotta Raw Color	<b>SGD 3.465</b>
<b>**GT10P8</b>	Mustard Raw Color	<b>SGD 3.465</b>
<b>**GT10P9</b>	Green Raw Color	<b>SGD 3.465</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 83 cm. / 32.7".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 12 Kg / 26.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

**GT1500**

Santa & Cole Team  
2011

For further information on built-in LED go to p.144

**Composition**

<b>GT1502 + GT15Px*</b>	G; 8 '+' ; '\$
<b>GT1502 + GT15x**</b>	G; 8 ; '% )'

**Code Electrical structure + lamp socket**

<b>GT1502</b>	LED	G; 8 '\$(\$
---------------	-----	-------------

**Ribbon lampshade**

<b>*GT15P3</b>	Natural	G; 8 ('"- \$
<b>*GT15P5</b>	Red-amber	G; 8 ('"- \$
<b>*GT15P6</b>	Black	G; 8 ('"- \$
<b>**GT15P7</b>	Terracotta Raw Color	G; 8 )'%( )
<b>**GT15P8</b>	Mustard Raw Color	G; 8 )'%( )
<b>**GT15P9</b>	Green Raw Color	G; 8 )'%( )

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Black metallic circular canopy included.

Lower disk in white translucent PVC: Ø 125 cm / 49.2".

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 8 m / 315"

Weight: 17 Kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 78 W

# HeadHat Bowl S

Santa & Cole Team  
2013

For further information on built-in LED go to p.144



## Examples of composition

HEFxx* + HEL03 + HATS1x*	G; 8' +- )
HEFxx* + HEL08 + HATS1x*	G; 8' , , )
HEFD0x** + HEL03 + HATS1x*	G; 8' - * \$
HEFD0x** + HEL08 + HATS1x*	G; 8' %\$) \$

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 315
*HEF02	White surface (not dimmable)	A	SGD 315
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A	SGD 480
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A	SGD 480
*HEF12	White built-in (not dimmable)	B	SGD 315

## LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 240
HEL08	8 m / 315"	SGD 330

## Lampshade

*HATS12	White ceramic S	SGD 240
*HATS11	Black ceramic S	SGD 240

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,1 kg / 2.4 lb



## Canopies



## Light source included (dimmable) \*:


Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

# HeadHat Bowl L

Santa & Cole Team  
2013

For further information on built-in LED go to p.144



## Examples of composition

HEFxx* + HEL03 + HATL1x*	SGD 910
HEFxx* + HEL08 + HATL1x*	SGD 1.000
HEFD0x** + HEL03 + HATL1x*	SGD 1.075
HEFD0x** + HEL08 + HATL1x*	SGD 1.165

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 315
*HEF02	White surface (not dimmable)	A	SGD 315
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A	SGD 480
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A	SGD 480
*HEF12	White built-in (not dimmable)	B	SGD 315

## LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 240
HEL08	8 m / 315"	SGD 330

## Lampshade

*HATL12	White ceramic L	SGD 355
*HATL11	Black ceramic L	SGD 355

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish interior and gloss exterior lampshade.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures.(p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,6 kg / 3.5 lb



## Canopies



## Light source included (dimmable) \*:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

# HeadHat Plate S

Santa & Cole Team  
2013

For further information on built-in LED go to p.144

**New color**



## Examples of composition

HEFxx* + HEL03 + HATS02	G; 8 %(\$ )
HEFxx* + HEL08 + HATS03	G; 8 %(\$)
HEFD0x** + HEL03 + HATS04	G; 8 %&&\$
HEFD0x** + HEL08 + HATS05	G; 8 %&- \$

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	G; 8 ' %
*HEF02	White surface (not dimmable)	A	G; 8 ' %
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A	G; 8 (, \$
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A	G; 8 (, \$
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A	G; 8 (, \$
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A	G; 8 (, \$
*HEF12	White built-in (not dimmable)	B	G; 8 ' %

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8 &(\$
HEL08	8 m / 315"	G; 8 ' ' \$

## Metallic lampshade

HATS02	White	G; 8 (, \$
HATS03	Berry blue	G; 8 (, \$
HATS04	Truffle brown	G; 8 (, \$
HATS05	Hematite red	G; 8 (, \$

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,5 kg / 3 lb



## Canopies



## Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

# HeadHat Plate M

Santa & Cole Team  
2013

For further information on built-in LED go to p.144

New color



## Examples of composition

HEFxx* + HEL03 + HATM02	SGD 1.110
HEFxx* + HEL08 + HATM03	SGD 1.200
HEFD0x** + HEL03 + HATM04	SGD 1.275
HEFD0x** + HEL08 + HATM05	SGD 1.365

Code	Circular metal canopy + power supply	Drawing	
*HEF01	Black surface (not dimmable)	A	SGD 315
*HEF02	White surface (not dimmable)	A	SGD 315
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A	SGD 480
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A	SGD 480
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A	SGD 480
*HEF12	White built-in (not dimmable)	B	SGD 315

## LED capsule with electric black cable

HEL03	3 m / 118.1"	SGD 240
HEL08	8 m / 315"	SGD 330

## Metallic lampshade

HATM02	White	SGD 555
HATM03	Berry blue	SGD 555
HATM04	Truffle brown	SGD 555
HATM05	Hematite red	SGD 555

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

<sup>[1]</sup>Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 1,9 kg / 4.2 lb



## Canopies



## Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

# HeadHat Plate L

Santa & Cole Team  
2013

For further information on built-in LED go to p.144

**New color**



## Examples of composition

HEFxx* + HEL03 + HATL02	G; 8%' - \$
HEFxx* + HEL08 + HATL03	G; 8%'(, \$
HEFD0x** + HEL03 + HATL04	G; 8%' ) )
HEFD0x** + HEL08 + HATL05	G; 8%' ( )

Code	Circular metal canopy + power supply	Drawing
*HEF01	Black surface (not dimmable)	A G; 8%' %
*HEF02	White surface (not dimmable)	A G; 8%' %
**HEFD01	Black surface dimmable 1-10V <sup>[1]</sup>	A G; 8%' (\$
**HEFD01-DALI	Black surface dimmable DALI <sup>[1]</sup>	A G; 8%' (\$
**HEFD02	White surface dimmable 1-10V <sup>[1]</sup>	A G; 8%' (\$
**HEFD02-DALI	White surface dimmable DALI <sup>[1]</sup>	A G; 8%' (\$
*HEF12	White built-in (not dimmable)	B G; 8%' %

## LED capsule with electric black cable

HEL03	3 m / 118.1"	G; 8'&(\$
HEL08	8 m / 315"	G; 8' '\$

## Metallic lampshade

HATL02	White	G; 8;' )
HATL03	Berry blue	G; 8;' )
HATL04	Truffle brown	G; 8;' )
HATL05	Hematite red	G; 8;' )

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

Matte finish lampshade and translucent white diffuser.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).


S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures (p.42-43).

Electric cable length: 3 m / 118.1" - 8 m / 315"

Weight: 3 kg / 6.8 lb



## Canopies



## Light source included:

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W

Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

**La Colilla**  
Carles Riart  
1976


For further information on light sources go to p.139

Code	Description	
<b>COL01</b>	Methacrylate diffuser tube	<b>G; 8 ) -)</b>

Plug without switch.

Electric cable length: 3 m / 118.1"

Weight: 1 kg / 2.2 lb



**Light source included:**  
Neon bulbs strip 6 W

**Lámina 45**

Antoni Arola  
2018

For further information on built-in LED go to p.144

Code	Dimming	
<b>LAM451</b>	0-10V	<b>SGD 1.415</b>
<b>LAM451-DALI</b>	DALI	<b>SGD 1.415</b>

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 2,8 Kg / 6.2 lb

**Light source included (dimmable):**

Built-in LED 18 W

# Sistema Lámina 45

Antoni Arola  
2018

For further information on built-in LED go to p.144

Examples of composition	Modules	Drawing
LAM452	2 modules	<b>A</b> SGD 2.710
LAM452 + LAM453	3 modules	<b>A + B</b> SGD 4.185
LAM452 + 2 LAM453	4 modules	<b>A + 2B</b> SGD 5.660

Code	Structure with hanging system	Dimming		
LAM452	Initial and final doble module	0-10V	<b>A</b>	SGD 2.710
LAM452-DALI	Initial and final doble module	DALI	<b>A</b>	SGD 2.710
LAM453	Intermediate module	0-10V	<b>B</b>	SGD 1.475
LAM453-DALI	Intermediate module	DALI	<b>B</b>	SGD 1.475

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.


(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 4 Kg / 8.8 lb



## Examples of composition



## Light source included (dimmable):

Built-in LED 31 W

## Lámina 85

Antoni Arola  
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAM851	0-10V	G; 8 %** *)
LAM851-DALI	DALI	G; 8 %** *)

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 3,7 Kg / 8.2 lb



### Light source included (dimmable):

Built-in LED 31 W

# Sistema Lámina 85

Antoni Arola  
2018


For further information on built-in LED go to p.144

Examples of composition	Modules	Drawing	
LAM852	2 modules	A	SGD 3.180
LAM852 + LAM853	3 modules	A + B	SGD 4.920
LAM852 + 2 LAM853	4 modules	A + 2B	SGD 6.660


  

Code	Structure with hanging system	Dimming		
LAM852	Initial and final doble module	0-10V	A	SGD 3.180
LAM852-DALI	Initial and final doble module	DALI	A	SGD 3.180
LAM853	Intermediate module	0-10V	B	SGD 1.740
LAM853-DALI	Intermediate module	DALI	B	SGD 1.740

Black metal structure with matte finish.  
S&C white metallic shade with brilliant finish (exterior).  
Polycarbonate diffuser.  
Suitable for dimming 0-10V / DALI.  
(Not included external dimmer switch 0-10V / DALI).  
Electric cable length: 3 m / 118.1"  
Weight: 5,9 Kg / 13 lb



## Examples of composition



**Light source included (dimmable):**  
Built-in LED 54 W

## Lámina 165

Antoni Arola  
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAM1651	0-10V	G; 8'&"\$))
LAM1651-DALI	DALI	G; 8'&"\$))

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 3,8 Kg / 8.4 lb



**Light source included (dimmable):**

Built-in LED 54 W

**Lámina Mayor**

Antoni Arola  
2018

For further information on built-in LED go to p.144

Code	Dimming	
LAMM	0-10V	SGD 2.245
LAMM-DALI	DALI	SGD 2.245

Black metal structure with matte finish.

S&C white metallic shade with brilliant finish (exterior).


Polycarbonate diffuser.

Suitable for dimming 0-10V / DALI.

(Not included external dimmer switch 0-10V / DALI).

Electric cable length: 3 m / 118.1"

Weight: 12,3 Kg / 27.1 lb




**Light source included (dimmable):**

Built-in LED 44 W

## Leonardo 60

Antoni Arola  
2003

For further information on light sources go to p.139



Code	Description	
LEO02	Slats of natural birch wood	SGD 2.940

Stainless steel inner structure.  
White metallic circular canopy included.  
Electric cable length: 3 m / 118.1"  
Weight: 3 Kg / 6.6 lb



### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

### Light source included:

LED bulb 12 W


### Other light sources:

Max. 100 W

## Leonardo 100

Antoni Arola  
2003

For further information on light sources go to p.139



Code	Description	
LEO12	Slats of natural birch wood	SGD 7.800

Stainless steel inner structure.  
White metallic circular canopy included.  
Electric cable length: 3 m / 118.1"  
Weight: 3,7 kg / 8.2 lb



### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

### Light source included:


LED bulb 12 W

### Other light sources:

Max. 100 W

## Liceo 70

Lluís Dilmé, Xavier Fabré,  
Eulàlia Serra,  
Ignasi de Solà-Morales  
1999



For further information on light sources go to p.139

Code	Description	
LIC11	Satin brass structure Bronze net lampshade	G; 8 % "- \$\$



Circular polished brass canopy included.  
Electric cable length: 3 m / 118.1"  
Weight: 15 kg / 33 lb

### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

### Light source included:


3 x LED bulb 12 W

### Other light sources:

Max. 3 X 75 W

## Liceo 120

Lluís Dilmé, Xavier Fabré,  
Eulàlia Serra,  
Ignasi de Solà-Morales  
1999



For further information on light sources go to p.139

Code	Description	
LIC31	Satin brass structure Bronze net lampshade	G; 8 % )'*( ' )



Circular polished brass canopy included.  
Electric cable length: 3 m / 118.1"  
Weight: 45 kg / 99 lb

### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

### Light source included:


3 x LED bulb 12 W

### Other light sources:

Max. 3 X 75 W

**M64**Miguel Milá  
1964

For further information on built-in LED go to p.144

**Examples of composition**

<b>HEFxx* + HEL03 + M640x*</b>	G; 8 %\$, )
<b>HEFxx* + HEL08 + M6404</b>	G; 8 %* - \$
<b>HEFD0x** + HEL03 + M640x*</b>	G; 8 %& \$
<b>HEFD0x** + HEL08 + M6404</b>	G; 8 %& )

Code	Circular metal canopy + power supply	Drawing	
<b>*HEF01</b>	Black surface (not dimmable)	<b>A</b>	<b>SGD 315</b>
<b>*HEF02</b>	White surface (not dimmable)	<b>A</b>	<b>SGD 315</b>
<b>**HEFD01</b>	Black surface dimmable 1-10V <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>**HEFD01-DALI</b>	Black surface dimmable DALI <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>**HEFD02</b>	White surface dimmable 1-10V <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>**HEFD02-DALI</b>	White surface dimmable DALI <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>*HEF12</b>	White built-in (not dimmable)	<b>B</b>	<b>SGD 315</b>

**LED capsule with electric black cable**

<b>HEL03</b>	3 m / 118.1"	<b>SGD 240</b>
<b>HEL08</b>	8 m / 315"	<b>SGD 330</b>

**Lampshade**

<b>*M6401</b>	White matte aluminium	<b>SGD 530</b>
<b>*M6402</b>	Black matte aluminium	<b>SGD 530</b>
<b>*M6403</b>	Polished aluminium	<b>SGD 530</b>
<b>*M6405</b>	Brilliant red aluminium	<b>SGD 530</b>
<b>M6404</b>	Brass	<b>SGD 745</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

<sup>[1]</sup> Suitable for dimming 1-10V / DALI.


(Not included external dimmer switch 1-10V / DALI).

S&C LED capsule suitable with HeadLed System lampshades (p.121) and Cirio structures. (p.42-43).

Electric cable length: 3 m / 118.1 - 8 m / 315"

Weight with brass lampshade: 1,35 kg / 2.98 lb

Weight with aluminium lampshade: 1 kg / 2.2 lb

**Canopies****Light source included:**

Not dimmable (HEF01 / HEF02 / HEF12): Built-in LED 3,7 W


Dimmable (HEFD01 / HEFD02): Built-in LED 7,7 W

**M68**

Miguel Milá

1962

For further information on light sources go to p.139



Code	Lampshade	Circular canopy	
<b>CAM02</b>	White matte aluminium	White	<b>SGD 1.060</b>
<b>CAM03</b>	Polished aluminium	Chrome-plated	<b>SGD 945</b>
<b>CAM05</b>	Brilliant red aluminium	Red	<b>SGD 1.100</b>
<b>CAM06</b>	Black matte aluminium	Black	<b>SGD 1.100</b>

Canopy suitable for side entry adaptor. (p.119).

Electric cable length: 3 m / 118.1"

Weight: 1,6 kg / 3.5 lb

**Bulb socket:**

E27 (Max. hgt. 130 mm / 5.1")

**Light source included:**

LED bulb 12 W


**Other light sources:**

Max. 100 W

## Maija 15

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p.144



### Code Metallic lampshades

**MAI32L** White

SGD 1.325

**MAI324L** Nude rose

SGD 1.325

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 1,4 kg / 3.1 lb




### Light source included (dimmable):

Built-in LED 6 W

## Maija 30

Ilmari Tapiovaara  
1955

For further information on built-in LED go to p.144



### Code Metallic lampshades

**MAI31L** White

G; 8 %'+\$)

Diffuser in white translucent glass.

White metallic circular canopy included.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Electric cable length: 3 m / 118.1"

Weight: 2,9 kg / 6.4 lb




### Light source included (dimmable):




Built-in LED 8,4 W

**Moaré**Antoni Arola  
2003

For further information on light sources go to p.139



## Lampshades



## Examples of composition

MRE31 + MREXx*	G; 8 %)	- \$
MRE31 + MREXx* + MRESx*	G; 8 %-	* \$
MRE31 + MRELx*	G; 8 %,	%
MRE31 + MRELx* + MREXx*	G; 8 &('	* \$
MRE31 + MREXx*	G; 8 '&,"	, )
MRE31 + MREXx* + MREXx*	G; 8 ' '\$	\$
MRE31 + MREXx* + MRELx*	G; 8 ' "&)	

Code	Structure	
MRE31	With cylindrical acrylsatiné methacrylate diffuser	SGD 945

## Lampshade S

*MRES3	White	SGD 370
*MRES5	Red	SGD 370
*MRES6	Grey	SGD 370

## Lampshade M

*MREM3	White	SGD 645
*MREM5	Red	SGD 645
*MREM6	Grey	SGD 645
*MREM7	Black	SGD 645

## Lampshade L

*MREL3	White	SGD 870
*MREL5	Red	SGD 870
*MREL6	Grey	SGD 870
*MREL7	Black	SGD 870

## Lampshade X

*MREX3	White	SGD 1.440
*MREX5	Red	SGD 1.440
*MREX6	Grey	SGD 1.440
*MREX7	Black	SGD 1.440

Metallic graphite black square canopy included.

Polyester lampshade.

Electric cable length: 3 m / 118.1"



## Bulb socket:

E27 (Max. hgt. 130 mm / 5.1")

## Light source included:

3 x LED bulb 12 W


## Other light sources:

Max. 3 x 100 W

# Moaré Liviana S

Antoni Arola  
2017

For further information on light sources go to p.139



## Composition

<b>SIS13 + MRESL3</b>	<b>SGD 785</b>
<b>SIS21B + MRESL3</b>	<b>SGD 775</b>
<b>SIS21N + MRESL3</b>	<b>SGD 775</b>
<b>SIS22 + MRESL3</b>	<b>SGD 775</b>

Code	Sisísí canopy (metallic structure)	Cable	Light source	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

## Polyester lampshade

<b>MRESL3</b>	White S	<b>SGD 520</b>
---------------	---------	----------------

## Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

White cardboard cylindrical diffuser.

Electric cable length: 3 m / 118.1"



## Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

## Recommended light source (not included):

LED bulb 12 W


## Other light sources:

Max. 60 W

**Moaré Liviana M**

Antoni Arola  
2017

For further information on light sources go to p.139

**Composition**

<b>SIS13 + MREML3</b>	<b>SGD 1.060</b>
<b>SIS21B + MREML3</b>	<b>SGD 1.050</b>
<b>SIS21N + MREML3</b>	<b>SGD 1.050</b>
<b>SIS22 + MREML3</b>	<b>SGD 1.050</b>

Code	Sisis canopy (metallic structure)	Cable	Light source	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

**Polyester lampshade**

<b>MREML3</b>	White M	<b>SGD 795</b>
---------------	---------	----------------

**Light source**

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

White cardboard cylindrical diffuser.

Electric cable length: 3 m / 118.1"

**Bulb socket:**

E27 (Max. hgt. 155 mm / 6.1")

**Recommended light source (not included):**

LED bulb 12 W


**Other light sources:**

Max. 60 W

**Nagoya**

Ferran Freixa  
1961

For further information on light sources go to p.139



Code	Description	
<b>NAGN3</b>	Wood strips lampshade	<b>SGD 920</b>

With plug.

Electric cable length: 3 m / 118.1"

Weight: 1,1 kg / 2.4 lb

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")

**Light source included:**

LED bulb 12 W


**Other light sources:**

Max. 60 W

## Nimba 60

Antoni Arola  
1997

For further information on built-in LED go to p.144



Code	Stainless steel structure	
<b>NIM06LED</b>	Matte finish. Dimmable 1-10 V	<b>SGD 6.265</b>
<b>NIM06LED-DALI</b>	Matte finish. Dimmable DALI	<b>SGD 6.265</b>
<b>NIM063LED</b>	Golden finish. Dimmable 1-10 V	<b>SGD 6.670</b>
<b>NIM063LED-DALI</b>	Golden finish. Dimmable DALI	<b>SGD 6.670</b>

White PVC lampshade.  
Black metallic circular canopy included  
with power supply incorporated.  
Suitable for dimming 1-10V / DALI.  
(Not included external dimmer switch 1-10V / DALI).  
Electric cable length: 5 m / 196.8"  
Weight: 7,4 kg / 16.3 lb




### Light source included (dimmable):

Built-in LED 45 W

## Nimba 90

Antoni Arola  
1997

For further information on built-in LED go to p.144



Code	Stainless steel structure	
<b>NIM09LED</b>	Matte finish. Dimmable 1-10 V	<b>SGD 8.030</b>
<b>NIM09LED-DALI</b>	Matte finish. Dimmable DALI	<b>SGD 8.030</b>
<b>NIM093LED</b>	Golden finish. Dimmable 1-10 V	<b>SGD 8.255</b>
<b>NIM093LED-DALI</b>	Golden finish. Dimmable DALI	<b>SGD 8.255</b>

White PVC lampshade.  
Black metallic circular canopy included  
with power supply incorporated.  
Suitable for dimming 1-10V / DALI.  
(Not included external dimmer switch 1-10V / DALI).  
Electric cable length: 5 m / 196.8"  
Weight: 9,5 kg / 20.9 lb




### Light source included (dimmable):

Built-in LED 65 W

**Nimba 120**Antoni Arola  
1997

For further information on built-in LED go to p.144

**Code****Stainless steel structure**

<b>NIM12LED</b>	Matte finish. Dimmable 1-10 V	<b>SGD 12.425</b>
<b>NIM12LED-DALI</b>	Matte finish. Dimmable DALI	<b>SGD 12.425</b>
<b>NIM123LED</b>	Golden finish. Dimmable 1-10 V	<b>SGD 12.640</b>
<b>NIM123LED-DALI</b>	Golden finish. Dimmable DALI	<b>SGD 12.640</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"


Weight: 12,6 kg / 27.8 lb

**Light source included (dimmable):**

Built-in LED 95 W

**Nimba 180**Antoni Arola  
1997

For further information on built-in LED go to p.144

**Code****Stainless steel structure**

<b>NIM18LED</b>	Matte finish. Dimmable 1-10 V	<b>SGD 21.635</b>
<b>NIM18LED-DALI</b>	Matte finish. Dimmable DALI	<b>SGD 21.635</b>
<b>NIM183LED</b>	Golden finish. Dimmable 1-10 V	<b>SGD 21.875</b>
<b>NIM183LED-DALI</b>	Golden finish. Dimmable DALI	<b>SGD 21.875</b>

White PVC lampshade.

Black metallic circular canopy included with power supply incorporated.

Suitable for dimming 1-10V / DALI.

(Not included external dimmer switch 1-10V / DALI).

Electric cable length: 5 m / 196.8"

Weight: 17 kg / 37.5 lb


**Light source included (dimmable):**

Built-in LED 140 W

# Sexta

Miguel Milá  
2003

For further information on light sources go to p.139



## Composition

SXT41 + SXT01	SGD 4.530
SXT41 + SXT02	SGD 4.555
SXT41 + SXT03	SGD 4.910
SXT41 + SXT00	SGD 4.115
SXT41 + SXT01 + 6SXT03	SGD 4.935
SXT41 + SXT02 + 6SXT03	SGD 4.960
SXT41 + SXT03 + 6SXT03	SGD 5.315
SXT41 + SXT00 + 6SXT03	SGD 4.520

Code 6 Lampshades

SXT41 White translucent PVC SGD 3.885

## 6 Lower discs (optionals)

6SXT03 Translucent opal methacrylate SGD 405

## Telescopic tube

SXT01	40 / 75 cm - 15.75 / 29.5"	SGD 645
SXT02	82 / 152 cm - 32.3 / 59.8"	SGD 670
SXT03	156 / 302 cm - 61.4 / 118.9"	SGD 1.025
SXT00	Without telescopic tube	SGD 230

Chrome-plated structure, pendulous and telescopic support.

Chrome-plated metallic circular canopy included.

Suitable for side entry adaptor (p.119).

Weight: 6 Kg / 13.2 lb



## Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

## Light source included:

6 x LED bulb 12 W


## Other light sources:

Max. 6 x 60 W

# Sexta 12

Miguel Milá  
2014

For further information on light sources go to p.139



## Code Structure and circular canopy

**SXT12** Chrome-plated **SGD 7.245**

## 12 lower discs (optional)

**6SXT04** Translucent opal methacrylate **SGD 710**

Hanging system of 1 support.  
12 white translucent PVC lampshades.  
Weight: 8,2 kg / 18 lb



### Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

### Light source included:

12 x LED bulb 12 W

### Other light sources:

Max. 12 x 60 W


# Sistema Fonda

Gabriel Ordeig Cole


1990

For further information on light sources go to p.139


## AP1



## AP2



## AM1



Examples of composition	Structure	Drawing
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP101	3 Lampshades	<b>AP1</b> SGD 2.335
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PP201	3 Lampshades	<b>AP2</b> SGD 2.410
FON23 + 2 FONF3 + CSF01 + FSC13 + 3 PM101	3 Lampshades	<b>AM1</b> SGD 2.380
6 FON23 + 2 FONU3 + 4 FONA3 + CSF01 + FSC13 + 18 PP203	18 Lampshades	SGD 11.270

Code	Structure		
FON13	For 1 lampshade	<b>B</b>	SGD 455
FON23	For 3 lampshades	<b>C</b>	SGD 1.060

### Lampshade P1

PP101	Stitched beige parchment	<b>P1</b>	SGD 165
PP103	Natural ribbon	<b>P1</b>	SGD 155
PP105	Red-amber ribbon	<b>P1</b>	SGD 155
PP106	Black ribbon	<b>P1</b>	SGD 155
PP107	Terracotta Raw Color ribbon	<b>P1</b>	SGD 190
PP108	Mustard Raw Color ribbon	<b>P1</b>	SGD 190
PP109	Green Raw Color ribbon	<b>P1</b>	SGD 190

### Lampshade P2

PP201	Stitched beige parchment	<b>P2</b>	SGD 190
PP203	Natural ribbon	<b>P2</b>	SGD 180
PP208	White linen	<b>P2</b>	SGD 255

### Lampshade M1

PM101	Stitched beige parchment	<b>M1</b>	SGD 180
PM103	Natural ribbon	<b>M1</b>	SGD 165
PM105	Red-amber ribbon	<b>M1</b>	SGD 165
PM106	Black ribbon	<b>M1</b>	SGD 165
PM107	Terracotta Raw Color ribbon	<b>M1</b>	SGD 205
PM108	Mustard Raw Color ribbon	<b>M1</b>	SGD 205
PM109	Green Raw Color ribbon	<b>M1</b>	SGD 205
PML108	White linen	<b>M1</b>	SGD 240

### Connection

FONF3	End	<b>D</b>	SGD 230
FONU3	Intermediate	<b>E</b>	SGD 240
FONA3	90° angle	<b>F</b>	SGD 330


### Canopy

CSF01	3 m / 118.1" electric cable	SGD 80
FSC13	S&C canopy	SGD 240




## Lampshades


## P1



## P2




## M1




## Structure

## B




## C




## D



## E



## F



Satin nickel tubular structure with natural beech wood supports for 1 or 3 lampshades.

S&C satin nickel metallic canopy. Suitable for side entry adaptor.

Maximum 1200 W per line (6A). One connection per line.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Weight structure for 3 lampshades (without lampshade): 2.7 kg / 5.9 lb

Weight structure for 18 lampshades (without lampshade): 13 kg / 29 lb

**Bulb socket:**

E27 (Max. hgt. 115 mm / 4.5")


**Light source included:**

1 x / 3 x LED bulb 12 W

**Other light sources:**

Max. 1 x / 3 x 100 W

## Examples of composition



## Sistema Gran Fonda

Gabriel Ordeig Cole  
1990

For further information on light sources go to p.139

Examples of composition		Structure	
FON18 + 2 FONF3 + PGF15 + FSC13 + CSF01		For 1 lampshade	SGD 1.865
FON18 + FON28 + 2 FONF3 + FONU3 + 3 PGF13 + FSC13 + CSF01		For 3 lampshades	SGD 4.165
Code	Structure	Drawing	
FON18	For 1 lampshade	B	SGD 555
FON28	For 2 lampshades	C	SGD 1.000
Lampshade			
PGF13	Natural ribbon	D	SGD 530
PGF15	Red-amber ribbon	D	SGD 530
PGF16	Black ribbon	D	SGD 530
PGF17	Terracotta Raw Color ribbon	D	SGD 580
PGF18	Mustard Raw Color ribbon	D	SGD 580
PGF19	Green Raw Color ribbon	D	SGD 580
PGFL18	White linen	D	SGD 530
Connection			
FONF3	End	E	SGD 230
FONU3	Intermediate	F	SGD 240
FONA3	90° angle	G	SGD 330
Canopy			
CSF01	3 m / 118.1" electric cable		SGD 80
FSC13	S&C canopy		SGD 240

Satin nickel tubular structure for 1 or 2 lampshades.

Each lampshade includes a translucent white diffuser disk.

S&C satin nickel metallic canopy. Suitable for side entry adaptor.

Maximum 1200W per line (6A). One connection per line.

Under special request, possibility of adapting the product

for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1'

Weight structure with 1 lampshade: 4 kg / 8.8 lb

Weight structure with 3 lampshades: 6,3 kg / 14 lb



### Bulb socket:

E27 (Max. hgt. 125 mm / 4.9")

### Light source included:

1 x / 2 x LED bulb 12 W

### Other light sources:


Max. 1 x / 2 x 100 W



## Sistema Sisisí PT1

Santa & Cole Team  
1993

For further information on light sources go to p.139



### Examples of composition

<b>SIS13 + PPT11</b>	G; 8'(' \$
<b>SIS21B + PPT13</b>	G; 8'(%\$
<b>SIS22 + PPT17</b>	G; 8'(( )

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Lampshade

<b>PPT11</b>	Stitched beige parchment	<b>SGD 165</b>
<b>PPT13</b>	Natural ribbon	<b>SGD 155</b>
<b>PPT15</b>	Red-amber ribbon	<b>SGD 155</b>
<b>PPT16</b>	Black ribbon	<b>SGD 155</b>
<b>PPT17</b>	Terracotta Raw Color ribbon	<b>SGD 190</b>
<b>PPT18</b>	Mustard Raw Color ribbon	<b>SGD 190</b>
<b>PPT19</b>	Green Raw Color ribbon	<b>SGD 190</b>

### Light source

<b>6BOM45</b>	LED bulb 4,5 W - 2.700 K	<b>SGD 30</b>
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Recommended light source (not included):

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Sistema Sisisí PT2

Santa & Cole Team  
1993

For further information on light sources go to p.139



### Composition

<b>SIS13 + PPT21</b>	<b>SGD 455</b>
<b>SIS21B + PPT21</b>	<b>SGD 445</b>
<b>SIS21N + PPT21</b>	<b>SGD 445</b>
<b>SIS22 + PPT21</b>	<b>SGD 445</b>
<b>SIS13 + PPT23</b>	<b>SGD 445</b>
<b>SIS21B + PPT23</b>	<b>SGD 435</b>
<b>SIS21N + PPT23</b>	<b>SGD 435</b>
<b>SIS22 + PPT23</b>	<b>SGD 435</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Lampshade

<b>PPT21</b>	Stitched beige parchment	<b>SGD 190</b>
<b>PPT23</b>	Natural ribbon	<b>SGD 180</b>

### Light source

<b>6BOM45</b>	LED bulb 4,5 W - 2.700 K	<b>SGD 30</b>
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Recommended light source (not included):

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Sistema Sisisí MT1

Santa & Cole Team  
1993

For further information on light sources go to p.139



### Examples of composition

<b>SIS13 + PMT11</b>	G; 8' ( ( )
<b>SIS21B + PMT13</b>	G; 8' ( & \$
<b>SIS22 + PMT17</b>	G; 8' ( * \$

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Lampshade

<b>PMT11</b>	Stitched beige parchment	<b>SGD 180</b>
<b>PMT13</b>	Natural ribbon	<b>SGD 165</b>
<b>PMT15</b>	Red-amber ribbon	<b>SGD 165</b>
<b>PMT16</b>	Black ribbon	<b>SGD 165</b>
<b>PMT17</b>	Terracotta Raw Color ribbon	<b>SGD 205</b>
<b>PMT18</b>	Mustard Raw Color ribbon	<b>SGD 205</b>
<b>PMT19</b>	Green Raw Color ribbon	<b>SGD 205</b>
<b>PMTL18</b>	White linen	<b>SGD 240</b>

### Light source

<b>6BOM45</b>	LED bulb 4,5 W - 2.700 K	<b>SGD 30</b>
---------------	--------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Recommended light source (not included):

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## Sistema Sisisí MT2

Santa & Cole Team  
1993

For further information on light sources go to p.139



### Composition

<b>SIS13 + PMT21</b>	<b>SGD 470</b>
<b>SIS21B + PMT21</b>	<b>SGD 460</b>
<b>SIS21N + PMT21</b>	<b>SGD 460</b>
<b>SIS22 + PMT21</b>	<b>SGD 460</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Lampshade

<b>PMT21</b>	Stitched beige parchment	<b>SGD 205</b>
--------------	--------------------------	----------------

### Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

### Recommended light source (not included):

LED bulb 12 W


### Other light sources:

Max. 60 W

# Sistema Sisisí GT1

Santa & Cole Team  
1993

For further information on light sources go to p.139



## Examples of composition

<b>SIS13 + PGT11</b>	<b>SGD 685</b>
<b>SISD13 + PGT17</b>	<b>SGD 860</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>SGD 405</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>SGD 370</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>SGD 370</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>SGD 370</b>

## Lampshade

<b>PGT11</b>	Stitched beige parchment	<b>SGD 420</b>
<b>PGT13</b>	Natural ribbon	<b>SGD 405</b>
<b>PGT15</b>	Red-amber ribbon	<b>SGD 405</b>
<b>PGT16</b>	Black ribbon	<b>SGD 405</b>
<b>PGT17</b>	Terracotta Raw Color ribbon	<b>SGD 455</b>
<b>PGT18</b>	Mustard Raw Color ribbon	<b>SGD 455</b>
<b>PGT19</b>	Green Raw Color ribbon	<b>SGD 455</b>
<b>PGTL18</b>	White linen	<b>SGD 480</b>

## Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



### Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

### Recommended light source (not included):

1 x / 2 x LED bulb 12 W


### Other light sources:

Max. 1 x / 2 x 60 W

# Sistema Sisisí GT2

Santa & Cole Team  
1993

For further information on light sources go to p.139



## Examples of composition

<b>SIS13 + PGT23</b>	<b>SGD 685</b>
<b>SISD13 + PGT28</b>	<b>SGD 885</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>
<b>SISD13</b>	Satin nickel	Black	Double	<b>SGD 405</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>SGD 370</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>SGD 370</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>SGD 370</b>

## Lampshade

<b>PGT23</b>	Natural ribbon	<b>SGD 420</b>
<b>PGT25</b>	Red-amber ribbon	<b>SGD 420</b>
<b>PGT26</b>	Black ribbon	<b>SGD 420</b>
<b>PGT28</b>	White linen	<b>SGD 480</b>

## Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



## Bulb socket:

E27 (Max. hgt. 115 mm / 4.5")

## Recommended light source (not included):

1 x / 2 x LED bulb 12 W


## Other light sources:

Max. 1 x / 2 x 60 W

## Sistema Sisisí GT3

Santa & Cole Team  
1993

For further information on light sources go to p.139



### Examples of composition

<b>SIS13 + PGT31</b>	<b>SGD 595</b>
<b>SIS21B + PGT33</b>	<b>SGD 570</b>
<b>SIS22 + PGT37</b>	<b>SGD 625</b>

Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Lampshade

<b>PGT31</b>	Stitched beige parchment	<b>SGD 330</b>
<b>PGT33</b>	Natural ribbon	<b>SGD 315</b>
<b>PGT35</b>	Red-amber ribbon	<b>SGD 315</b>
<b>PGT36</b>	Black ribbon	<b>SGD 315</b>
<b>PGT37</b>	Terracotta Raw Color ribbon	<b>SGD 370</b>
<b>PGT38</b>	Mustard Raw Color ribbon	<b>SGD 370</b>
<b>PGT39</b>	Green Raw Color ribbon	<b>SGD 370</b>
<b>PGTL38</b>	White linen	<b>SGD 355</b>

### Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

Canopy suitable for side entry adaptor (p.119).



#### Bulb socket:

E27 (Max. hgt. 155 mm / 6.1")

#### Recommended light source (not included):


LED bulb 12 W

#### Other light sources:

Max. 60 W

**Tekiò Vertical P1**Anthony Dickens  
2017

For further information on built-in LED go to p.144

**Composition****TEKVE1 + TEKVP1 + TEKFO1** **SGD 2.695****Code** **Description**

<b>TEKVE1</b>	White S&C metal P1 structure with matte finish	<b>SGD 835</b>
<b>TEKVP1</b>	Washi Japanese paper P1 shade	<b>SGD 1.025</b>
<b>TEKFO1</b>	White S&C metallic canopy with power supply incorporated	<b>SGD 835</b>


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.

**Light source included (dimmable):**

Built-in LED 43 W

**Tekiò Vertical P2**Anthony Dickens  
2017

For further information on built-in LED go to p.144

**Composition****TEKVE2 + TEKVP2 + TEKFO1** **SGD 3.815****Code** **Description**

<b>TEKVE2</b>	White S&C metal P2 structure with matte finish	<b>SGD 1.490</b>
<b>TEKVP2</b>	Washi Japanese paper P2 shade	<b>SGD 1.490</b>
<b>TEKFO1</b>	White S&C metallic canopy with power supply incorporated	<b>SGD 835</b>

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.


**Light source included (dimmable):**

Built-in LED 73 W

## Tekiò Vertical P3

Anthony Dickens  
2017

For further information on built-in LED go to p.144



### Composition

**TEKVE3 + TEKVP3 + TEKF01** **SGD 5.140**

Code	Description	
<b>TEKVE3</b>	White S&C metal P3 structure with matte finish	<b>SGD 2.335</b>
<b>TEKVP3</b>	Washi Japanese paper P3 shade	<b>SGD 1.970</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>SGD 835</b>

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.




### Light source included (dimmable):

Built-in LED 100 W

## Tekiò Vertical P4

Anthony Dickens  
2017

For further information on built-in LED go to p.144



### Composition

**TEKVE4 + TEKVP4 + TEKF01** **SGD 6.185**

Code	Description	
<b>TEKVE4</b>	White S&C metal P4 structure with matte finish	<b>SGD 2.915</b>
<b>TEKVP4</b>	Washi Japanese paper P4 shade	<b>SGD 2.435</b>
<b>TEKF01</b>	White S&C metallic canopy with power supply incorporated	<b>SGD 835</b>

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).  
Warm dim control 2200K – 2700K.  
Methacrylate inner diffuser.



### Light source included (dimmable):

Built-in LED 120 W

# Tekiò Horizontal P1

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE1 + TEKHP1 + TEKF01		A	SGD 2.695
TEKHE1 + TEKHP1 + TEKF03		B	SGD 2.695
Code	Structure		
TEKHE1	P1		SGD 835
Lampshade			
TEKHP1	P1		SGD 1.025
Canopy			
TEKF01	Circular	A	SGD 835
TEKF03	Rectangular	B	SGD 835

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



A



B



**Light source included (dimmable):**

Built-in LED 43 W

## Tekiò Horizontal P2

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE2 + TEKHP2 + TEKFO1		A	SGD 3.815
TEKHE2 + TEKHP2 + TEKFO3		B	SGD 3.815
Code	Structure		
TEKHE2	P2	SGD 1.490	
Lampshade			
TEKHP2	P2	SGD 1.490	
Canopy			
TEKF01	Circular	A	SGD 835
TEKF03	Rectangular	B	SGD 835

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.



A



B



**Light source included (dimmable):**

Built-in LED 73 W

**Tekiò Horizontal P3**

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE3 + TEKHP3 + TEKFO1		A	SGD 5.175
TEKHE3 + TEKHP3 + TEKFO3		B	SGD 5.175
Code	Structure		
TEKHE3	P3		SGD 2.370
Lampshade			
TEKHP3	P3		SGD 1.970
Canopy			
TEKF01	Circular	A	SGD 835
TEKF03	Rectangular	B	SGD 835

White S&C metal structure with matte finish.


Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.



**Light source included (dimmable):**

Built-in LED 100 W

# Tekiò Horizontal P4

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKHE4 + TEKHP4 + TEKF01		A	SGD 6.420
TEKHE4 + TEKHP4 + TEKF03		B	SGD 6.420
Code	Structure		
TEKHE4	P4	SGD 3.150	
		Lampshade	
TEKHP4	P4	SGD 2.435	
		Canopy	
TEKF01	Circular	A	SGD 835
TEKF03	Rectangular	B	SGD 835

White S&C metal structure with matte finish.


Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.



**Light source included (dimmable):**

Built-in LED 120 W

# Tekiò Circular P8

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKCE8 + TEKCP8 + TEKFO2		<b>A</b>	SGD 9.370
TEKCE8 + TEKCP8 + 2 TEKFO3		<b>B</b>	SGD 9.865
Code	Structure		
TEKCE8	P8		SGD 4.360
Lampshade			
TEKCP8	P8		SGD 3.835
Canopy			
TEKF02	Circular <sup>[1]</sup>	<b>A</b>	SGD 1.175
TEKF03	Rectangular <sup>[2]</sup>	<b>B</b>	SGD 835

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.


Methacrylate inner diffuser.

<sup>[1]</sup> For the composition with circular rosette (A), 1 unit of TEKFO2 is required.




<sup>[2]</sup> For the composition with rectangular rosette (B), 2 units of TEKFO3 are required.



**A**



**B**



**Light source included (dimmable):**

Built-in LED 200 W

# Tekìo Oval P12

Anthony Dickens  
2017

For further information on built-in LED go to p.144

Composition		Drawing	
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 2 TEKFO2		<b>A</b>	SGD 15.650
TEKCE8 + TEKOE4 + TEKCP8 + TEKOP4 + 4 TEKFO3		<b>B</b>	SGD 16.640
Code	Structure		
TEKCE8	P8	SGD 4.360	
TEKOE4	P4	SGD 3.150	
Lampshade			
TEKCP8	P8	SGD 3.835	
TEKOP4	P4	SGD 1.955	
Canopy			
TEKF02	Circular <sup>[1]</sup>	<b>A</b>	SGD 1.175
TEKF03	Rectangular <sup>[2]</sup>	<b>B</b>	SGD 835

White S&C metal structure with matte finish.

Washi Japanese paper shade.

White S&C metallic canopy with power supply incorporated.


Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Warm dim control 2200K – 2700K.

Methacrylate inner diffuser.

<sup>[1]</sup> For the composition with circular rosette **(A)** 2 units of TEKFO2 are required.

<sup>[2]</sup> For the composition with rectangular rosette **(B)** 4 units of TEKFO3 are required.



**Light source included (dimmable):**

Built-in LED 320 W

## Vaghe Stelle


Antoni de Moragas i Spà  
1982

For further information on light sources go to p.139

Code	Description	
VGS01	Structure, socket, central ring and circular canopy made of polished varnished brass. Pyrex tubes. Transparent electrical cable.	SGD 10.865

Electric cable length: 5 m / 196.8"

Weight: 10 Kg / 22 lb



### Bulb socket:


E14 (Max. hgt.  $155 \text{ mm} / 6.1''$ )

### Light source included:

18 x Filament tubular incandescent bulbs 25 W

## Sisisí canopy

Gabriel Ordeig Cole  
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SIS13</b>	Satin nickel	Black	Simple	<b>SGD 265</b>
<b>SIS21B</b>	Textured white finish	White	Simple	<b>SGD 255</b>
<b>SIS21N</b>	Textured white finish	Black	Simple	<b>SGD 255</b>
<b>SIS22</b>	Textured black finish	Black	Simple	<b>SGD 255</b>

### Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K			<b>SGD 80</b>
---------------	-------------------------	--	--	---------------

Black neoprene or white silicone cable (depending on model), with lamp holder and support for lampshade.

Suitable for side entry adaptor (p.119).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1". Weight: 0,5 kg / 1.1 lb



### Bulb socket:

E27 (Max. hgt. depending on shade)

### Recommended light source (not included):


LED bulb 12 W

### Other light sources:

Max. 60 W

## Sisisí canopy Dual lamp socket

Gabriel Ordeig Cole  
1987



Code	Sisisí canopy (metallic structure)	Cable	Lamp socket	
<b>SISD13</b>	Satin nickel	Black	Double	<b>SGD 405</b>
<b>SISD21B</b>	Textured white finish	White	Double	<b>SGD 370</b>
<b>SISD21N</b>	Textured white finish	Black	Double	<b>SGD 370</b>
<b>SISD22</b>	Textured black finish	Black	Double	<b>SGD 370</b>

### Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K			<b>SGD 80</b>
---------------	-------------------------	--	--	---------------

Black neoprene or white silicone cable (depending on model), with 2 lamp holders and support for lampshade.

Suitable for side entry adaptor (p.119).

Can be combined with GT1, GT2, GT5 and GT6 lampshades.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Electric cable length: 3 m / 118.1".

Weight: 0,7 kg / 1.5 lb



### Bulb socket:

E27 (Max. hgt. 137 mm / 5.4")

### Recommended light source:


2 x LED bulb 12 W

### Other light sources:

Max. 2 x 100 W

## S&C canopy

Gabriel Ordeig Cole  
1993



Code	Metallic structure	
<b>FSC13</b>	Satin nickel	<b>SGD 240</b>
<b>FSC21</b>	Textured white finish	<b>SGD 180</b>
<b>FSC22</b>	Textured black finish	<b>SGD 180</b>

Suitable for side entry adaptor (p.119).

Under special request, possibility of adapting the product for areas exposed to saline conditions.

## S&C Connection

Gabriel Ordeig Cole  
1997



Code	Length	Color	
<b>CSC01</b>	3 m / 118.1"	Black	<b>SGD 105</b>
<b>CSC02</b>	8 m / 315"	Black	<b>SGD 165</b>
<b>CSC01B</b>	3 m / 118.1"	White	<b>SGD 105</b>
<b>CSC02B</b>	8 m / 315"	White	<b>SGD 165</b>

### Light source

<b>6BOM41</b>	LED bulb 12 W - 2.700 K	<b>SGD 80</b>
---------------	-------------------------	---------------

Black neoprene or white silicone cable (depending on model), with lamp holder and support for lampshade.



### Bulb socket:

E27 (Max. hgt. depending on shade)


### Recommended light source (not included):

LED bulb 12 W

### Other light sources:

Max. 60 W


## Side entry adaptor



Code	Description	
<b>6FSC01</b>	Side entry adaptor	<b>SGD 115</b>

## HeadLed System S&C LED Capsule

Santa & Cole Team  
2013



### Code LED capsule with electric black cable

<b>HEL03</b>	3 m / 118.1"	<b>SGD 240</b>
<b>HEL08</b>	8 m / 315"	<b>SGD 330</b>

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

Suitable with HeadLed System lampshades. (p.121).




### Light source included:

Built-in LED 3,7 W / 7,7 W

## HeadLed System S&C LED canopy

Santa & Cole Team  
2013



### Código Florón circular metálico + equipo

Código	Florón circular metálico + equipo	Dibujo	
<b>HEF01</b>	Black surface (not dimmable)	<b>A</b>	<b>SGD 315</b>
<b>HEF02</b>	White surface (not dimmable)	<b>A</b>	<b>SGD 315</b>
<b>HEFD01</b>	Black surface dimmable 1-10V <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>HEFD01-DALI</b>	Black surface dimmable DALI <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>HEFD02</b>	White surface dimmable 1-10V <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>HEFD02-DALI</b>	White surface dimmable DALI <sup>[1]</sup>	<b>A</b>	<b>SGD 480</b>
<b>HEF12</b>	White built-in (not dimmable)	<b>B</b>	<b>SGD 315</b>

Metallic circular canopy with a smooth matte finish and power supply incorporated.

<sup>[1]</sup> Suitable for dimming 1-10V.

(Not included external dimmer switch 1-10V).




# Headled System S&C LED Lampshades

New color

Santa & Cole Team  
2013

Code	Lampshade	Finish	Drawing
------	-----------	--------	---------

## Cirio



## Cirio

<b>CIP01</b>	White porcelain	Matte interior and gloss exterior	<b>PP</b> SGD 345
<b>CIP05</b>	White opal glass	Matte	<b>PV</b> SGD 315
<b>CIP06</b>	Brass	Polished	<b>PL</b> SGD 630

## M64

<b>M6401</b>	White aluminium	Mate	<b>M64</b> SGD 530
<b>M6402</b>	Black aluminium	Mate	<b>M64</b> SGD 530
<b>M6403</b>	Aluminium	Polished	<b>M64</b> SGD 530
<b>M6404</b>	Brass	Polished	<b>M64</b> SGD 745
<b>M6405</b>	Red aluminium	Brilliant	<b>M64</b> SGD 530

## M64




## HeadHat Bowl

<b>HATS12</b>	White ceramic S	Matte interior and gloss exterior	<b>SC</b> SGD 240
<b>HATS11</b>	Black ceramic S	Matte interior and gloss exterior	<b>SC</b> SGD 240
<b>HATL12</b>	White ceramic L	Matte interior and gloss exterior	<b>LC</b> SGD 355
<b>HATL11</b>	Black ceramic L	Matte interior and gloss exterior	<b>LC</b> SGD 355

## HeadHat Plate

<b>HATS02</b>	White metallic S	Matte	<b>SM</b> SGD 480
<b>HATS03</b>	Berry blue metallic S	Matte	<b>SM</b> SGD 480
<b>HATS04</b>	Truffle brown metallic S	Matte	<b>SM</b> SGD 480
<b>HATS05</b>	Hematite red metallic S	Matte	<b>SM</b> SGD 480
<b>HATM02</b>	White metallic M	Matte	<b>MM</b> SGD 555
<b>HATM03</b>	Berry blue metallic M	Matte	<b>SM</b> SGD 555
<b>HATM04</b>	Truffle brown metallic M	Matte	<b>SM</b> SGD 555
<b>HATM05</b>	Hematite red metallic M	Matte	<b>SM</b> SGD 555
<b>HATL02</b>	White metallic L	Matte	<b>LM</b> SGD 835
<b>HATL03</b>	Berry blue metallic L	Matte	<b>SM</b> SGD 835
<b>HATL04</b>	Truffle brown metallic L	Matte	<b>SM</b> SGD 835
<b>HATL05</b>	Hematite red metallic L	Matte	<b>SM</b> SGD 835


## HeadHat Bowl



Suitable for S&C LED capsule and Cirio structures.




## HeadHat Plate



## Americana

Miguel Milá  
1999



For further information on light sources go to p.139

### Composition

**SAM12 + SAMP8** SGD 915

Code	Description	
<b>SAM12</b>	Satin nickel structure	SGD 735
<b>SAMP8</b>	White linen lampshade	SGD 180

Rotating arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:


LED bulb 4,5 W

### Other light sources:

Max. 60 W

## BC1

Santa & Cole Team  
1995



For further information on light sources go to p.139

### Examples of composition

<b>BC102 + PP101</b>	SGD 825
<b>BC102 + PP103</b>	SGD 815
<b>BC102 + PP107</b>	SGD 850

Code	Structure	
<b>BC102</b>	Satin nickel and beech wood handle	SGD 660
Lampshade		
<b>PP101</b>	Stitched beige parchment	SGD 165
<b>PP103</b>	Natural ribbon	SGD 155
<b>PP105</b>	Red-amber ribbon	SGD 155
<b>PP106</b>	Black ribbon	SGD 155
<b>PP107</b>	Terracotta Raw Color ribbon	SGD 190
<b>PP108</b>	Mustard Raw Color ribbon	SGD 190
<b>PP109</b>	Green Raw Color ribbon	SGD 190

Moveable arm with plug.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

Dimmer included.



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included (dimmable):

LED bulb 4,5 W


### Other light sources:

Max. 60 W

**BC2**

Santa & Cole Team  
1995

For further information on light sources go to p.139

**Examples of composition**

<b>BC202 + PP101</b>	<b>SGD 660</b>
<b>BC202 + PP103</b>	<b>SGD 650</b>
<b>BC202 + PP107</b>	<b>SGD 685</b>

Code	Structure	
<b>BC202</b>	Satin nickel and beech wood handle	<b>SGD 495</b>

**Lampshade**

<b>PP101</b>	Stitched beige parchment	<b>SGD 165</b>
<b>PP103</b>	Natural ribbon	<b>SGD 155</b>
<b>PP105</b>	Red-amber ribbon	<b>SGD 155</b>
<b>PP106</b>	Black ribbon	<b>SGD 155</b>
<b>PP107</b>	Terracotta Raw Color ribbon	<b>SGD 190</b>
<b>PP108</b>	Mustard Raw Color ribbon	<b>SGD 190</b>
<b>PP109</b>	Green Raw Color ribbon	<b>SGD 190</b>

Under special request, possibility of adapting the product for areas exposed to saline conditions.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W


**Other light sources:**

Max. 60 W

**BC3**

Santa & Cole Team  
1995

For further information on light sources go to p.139

**Examples of composition**

<b>BC302 + PP101</b>	<b>SGD 825</b>
<b>BC302 + PP103</b>	<b>SGD 815</b>
<b>BC302 + PP107</b>	<b>SGD 850</b>

Code	Structure	
<b>BC302</b>	Satin nickel and beech wood handle	<b>SGD 660</b>

**Lampshade**

<b>PP101</b>	Stitched beige parchment	<b>SGD 165</b>
<b>PP103</b>	Natural ribbon	<b>SGD 155</b>
<b>PP105</b>	Red-amber ribbon	<b>SGD 155</b>
<b>PP106</b>	Black ribbon	<b>SGD 155</b>
<b>PP107</b>	Terracotta Raw Color ribbon	<b>SGD 190</b>
<b>PP108</b>	Mustard Raw Color ribbon	<b>SGD 190</b>
<b>PP109</b>	Green Raw Color ribbon	<b>SGD 190</b>

Moveable arm.

Under special request, possibility of adapting the product for areas exposed to saline conditions.

**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**


LED bulb 4,5 W

**Other light sources:**

Max. 60 W

## BlancoWhite C1 Wall rotating

Antoni Arola  
2013



For further information on built-in LED go to p.144

Code	Description	
<b>BWC132</b>	Graphite metal structure with matte finish with power supply incorporated	<b>SGD 1.390</b>

Rotating head.




### Light source included:

Built-in LED 8 W

## BlancoWhite C1 Wall rotating scene

Antoni Arola  
2013



For further information on built-in LED go to p.144

Code	Description	
<b>BWC132-S5</b>	Graphite metal structure with matte finish with power supply incorporated	<b>SGD 1.525</b>

Rotating head.  
Wall Scene red sheet.




### Light source included:

Built-in LED 8 W

## BlancoWhite R1 Wall

Antoni Arola  
2013

For further information on built-in LED go to p.144



Code	Description	
<b>BWR122</b>	Graphite metal structure with matte finish with power supply incorporated	<b>SGD 1.185</b>




**Light source included:**  
Built-in LED 10 W

## BlancoWhite R1 Wall rotating

Antoni Arola  
2013

For further information on built-in LED go to p.144



Code	Description	
<b>BWR132</b>	Graphite metal structure with matte finish with power supply incorporated	<b>SGD 1.540</b>

Rotating head.




**Light source included:**  
Built-in LED 10 W

## Comodín cuadrado

Santa & Cole Team  
1994

For further information on light sources go to p.139



### Examples of composition

<b>COM01 + COM19</b>	<b>SGD 470</b>
<b>COM01 + COM39</b>	<b>SGD 510</b>

Code	Structure	
<b>COM01</b>	Chrome-plated	<b>SGD 280</b>

### Lampshade

<b>COM18</b>	Stitched beige parchment	<b>SGD 205</b>
<b>COM19</b>	Natural ribbon	<b>SGD 190</b>
<b>COM35</b>	Red-amber ribbon	<b>SGD 190</b>
<b>COM36</b>	Black ribbon	<b>SGD 190</b>
<b>COM37</b>	Terracotta Raw Color ribbon	<b>SGD 230</b>
<b>COM38</b>	Mustard Raw Color ribbon	<b>SGD 230</b>
<b>COM39</b>	Green Raw Color ribbon	<b>SGD 230</b>

### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W

### Other light sources:


Max. 60 W



## Comodín rectangular

Santa & Cole Team  
1994

For further information on light sources go to p.139



### Examples of composition

<b>COM01 + COM29</b>	<b>SGD 470</b>
<b>COM01 + COM47</b>	<b>SGD 510</b>

Code	Structure	
<b>COM01</b>	Chrome-plated	<b>SGD 280</b>

### Lampshade

<b>COM28</b>	Stitched beige parchment	<b>SGD 230</b>
<b>COM29</b>	Natural ribbon	<b>SGD 190</b>
<b>COM45</b>	Red-amber ribbon	<b>SGD 190</b>
<b>COM46</b>	Black ribbon	<b>SGD 190</b>
<b>COM47</b>	Terracotta Raw Color ribbon	<b>SGD 230</b>
<b>COM48</b>	Mustard Raw Color ribbon	<b>SGD 230</b>
<b>COM49</b>	Green Raw Color ribbon	<b>SGD 230</b>

### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W

### Other light sources:

Max. 60 W



**Corso**  
Antoni Arola  
2007

For further information on light sources go to p.139

**Composition**


**CRS01 + CRS11** **SGD 5.965**

**Code**      **Description**

**CRS01**      Printed Dibond recessed fixture with colour gradient **SGD 1.905**

(from yellow to red) and matte finish

**CRS11**      Black metal structural frame with moveable arm **SGD 4.060**



**Bulb socket:** G5

**Light sources included:**

2 x Fluorescent, T5, Linear 24 W


**Disco M**

Jordi Miralbell  
Mariona Raventós  
1995

For further information on built-in LED go to p.144

Code	Description	
<b>DIS04L</b>	Satin nickel structure and lampshade	<b>SGD 845</b>

Suitable for phase-cut dimming.  
Does not include external phase-cut dimmer.  
Under special request, possibility of adapting the product  
for areas exposed to saline conditions.

**Light source included (dimmable):**

Built-in LED: 9 W


**Disco L**

Jordi Miralbell  
Mariona Raventós  
1995

For further information on built-in LED go to p.144

Code	Description	
<b>DIS06L</b>	Satin nickel structure and lampshade	<b>SGD 1.050</b>

Suitable for phase-cut dimming.  
Does not include external phase-cut dimmer.  
Under special request, possibility of adapting the product  
for areas exposed to saline conditions.


**Light source included (dimmable):**

Built-in LED: 9 W

## Estadio

Miguel Milá  
2015

For further information on light sources go to p.139



Code	Description	
<b>ESTA1</b>	Black metal structure with white matte reflector 7 glass block shades	<b>SGD 1.575</b>

Diffuser in white translucent methacrylate.  
Weight: 11 kg / 24.25 lb



### Bulb socket:

E27 (Max. hgt. 160 mm / 6.3")

### Light source included:

LED bulb 12 W

### Other light sources:


Max. 75 W

## Petit Tatu

André Ricard  
2019

For further information on built-in LED go to p.144

**New product**



Code	ABS plastic structure	
<b>TATP02</b>	S&C white	<b>SGD 695</b>
<b>TATP05</b>	Red	<b>SGD 695</b>

Gyratory structure.  
Adjustable focal length from 30° to 50°.  
\*Suitable for dimming 1-10V.  
(Not included external dimmer switch 1-10V).  
Available from March 2020.



### UL listing in progress.


### Light source included (dimmable):

Built-in LED 6 W

## Singular

Miguel Milá  
2000

For further information on light sources go to p.139



### Composition

**COM01 + SIN28** **SGD 535**

Code	Description	
<b>COM01</b>	Chrome-plated structure	<b>SGD 280</b>
<b>SIN28</b>	White linen lampshade	<b>SGD 255</b>



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## TMM corto

Miguel Milá  
1964

For further information on light sources go to p.139



Code	Parchment lampshade	Connection	
<b>ATM01</b>	Beige	With plug <sup>[1]</sup>	<b>SGD 495</b>
<b>ATM02</b>	White	With plug <sup>[1]</sup>	<b>SGD 495</b>
<b>ATM31</b>	Beige	Direct wall	<b>SGD 480</b>
<b>ATM32</b>	White	Direct wall	<b>SGD 480</b>
<b>ATM32D</b>	White with upper diffuser in white translucent methacrylate <sup>[2]</sup>	Direct wall	<b>SGD 530</b>

Beech wood structure.

<sup>[1]</sup> The light is switched on/off by pulling lightly on the cable.

<sup>[2]</sup> Lampshade with upper diffuser for energy saving bulbs only (LED/compact fluorescent).



### Bulb socket:

E27 (Max. hgt. 105 mm / 4.1")

### Light source included:

LED bulb 4,5 W


### Other light sources:

Max. 60 W

## TMM largo

Miguel Milá  
1964

For further information on light sources go to p.139



Code	Parchment lampshade	
ATL01	Beige	SGD 520
ATL02	White	SGD 520

Beech wood structure.



**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W


**Other light sources:**

Max. 60 W

## TMM Metálico

Miguel Milá  
2002

For further information on light sources go to p.139



Code	Description	
ATL15	Satin nickel structure White methacrylate shade	SGD 720

Under special request, possibility of adapting the product for areas exposed to saline conditions.



**Bulb socket:**

E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W


**Other light sources:**

Max. 60 W

# Wally

Miguel Milá  
1962

For further information on light sources go to p.139



Code	Metallic structure
------	--------------------

WLY01	Bronze finish
-------	---------------

SGD 860

WLY02	Matte white
-------	-------------

SGD 860

White opal glass lampshade.  
Suitable for outdoor use.



**Bulb socket:**


E27 (Max. hgt. 105 mm / 4.1")

**Light source included:**

LED bulb 4,5 W

**Other light sources:**

Max. 40 W



# **Amigo**

Gonzalo Milá, Miguel Milá. 2009

135

Outdoor


**Amigo**

Gonzalo Milá

Miguel Milá

2009

For further information on built-in LED go to p.144

**Código****AMA21L****Descripción**

White metallic structure.

Cylindrical translucent methacrylate diffuser.

**SGD 1.250**

Suitable for dimming systems 1-10V.

(External dimmer switch 1-10V not included).

Suitable for indoor and outdoor use.


CE  IP 55 US LISTED**Light source included (dimmable):**

Built-in LED 40 W

## Oco 33

Causas Externas  
2010

For further information on built-in LED go to p.144



Code	Upper cover	
OCO33A	Amber	SGD 580

	Base (optional)	
OCO00	Black steel	SGD 205

Black aluminium shaft.  
Polycarbonate casing.  
Luminaire 33 cm / 12.9" with spike.  
Power supply incorporated.

CE IP 54


### Light source included:

Built-in LED 4,2 W

## Oco 55

Causas Externas  
2010

For further information on built-in LED go to p.144



Code	Upper cover	
OCO55A	Amber	SGD 620

	Base (optional)	
OCO00	Black steel	SGD 205

Black aluminium shaft.  
Polycarbonate casing.  
Luminaire 55 cm / 21.6" with spike.  
Power supply incorporated.

CE IP 54

### Light source included:

Built-in LED 4,2 W



# Light sources

## Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
<b>Table lamps</b>			
Americana	1 u.	4,5W	Max. 60W
Asa	1 u.	4,5W	Max. 60W
Babel	1 u.	12W	Max. 60W
Básica, M1, M2	1 u.	12W	Max. 100W
Básica Mínima	1 u.	6,5W	Max. 40W
Cesta	1 u.	12W	Max. 75W
Cestita	1 u.	4,5W	Max. 40W (UL Market: Max. 7W)
Cesta Metálica	1 u.	12W	Max. 60W
Cestita Metálica	1 u.	4,5W	Max. 40W
Diana Menor	2 u.	4,5W	Max. 40W (With diffuser: Max. 25W)
Diana	2 u.	12W	Max. 50W (With diffuser: Max. 25W)
FAD Menor	1 u.	4,5W	Max. 60W
FAD	1 u.	4,5W	Max. 60W
Gira	1 u.	12W	Max. 40W
Moragas	3 u.	4,5W	Max. 30W
TMD	1 u.	4,5W	Max. 60W
Trípode M3	1 u.	6,5W	Max. 40W
Trípode G6	1 u.	12W	Max. 100W
<b>Floor lamps</b>			
Americana	1 u.	4,5W	Max. 60W
Diana	2 u.	12W	Max. 75W (With diffuser: Max. 25W)
Diana Mayor	2 u.	12W	Max. 75W
Dórica	3 u.	12W	Max. 50W
FAD	1 u.	12W	Max. 100W
FAD fija	1 u.	12W	Max. 100W
GATCPAC	1 u.	12W	Max. 150W
Moaré	3 u.	12W	Max. 50W
Pie de Salón G1, G2, G3	1 u.	12W	Max. 100W
TMC	1 u.	12W	Max. 100W
TMD	1 u.	12W	Max. 100W
TMM	1 u.	12W	Max. 100W (With diffuser: Max. 25W)
Trípode G5	1 u.	12W	Max. 100W
<b>Wall lamps</b>			
Americana	1 u.	4,5W	Max. 60W
BC1	1 u.	4,5W	Max. 60W
BC2	1 u.	4,5W	Max. 60W
BC3	1 u.	4,5W	Max. 60W
Comodín cuadrado/rectangular	1 u.	4,5W	Max. 60W
Corso	2 u.		T5. Lineal. 24W
Estadio	1 u.	12W	Max. 75W
Singular	1 u.	4,5W	Max. 60W
TMM corto / largo	1 u.	4,5W	Max. 60W (With diffuser: Max. 25W)
TMM Metálico	1 u.	4,5W	Max. 60W
Wally	1 u.	4,5W	Max. 40W (UL Market: Max. 7W)

## Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	105 mm / 4.1"	CE Market		p. 8
E27	E26	105 mm / 4.1"	CE Market		p. 8
E27	E26	115 mm / 4.5"	CE Market	X	p. 9
E27	E26	115 mm / 4.5"	CE Market	X	p. 10-11
E14	E12	85 mm / 3.3"	CE Market		p. 11
E27	E26	130 mm / 5.1"	CE Market	X	p. 13
E27	E26	105 mm / 4.1"	CE Market	X	p. 13
E27	E26	130 mm / 5.1"	CE Market	X	p. 14
E27	E26	105 mm / 4.1"	CE Market	X	p. 15
E27	E26	105 mm / 4.1"	CE Market	X	p. 16
E27	E26	130 mm / 5.1"	CE Market	X	p. 17
E27	E26	105 mm / 4.1"	CE Market	X	p. 18
E27	E26	105 mm / 4.1"	CE Market	X	p. 18
E27	E26	110 mm / 4.3"	CE Market		p. 19
E27	E26	115 mm / 4.5"	CE Market	X	p. 20
E27	E26	105 mm / 4.1"	CE Market		p. 23
E14	E12	85 mm / 3.3"	CE Market		p. 24
E27	E26	130 mm / 5.1"	CE Market	X	p. 25
E27	E26	105 mm / 4.1"	CE Market		p. 26
E27	E26	137 mm / 5.4"	CE Market	X	p. 26
E27	E26	137 mm / 5.4"	CE Market	X	p. 27
E27	E26	130 mm / 5.1"	CE Market	X	p. 27
E27	E26	130 mm / 5.1"	CE Market	X	p. 28
E27	E26	130 mm / 5.1"	CE Market	X	p. 28
E27	E26	160 mm / 6.3"	CE Market	X	p. 29
E27	E26	130 mm / 5.1"	CE Market	X	p. 30
E27	E26	137 mm / 5.4"	CE Market	X	p. 31-32-33
E27	E26	125 mm / 4.9"	CE Market		p. 34
E27	E26	125 mm / 4.9"	CE Market		p. 34
E27	E26	125 mm / 4.9"	CE Market		p. 35
E27	E26	160 mm / 6.3"	CE Market	X	p. 36
E27	E26	105 mm / 4.1"	CE Market		p. 122
E27	E26	105 mm / 4.1"	CE Market	X	p. 122
E27	E26	105 mm / 4.1"	CE Market		p. 123
E27	E26	105 mm / 4.1"	CE Market		p. 124
E27	E26	105 mm / 4.1"	CE Market		p. 127
G5	G5	549 mm / 21.6"	X		p. 128
E27	E26	160 mm / 6.3"	CE Market		p. 130
E27	E26	105 mm / 4.1"	CE Market		p. 131
E27	E26	105 mm / 4.1"	CE Market		p. 131-132
E27	E26	105 mm / 4.1"	CE Market		p. 132
E27	E26	105 mm / 4.1"	CE Market		p. 133

## Recommended Light Sources

Product	Light sources for product (u.)	Power (W)	
		LED	Others
<b>Pendant Lamps</b>			
Estadio 105	12 u.	12W	Max. 75W
Estadio 150	18 u.	12W	Max. 75W
Estadio 250	24 u.	12W	Max. 75W
Línea Estadio	5 u.	12W	Max. 75W
Globo Cesta	1 u.	12W	Max. 40W
Globo Cestita	1 u.	4,5W	Max. 75W
GT4	1 u.	12W	Max. 60W
GT5	1 u. / 2 u.	12W	Max. 100W
GT6	1 u. / 2 u.	12W	Max. 100W
GT7	3 u.	12W	Max. 60W
La Colilla			Neon bulbs strip 6W
Leonardo 60, 100	1 u.	12W	Max. 150W
Liceo 70	3 u.	12W	Max. 75W
Liceo 120	3 u.	12W	Max. 75W
M68	1 u.	12W	Max. 100W
Moaré	3 u.	12W	Max. 100W
Moaré Liviana S, M	1 u.	12W	Max. 60W
Nagoya	1 u.	12W	Max. 60W
Sexta	6 u.	12W	Max. 60W
Sexta 12	12 u.	12W	Max. 60W
Sistema Fonda	1 u. / 3 u.	12W	Max. 100W
Sistema Gran Fonda	1 u. / 2 u.	12W	Max. 100W
Sistema Sisisí PT1	1 u.	4,5W	Max. 60W
Sistema Sisisí PT2	1 u.	4,5W	Max. 60W
Sistema Sisisí MT1	1 u.	4,5W	Max. 60W
Sistema Sisisí MT2	1 u.	12W	Max. 60W
Sistema Sisisí GT1	1 u. / 2 u.	12W	Max. 60W
Sistema Sisisí GT2	1 u. / 2 u.	12W	Max. 60W
Sistema Sisisí GT3	1 u.	12W	Max. 60W
Vaghe Stelle	18 u.	2W (Only UL Market)	Max. 25W

## Recommended Light Sources

Bulb socket		Maximum height (mm / in.)	Includes light source	Dimmer on the luminaire (adjustable light source)*	Product page
CE	USA - Others				
E27	E26	155 mm / 6.1"			p. 62
E27	E26	155 mm / 6.1"			p. 63
E27	E26	155 mm / 6.1"			p. 64
E27	E26	155 mm / 6.1"			p. 65
E27	E26	130 mm / 5.1"	CE Market		p. 66
E27	E26	130 mm / 5.1"	CE Market		p. 67
E27	E26	155 mm / 6.1"	CE Market		p. 68
E27	E26	130 mm / 5.1"	CE Market		p. 69
E27	E26	130 mm / 5.1"	CE Market		p. 70
E27	E26	137 mm / 5.4"	CE Market		p. 71
			X		p. 79
E27	E26	155 mm / 6.1"	CE Market		p. 86
E27	E26	155 mm / 6.1"	CE Market		p. 87
E27	E26	155 mm / 6.1"	CE Market		p. 87
E27	E26	130 mm / 5.1"	CE Market		p. 89
E27	E26	130 mm / 5.1"	CE Market		p. 91
E27	E26	155 mm / 6.1"	CE Market		p. 92-93
E27	E26	115 mm / 4.5"	CE Market		p. 93
E27	E26	115 mm / 4.5"	CE Market		p. 96
E27	E26	115 mm / 4.5"	CE Market		p. 97
E27	E26	115 mm / 4.5"	CE Market		p. 98
E27	E26	125 mm / 4.9"	CE Market		p. 100
E27	E26	105 mm / 4.1"			p. 102
E27	E26	105 mm / 4.1"			p. 103
E27	E26	105 mm / 4.1"			p. 104
E27	E26	155 mm / 6.1"			p. 105
E27	E26	115 mm / 4.5"			p. 106
E27	E26	115 mm / 4.5"			p. 107
E27	E26	155 mm / 6.1"			p. 108
E14	E12	155 mm / 6.1"	CE Market		p. 117

For dimming systems to work properly,  
(dimmer luminaire / installation), the compact fluorescent and LED  
light sources must be adjustable.

## Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
<b>Lámparas de sobremesa</b>				
BlancoWhite C1	8W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		100 – 230
BlancoWhite R1 table Rotating	10W	12VDC		100 – 230
Cestita Batería	3,7W	2,9VDC		100 – 240
Majja 15	12W	24VDC		90 – 264
Sin S	12,5W	24VDC		100 – 230
Sin L	25W	24VDC		100 – 230
Sylvestrina	1W		350mA	CE 220 – 240 / USA 100 – 300
Tatu	6W		350mA	CE 220 – 240 / USA 100 – 300
<b>Floor lamps</b>				
Majja 30	24W	24VDC		90 – 305
<b>Pendant lamps</b>				
Arne Domus	33W		700mA	90 – 305
Arne S Domus	24W		700mA	90 – 305
BlancoWhite D1 ceiling / D1 ceiling up&down	22W	12VDC		100 – 230
BlancoWhite D2 ceiling / D2 ceiling up&down	28W	12VDC		100 – 230
BlancoWhite R3	33W	12VDC		110 – 277
BlancoWhite Golden Gate	66W	12VDC		110 – 230
Cirio Simple	3,7W / 7,7W		350mA / 700 mA	100 – 230 / 100 – 277
Cirio Múltiple	46,2 – 92,4W = (6u.–12u.)		700mA	120 – 277
Cirio Cascada 5	46W		700mA	120 – 277
Cirio Cascada 7	65W		700mA	120 – 277
Cirio Cascada 9	83W		700mA	120 – 277
Cirio Cascada 12	110W		700mA	120 – 277
Cirio Circular S	44,4W / 92,4W (12u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Circular M	103,6W / 215,6W (28u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Circular L	155,4W / 323,4W (42u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Oval	140,6W / 292,6W (28u. + 5u. + 5u.)		350mA / 700 mA	230 (CIF01)* / 120 – 277 (CIF31/CIF32/CIF31-DALI)
Cirio Lineal	18,5W / 38,5W (5u.)		350mA / 700 mA	230 (CIF02)* / 120 – 277 (CIF31/CIF31-DALI)
Cirio Chandelier S	114W (20u.)		530mA	120 – 277
Cirio Chandelier M	171W (30u.)		530mA	120 – 277
Cirio Chandelier L	228W (40u.)		530mA	120 – 277
GT1000	78W		1.400mA	90 – 305
GT1500	78W		1.400mA	90 – 305
HeadHat Bowl / Plate	3,7W / 7,7W		350mA* / 700 mA	110 – 230 / 100 – 277
Lámina 45	18W		750mA	100 – 277
Sistema Lámina 45	31W		750mA	100 – 277
Lámina 85	31W		750mA	100 – 277
Sistema Lámina 85	54W		1.400mA	100 – 277
Lámina 165	54W		1.400mA	100 – 277
Lámina Mayor	44W		1.050mA	100 – 277
M64	3,7W / 7,7W		350mA* / 700 mA	110 – 230 / 100 – 277
Majja 15	6W		500mA	90 – 305
Majja 30	8,4W		700mA	90 – 305
Nimba 60	45W	24VDC		100 – 277
Nimba 90	65W	24VDC		100 – 277
Nimba 120	95W	24VDC		100 – 277
Nimba 180	140W	24VDC		100 – 277

## Luminaires with built-in LED

T° Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Others	Product page
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
3.000K	90	40.000h	Dimmer on the luminaire		p. 12
2.700K	90	40.000h	3 Light intensity levels		p. 14
2.700K	90	40.000h	Dimmer on the luminaire		p. 19
2.700K	90	40.000h	Dimmer on the luminaire		p. 21
2.700K	90	40.000h	Dimmer on the luminaire		p. 21
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 22
2.700K	90	40.000h	Dimmer on the luminaire		p. 29
2.700K	90	40.000h	1-10V		p. 37
2.700K	90	40.000h	1-10V		p. 37
3.000K	90	40.000h			p. 38
3.000K	90	40.000h			p. 39
3.000K	90	40.000h	1-10V		p. 40
3.000K	90	40.000h	1-10V		p. 41
2.700K	90	40.000h	1-10V (700mA)	*CE Market	p. 42
2.700K	90	40.000h	1-10V - DALI		p. 43
2.700K	90	40.000h	1-10V - DALI		p. 44
2.700K	90	40.000h	1-10V - DALI		p. 45
2.700K	90	40.000h	1-10V - DALI		p. 46
2.700K	90	40.000h	1-10V - DALI		p. 47
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 48
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 49
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 50
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF01)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 52
2.700K	90	40.000h	DALI - DSI - SWITCH DIM (CIF02)* / 1-10V (CIF31) - DALI (CIF31 - DALI)	*CE Market	p. 54
2.700K	90	40.000h	1-10V - DALI		p. 56
2.700K	90	40.000h	1-10V - DALI		p. 58
2.700K	90	40.000h	1-10V - DALI		p. 60
2.700K	90	40.000h	1-10V		p. 72
2.700K	90	40.000h	1-10V		p. 73
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 74-75-76-77-78
2.700K	90	40.000h	0-10V		p. 80
2.700K	90	40.000h	0-10V		p. 81
2.700K	90	40.000h	0-10V		p. 82
2.700K	90	40.000h	0-10V		p. 83
2.700K	90	40.000h	0-10V		p. 84
2.700K	90	40.000h	0-10V		p. 85
2.700K	90	40.000h	1-10V (700 mA)	*CE Market	p. 88
2.700K	90	40.000h	1-10V		p. 90
2.700K	90	40.000h	1-10V		p. 90
2.700K	90	40.000h	1-10V - DALI		p. 94
2.700K	90	40.000h	1-10V - DALI		p. 94
2.700K	90	40.000h	1-10V - DALI		p. 95
2.700K	90	40.000h	1-10V - DALI		p. 95

\*Voltage adapted to the country of destination


## Luminaires with built-in LED

Product	Power system (W)	Operating voltage (VDC)	Operating current (mA)	Input voltage (VAC)
<b>Pendant lamps</b>				
Tekiò Vertical P1	43W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P2	73W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P3	100W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Vertical P4	120W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P1	43W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P2	73W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P3	100W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Horizontal P4	120W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Circular P8	200W	24VDC		CE 220-240 / USA 120 ~ 277
Tekiò Oval P12	320W	24VDC		CE 220-240 / USA 120 ~ 277
<b>Wall lamps</b>				
BlancoWhite C1 Wall	8W	12VDC		90 ~ 264
BlancoWhite R1 Wall	10W	12VDC		90 ~ 264
Disco M	9W			CE 220 ~ 240 / USA 120
Disco L	9W			CE 220 ~ 240 / USA 120
Petit Tatu	6W		350mA	CE 220 ~ 240 / USA 100 ~ 277
<b>Outdoor</b>				
Amigo	40W		700mA	90 ~ 305
Oco	4,2W		350mA	120 ~ 240

## Luminaires with built-in LED

T° Colour (K)	CRI / IRC	Lifetime (h)	Adjustable	Others	Product page
2.200-2.700K	90	40.000h	1-10V		p. 109
2.200-2.700K	90	40.000h	1-10V		p. 109
2.200-2.700K	90	40.000h	1-10V		p. 110
2.200-2.700K	90	40.000h	1-10V		p. 110
2.200-2.700K	90	40.000h	1-10V		p. 111
2.200-2.700K	90	40.000h	1-10V		p. 112
2.200-2.700K	90	40.000h	1-10V		p. 113
2.200-2.700K	90	40.000h	1-10V		p. 114
2.200-2.700K	90	40.000h	1-10V		p. 115
2.200-2.700K	90	40.000h	1-10V		p. 116
3.000K	90	40.000h			p. 125
3.000K	90	40.000h			p. 126
2.700K	90	40.000h	By phase cut		p. 129
2.700K	90	40.000h	By phase cut		p. 129
2.700K	90	40.000h	By phase cut		p. 130
2.700K	90	40.000h	1-10V		p. 136
2.700K	85	40.000h			p. 137

\*Voltage adapted to the country of destination




## Subeybaja

Robert Heritage, Roger Webb. 1979



## Belloch Chair

Lagranja Design  
2009



Code	Color	Legs	
<b>BES11</b>	White RAL9002	Natural beech wood	<b>SGD 405</b>
<b>BES12</b>	Grey RAL7010	Natural beech wood	<b>SGD 405</b>
<b>BES14</b>	Black RAL9017	Natural beech wood	<b>SGD 470</b>
<b>BES15</b>	Brown RAL8028	Natural beech wood	<b>SGD 470</b>
<b>BES16</b>	Green RAL6020	Natural beech wood	<b>SGD 470</b>
<b>BES17</b>	Red RAL3011	Natural beech wood	<b>SGD 470</b>
<b>BES21</b>	White RAL9002	Matte anodized aluminium <sup>[1]</sup>	<b>SGD 495</b>
<b>BES22</b>	Grey RAL7010	Matte anodized aluminium <sup>[1]</sup>	<b>SGD 495</b>

Polypropylene (PP) + glass fiber seat and back.

Stackable.


<sup>[1]</sup> Suitable for outdoor use.



ANSI BIFMA 5.1 X

## Belloch square table

Lagranja Design  
2009





Code	Description	
<b>BEM11</b>	White metallic structure with natural beech wood legs Color Core white colour top	<b>SGD 2.575</b>



## Belloch rectangular table

Lagranja Design  
2009



Code	Description	
<b>BEM21</b>	White metallic structure with natural beech wood legs Color Core white colour top	<b>SGD 3.645</b>




## Cadaqués Lounge Chair

Federico Correa

Alfonso Milá

1959



### Code Upholstered

<b>CAD10</b>	Customer's fabric	<b>SGD 4.880</b>
<b>CAD11</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 6.100</b>
<b>CAD12</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 6.645</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 5 m / 5.47 yd long

by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




## Two Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



### Code Upholstered

<b>CAD20</b>	Customer's fabric	<b>SGD 6.200</b>
<b>CAD21</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 9.125</b>
<b>CAD22</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 9.955</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 8 m / 8.75 yd long

by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.




## Three Seat Cadaqués Sofa

Federico Correa

Alfonso Milá

1959



### Code Upholstered

<b>CAD30</b>	Customer's fabric	<b>SGD 8.270</b>
<b>CAD31</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 12.805</b>
<b>CAD32</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 13.940</b>

Beech wood legs with a wenge colour finish.

Plain fabric measures: 12 m / 13.1 yd long


by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



## Cadaqués Ottoman

Federico Correa  
Alfonso Milá  
2010



Code	Upholstered	
<b>CAP00</b>	Customer's fabric	<b>SGD 2.370</b>
<b>CAP01</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 3.935</b>
<b>CAP02</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 4.285</b>

Beech wood legs with a wenge colour finish.


Plain fabric measures: 1,80 m / 1.97 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



## Diana alta table

Federico Correa  
Alfonso Milá  
Miguel Milá  
1996




Code	Description	
<b>DIA01</b>	Satin nickel structure Tempered glass top	<b>SGD 1.630</b>

Under special request, possibility of adapting the product for areas exposed to saline conditions.



## Diana baja table

Federico Correa  
Alfonso Milá  
Miguel Milá  
1996




Code	Description	
<b>DIA02</b>	Satin nickel structure Tempered glass top	<b>SGD 1.780</b>

Under special request, possibility of adapting the product for areas exposed to saline conditions.



## Digamma Armchair

Ignazio Gardella  
1957



Code	Upholstered	
DIB00	Customer's fabric <sup>[1]</sup>	SGD 7.235
DIB01	<b>kvadrat</b> Remix 3 fabric	SGD 8.015

Black metallic legs and polished brass feet.

Upholstered seat, backrest and arms.

3-position reclining back.

Plain fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.


<sup>[1]</sup> To be validated by S&C.

On special request also available in CMHR foam with a 5% price increase.



## Digamma ottoman

Ignazio Gardella  
1957



Code	Upholstered	
DIP00	Customer's fabric <sup>[1]</sup>	SGD 2.925
DIP01	<b>kvadrat</b> Remix 3 fabric	SGD 3.315

Black metallic legs and polished brass feet.

Upholstered seat.

Plain fabric measures: 0,85 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

<sup>[1]</sup> To be validated by S&C.


On special request also available in CMHR foam with a 5% price increase.




## Havana

Josep Maria Massana,  
Josep Maria Tremoleda  
1990

**New product**



Code	Havana bench 1,25 m	
HVB24	Ash tree veneered plywood with painted structure.	SGD 2.145
HVB01	Initial attachment system. Optional*	SGD 140
HVB02	Aligned attachment system. Optional**	SGD 180



Code	Havana side table	
HVM24	Compact stratified laminated tabletop	SGD 860


\*Optionally to attach a single bench to the floor use an initial attachment system (HVB01).

\*\*Optionally to attach more than one bench to the floor, combine an initial attachment system (HVB01) for the first piece + an aligned attachment system (HVB02) for each additional piece.



## Ibiza Lounge Chair

Germán Rodríguez Arias  
1950



Code	Upholstered	
IBB00	Customer's fabric	SGD 2.485
IBB01	<b>kvadrat</b> Remix 3 fabric	SGD 3.015
IBB02	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	SGD 3.050

Chrome-plated steel tube structure.


Plain fabric measures: 1,40 m / 1.53 yd long (70 cm / 0.76 yd seat and 70 cm / 0.76 yd back) and 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



## Moragas Armchair

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
<b>MOS00</b>	Customer's fabric	<b>SGD 4.095</b>
<b>MOS01</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 5.230</b>
<b>MOS02</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 5.535</b>

Beech legs with cherry wood colour finish.


Fabric measures: 5 m / 5.47 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



## Moragas ottoman

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
<b>MOP00</b>	Customer's fabric	<b>SGD 1.085</b>
<b>MOP01</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 1.590</b>
<b>MOP02</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 1.640</b>

Beech legs with cherry wood colour finish.


Fabric measures: 2 m / 2.19 yd long by 1,40 m / 1.53 yd wide.

On special request also available in CMHR foam with a 5% price increase.



## Large Moragas ottoman

Antoni de Moragas i Gallissà  
1957



Code	Upholstered	
<b>MOP10</b>	Customer's fabric	<b>SGD 1.515</b>
<b>MOP11</b>	<b>kvadrat</b> Remix 3 fabric	<b>SGD 2.395</b>
<b>MOP12</b>	<b>kvadrat</b> HARALD-3 by Raf Simons fabric	<b>SGD 2.445</b>

Beech legs with cherry wood colour finish.

Fabric measures: 3 m / 3.28 yd long by 1,40 m / 1.53 yd wide.


On special request also available in CMHR foam with a 5% price increase.



## Ramón Chair

Ramón Bigas

1975



### Code      Seat and backrest

**RAS13**      Natural

**SGD 945**

**RAS14**      White

**SGD 945**

White metallic structure.

Seat and back made of hand-woven synthetic rattan.

Stackable.


For indoor and outdoor.



## Subeybaja table

Robert Heritage, Roger Webb

1979



### Code      Structure and top

**SUB03**      Natural oak

**SGD 2.180**

**SUB05**      Black oak

**SGD 2.180**

Adjustable to 7 heights, from 39 cm / 15.3" to 72 cm / 28.3".





## Classification and regulations

### EC Regulations

#### CE

This marking on products in this catalogue indicates that they have been designed and produced in accordance with relevant applicable European directives and regulations. It is a guarantee of health and safety and the right to market these products freely in the Member States of the European Union, as proven by the corresponding CE declaration of conformity.

The main directives of the European Parliament and of the Council applied are:

- Directive 2014/35/UE, de 26 de February de 2014 (relating to electrical equipment designed for use within certain voltage limits).
- Directive 2014/30/UE, de 26 de February de 2014 (relating to electromagnetic compatibility).

#### I.E.E. (Energy efficiency index)

Pursuant to EU Directive 2013/30/EU and Commission Delegated Regulation (EU) 874/2012 of 12 July 2012 with regard to the energy labelling of electrical lamps and luminaires, these must have an energy label. The label classifies lamps and luminaires according to seven energy efficiency categories, from the most efficient (A++) to the least efficient (E).

#### UL

The UL certification process of our products entails a review of the design, production, testing, development and supervision in the factory, with regard to compliance of the product with the national safety standards of the US and Canada.

The consumers, retailers, insurers, distributors and regulators of these countries recognise and trust the UL mark as indicating a product with a safety symbol. Please look at our products in the catalogue and on the website.



## Classification and regulations

### Classification of luminaires

#### CE

· Luminaire classification according to protection against electrical shock:

**CLASS I.** In addition to being electrically insulated, these luminaires are also provided with an earthing point.



**CLASS II.** These luminaires have either double or reinforced insulation so that exposed metal parts cannot become live.



**CLASS III.** Protection against electrical shock relies on supply at Safety Extra-Low Voltage.



· Classification according to the flammability of the support surface:

According to current legislation, luminaires can be mounted on flammable or non-flammable surfaces. Luminaires that are suitable for mounting on non-flammable surfaces do not require a symbol. Luminaires that are not suitable for mounting on normally non-flammable surfaces require a symbol according to the type of luminaire (in accordance with Figure 1 of European Standard EN 60598-1).

· Classification according to conditions of use:

Luminaires must be classified according to their intended conditions of use. Luminaires for normal use do not require a symbol, whereas luminaires designed for use in severe conditions require a symbol (in accordance with Figure 1 of European Standard EN 60598-1).

#### UL

Our luminaires are classified according to UL standards regarding the maximum voltages and powers assigned to the luminaire: Class 2 and non-Class 2.

## Classification and regulations

### Ingress Protection Classification CE

The Ingress Protection system (IP) defines various degrees of protection against the ingress of foreign bodies and moisture. It is indicated by the IP prefix followed by two digits, the first of which identifies degree of protection against the ingress of solid particles and the second against the ingress of liquids (IEC 529- EN 60529).

#### First digit:

- IP 0** - No protection.
- IP 1** - Protected against solid objects > 50 mm.
- IP 2** - Protected against solid objects > 12 mm.
- IP 3** - Protected against solid objects > 2.5 mm.
- IP 4** - Protected against the solid objects of 1 mm.
- IP 5** - Protected against dust.
- IP 6** - Protected against dust (totally).

#### Second digit:

- IP - 0** No protection.
- IP - 1** Protected against water falling vertically.
- IP - 2** Protected against direct water drips up to 15° from vertical.
- IP - 3** Protected against direct sprays up to 60° from vertical.
- IP - 4** Protected against sprays from all directions
- IP - 5** Protected against low-pressure jets from all directions.
- IP - 6** Protected against high-pressure jets from all directions.
- IP - 7** Protected against immersion between 15 cm and 1 m.
- IP - 8** Protected against immersion under pressure.

### Classification according to environmental location

Our luminaires are classified according to UL standards. There are three types of environmental location marking:

#### • Dry locations:

Intended for use in a location not normally subject to dampness, but may include a location subject to temporary dampness, as in the case of a building under construction, provided ventilation is adequate to prevent an accumulation of moisture is marked.

#### • Damp locations:

A damp location is an exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

#### • Wet locations:

A wet location is a location in which water or other liquids may drip, splash or flow on or against electrical equipment.

## Company certificates

Santa & Cole is a socially responsible organisation and we comply with the laws and social standards of the countries in which we sell and manufacture our products. We continuously assess our practices to ensure they are sustainable, striking a balance between current economic, environmental and social needs without compromising the prospects of future generations. Santa & Cole is committed to respecting human rights and to fostering safe and healthy working conditions and green production practices, both in our own organisation and among our partners.

### Quality Management System

**ISO 9001** is the most widely recognised international standard to indicate the quality commitment of an entire company through its products or services, certified through an auditable system.



### Environmental Management System

**ISO 14001** ISO 14001 is the international standard on environmental management devised to ensure a balance between the profitability and environmental impact mitigation of our activities.



## General conditions of sale

All commercial relations between Santa & Cole Neoseries S.L. (hereinafter S&C), and its customers shall be governed by the following General Conditions of Sale, which shall govern the commercial sale and which shall be understood to be fully binding merely by placing an order with S&C.

Our acceptance of an order means, in any case, that the purchaser accepts the following general conditions of sale and supply.

S&C reserves the right not to sell to certain points of sale in accordance with its commercial policy and with the commercial agreements that it maintains with its registered distributors for each product line (urban, indoor or forestry elements or books). For detailed knowledge of the same please CONSULT our Commercial Department.

### 1. ORDERS

#### 1.1. For Catalogue Products

The orders must be made IN WRITING, either by ordinary mail, e-mail or fax.

The order should specify:

- Physical details of the purchaser.
- Code, quantity and valuation of the products requested, in accordance with the quotation received if appropriate.
- For upholstery products, reference of the fabric selected.

#### 1.2. For Customized Products

The technical documentation necessary to allow the correct definition of the product should be added to the requirements of section 1, whether it is a question of special products, modifications of catalogue products or finishes other than standard.

Enquiries are always without commitment. 48 hours after receipt of the order, THE CUSTOMER cannot cancel this order without the express written approval of S&C.

The delivery terms given by S&C are purely for informative purposes.

Delays in delivery do not authorize the purchaser to cancel the order or to apply penalties or indemnities, unless expressly agreed otherwise in writing. Even in this case, if for reasons of force majeure, affecting either S&C or its suppliers, S&C cannot fulfil any of the commitments taken on, no sanction shall be applied.

#### 1.3. Light sources

No discounts apply to light sources. Prices subject to standard rates.

### 2. CATALOGUE

The technical information provided by S&C on its products in relation to models, sizes, materials and characteristics is for GUIDANCE only and does not legally bind S&C to strictly comply with it and can be modified without prior notice.

### 3. PRICES

The sale prices are governed by the current Price List in force, which cancels any previous one and may be modified by S&C without prior notice. VAT (Value Added Tax) applicable in Spain (which is 4% on Books and 21% on the other products, except in the event of legal modification of the applicable rates) IS NOT INCLUDED in the prices indicated.

In any case the prices applied shall be those which appear on the pro forma invoice or on the order.

### 4. WARRANTY

The warranty for all S&C products is that established by law, in accordance with the legislation in force, for any defect attributable to the manufacture, provided that this defect does not arise from inadequate installation or use, in which case the warranty shall not apply. The warranty covers the replacement of the material and the carriage, and the expenses or special packaging which this replacement could generate shall be for the account of the customer.

For those products which S&C distributes but does not produce, the warranty covering the products delivered is limited to that issued by the manufacturer.

### 5. TRANSPORT AND DELIVERY

All goods sold are understood to be at the disposal of the customer in the warehouses of S&C in Cardedeu (Barcelona), the damage and losses which, if appropriate, could occur to goods from the time of delivery to the haulier being FOR THE ACCOUNT OF THE PURCHASER.

The carriage of the goods shall always be for the account and risk of the purchaser (carriage forward). Even if S&C hires the transport, and even if it refunds the customer all or part of this amount through sales discounts on the price of the goods, this does not under any circumstance represent an impairment or derogation of the preceding paragraphs, or the tacit or express acceptance of the account or of the risks arising from the transport.

If the transport agency desired by the customer is not explicitly notified, both if it is carriage paid and carriage forward, S&C will send the order with the products requested by the agency which seems most appropriate for the shipment.

## General conditions of sale

### 6. SPECIAL PACKAGING

If special packaging (wood or other) is required, the corresponding cost shall be charged separately to the customer.

### 7. CLAIMS AND RETURNS

The customer shall be entitled to make a claim against S&C, due to a defect in the quantity or quality of the goods received, in accordance with the Spanish legislation in force.

Under no circumstances shall S&C be responsible for defects of the products or for injury caused to the customer or to third parties, when attributable to their installation or to their incorrect use.

In order to be able to present these claims, we have made available a direct telephone number (+34 938 619 100) and an e-mail address: [aftersales@santacole.com](mailto:aftersales@santacole.com).

In order to be able to attend to the incidents quickly, it is essential to indicate the invoice no. or the delivery note no. from which they originate.

For S&C to be able to collaborate on any claim that the customer wishes to make against the haulier due to incidents directly attributable to the transport, the customer should clearly indicate these incidents on the haulier's delivery note. If this is not done, S&C will not be able to collaborate on any claim against the haulier by the customer.

Product returns are not accepted, except with the express written consent of S&C. In this case, and if the material is received in perfect condition and with its original packaging, 15% of the net value of the product shall be charged as depreciation. If the material is not received in perfect condition and with its original packaging, S&C shall assess the damage to the product being returned and shall apply a higher depreciation adjusted to the condition of this material.

The transport cost for the return and corresponding to sending the replacement product shall always be for the account of the customer.

### 8. CONDITIONS OF PAYMENT

The payment of the total price of our goods must be made in cash by bank transfer to the account determined by S&C on its pro forma invoice.

In order to be able to take advantage of a delay in the payment it is necessary to be assigned a credit limit by S&C. Please contact our Commercial Department.

In the event of the sale of customized products, the minimum conditions of payment shall be 50% on confirmation of the order and the rest to be agreed by the two parties.

A delay in relation to the payment dates agreed leads to the automatic cancellation of the credit.

### 9. OWNERSHIP OF THE PRODUCTS

The products will continue to be owned by S&C until payment has been made in full.

### 10. DEFENCE OF INTELLECTUAL PROPERTY

The designs of the products appearing in the catalogues of S&C, and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property. Any unauthorized use of them constitutes an infringement of the above-mentioned rules, and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

S&C holds the ownership of the rights over its trademarks.

Their use is consequently totally forbidden, without the corresponding prior written permission of S&C. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and, if appropriate, criminal prosecution of these infringements, in accordance with the national and international Laws and Treaties in force.

### 11. APPLICABLE LAW AND JURISDICTION

The sales are subject to Spanish commercial legislation.

Any matter giving rise to a lawsuit shall be submitted to the Courts and Tribunals of the city of Barcelona (Spain), with express renunciation by the parties of their own jurisdiction, if different.



#### **HEADQUARTERS**

Parc de Belloch  
Ctra. C-251, Km 5,6  
E-08430 La Roca (Barcelona)  
T. +34 938 619 100  
F. +34 938 711 767  
info@santacole.com  
www.santacole.com

#### **SALES**

##### **Spain**

ventas@santacole.com

##### **International**

internationalsales@santacole.com

#### **AFTER SALES**

##### **Spain**

postventa@santacole.com

##### **International**

aftersales@santacole.com

#### **INTERNATIONAL OFFICES**

##### **US**

East Coast and Central  
T. +1 512 620 2096  
samuelc@santacole.com

##### West Coast

T. +1 424 303 3010  
jordi.nadal@santacole.com

##### General inquiries

usinfo@santacole.com

##### **UK - London**

T. +44 (0) 7596 831 942  
london.uk@santacole.com

#### **Follow us**

Facebook, Twitter, Instagram,

Pinterest: @santacole

