



The image features a central, diagonal roll of light-colored, ribbed material, possibly paper or fabric, set against a dark background with concentric, ripple-like patterns. The roll is the primary focus, with its texture and form clearly visible. The background's ripples create a sense of depth and movement, contrasting with the solid, cylindrical form of the roll. The lighting highlights the texture of the roll, showing the individual ribs and the way they curve around the cylinder.

Tekiò 2017, Anthony Dickens

SANTA & COLE

Between the ancestral and the avant-garde





Tekiò, adaptation in Japanese, fuses ancient techniques with Dim to Warm LED technology, which allows the light to be regulated in intensity and colour temperature. Created by Anthony Dickens, Tekiò is a unique contemporary lamp; a contrast between the ancestral and the avant-garde, with highly technical structures dressed in handmade paper.


[Watch video](#)

Tekiò Vertical 2017, Anthony Dickens

Sculpturally resolves spaces of varying heights vertically, bathing them in uniform light. Alone or in repetition, its luminous power can vary from a whisper to an exclamation.

[Watch video](#)









Tekiò Vertical P1

General description

Lampshade
Japanese Washi paper
Length: 67 cm / 26.4"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular with power supply incorporated.

Weight
3 Kg / 6.6 lb

Technical information

Light source included

Built-in dimmable LED
Lifetime
40.000 h

Rated input wattage
43 W / UL 34 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Vertical P2

General description

Lampshade
Japanese Washi paper
Length: 120 cm / 47.2"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular with power supply incorporated.

Weight
4,5 Kg / 9.9 lb

Technical information

Light source included

Built-in dimmable LED
Lifetime
40.000 h

Rated input wattage
73 W / UL 56 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Vertical P3

General description

Lampshade
Japanese Washi paper
Length: 173 cm / 68.1"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular with power supply incorporated.

Weight
6 Kg / 13.2 lb

Technical information

Light source included

Built-in dimmable LED
Lifetime
40.000 h

Rated input wattage
100 W / UL 73 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Vertical P4

General description

Lampshade
Japanese Washi paper
Length: 226 cm / 89"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular with power supply incorporated.

Weight
7,5 Kg / 16.5 lb

Technical information

Light source included

Built-in dimmable LED
Lifetime
40.000 h

Rated input wattage
120 W / UL 87 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Six'N'Five Barcelona, Spain






Casa Bonay Barcelona, Spain





Ownston Hill Perth, Australia



Matsunoki Mali Lošinj, Croatia






Tekiò Horizontal 2017, Anthony Dickens

Is an elegant solution to dress a flat surface, such as a table, or to draw pathways and large open spaces. Its adaptable light source makes it possible to generate the right ambience for every situation.

[Watch video](#)









Tekiò Horizontal P1

General description

Lampshade
Japanese Washi paper
Length: 67 cm / 26.4"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular
with power supply incorporated.

Weight
3 Kg / 6.6 lb

Technical information

Light source included

Built-in dimmable LED
40.000 h

Rated input wattage
43 W / UL 34 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V /
UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Horizontal P2

General description

Lampshade
Japanese Washi paper
Length: 120 cm / 47.2"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular
with power supply incorporated.

Weight
4,5 Kg / 9.9 lb

Technical information

Light source included

Built-in dimmable LED
40.000 h

Rated input wattage
73 W / UL 56 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V /
UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Horizontal P3

General description

Lampshade
Japanese Washi paper
Length: 173 cm / 68.1"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular
with power supply incorporated.

Weight
6 Kg / 13.2 lb

Technical information

Light source included


Built-in dimmable LED
40.000 h

Rated input wattage
100 W / UL 73 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V /
UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Horizontal P4

General description

Lampshade
Japanese Washi paper
Length: 226 cm / 89"

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular
with power supply incorporated.

Weight
7,5 Kg / 16.5 lb

Technical information

Light source included

Built-in dimmable LED
40.000 h

Rated input wattage
120 W / UL 87 W
Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V /
UL 0-10V)

Operating voltage
24VDC
Dim to Warm control 2200K - 2700K


CCT
2.200K - 2.700K
Energy efficiency class (E.E.C): A+... A.

IRC
85





Milanesado Barcelona, Spain



Nomo Braganza Madrid, Spain




Fiskebar Barcelona, Spain



Tekiò Circular 2017, Anthony Dickens


Whether in a small circle, a medium one or a large oval, the lamp dressed in Washi paper diffuses excellent light in any room. An absorbing but precise personality, a subtle and rich elegance.

[Watch video](#)









Tekiò Circular P4

General description

Lampshade
Japanese Washi paper
Length: ø 69 cm / 27.2" for 4 lampshades

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular with power supply incorporated.

Weight
5,5 Kg / 12.1 lb

Technical information

Light source included

Built-in dimmable LED

Lifetime
40.000 h

Rated input wattage
72 W / UL 54 W

Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC

Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K

Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Circular P8

General description

Lampshade
Japanese Washi paper
Length: ø 140 cm / 55.1" for 8 lampshades

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular with power supply incorporated.

Weight
15 Kg / 33.1 lb

Technical information

Light source included

Built-in dimmable LED

Lifetime
40.000 h

Rated input wattage
200 W / UL 150 W

Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC

Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K

Energy efficiency class (E.E.C): A+... A.

IRC
85



Tekiò Oval

General description

Lampshade
Japanese Washi paper
Length: ø 250 x 140 cm / 98.4" x 55.1" for 12 lampshades

Electric cable length
5 m / 196.9"

Canopy
White grey metallic circular or rectangular with power supply incorporated.

Weight
20 Kg / 44.1 lb

Technical information

Light source included

Built-in dimmable LED

Lifetime
40.000 h

Rated input wattage
300 W / UL 246 W

Suitable for dimming 1-10V / UL 0-10V
(Not included external dimmer switch 1-10V / UL 0-10V)

Operating voltage
24VDC

Dim to Warm control 2200K - 2700K

CCT
2.200K - 2.700K

Energy efficiency class (E.E.C): A+... A.

IRC
85




Simuero Barcelona, Spain









Ducie Street Warehouse Manchester, UK




Washi paper

This paper, which dates back to the 14th century became famous by Isamu Noguchi's Akari lamps. It has been declared an Intangible Cultural Heritage of Humanity by UNESCO as it is resistant and ductile, even malleable, and shades the light with texture, creating places of pause, half-voice. Santa & Cole, in search of expert hands, manufactures this paper dress in Mito, one of the Japanese cities specialised in its production.





Made in Japan



6番	6cm	9番	10.5cm	9番	22cm	尺四	(脚) 147cm
9番	7cm	10番	11cm	10番	25.5cm	尺五	(脚) 188cm
10番	10cm	11番	16cm	11番	29cm	(脚) 122cm	(脚) 56cm
11番	8cm	12番	15cm	12番	29cm	尺六	(脚) 101cm
12番	10cm	14番	17.5cm	14番	31.5cm	(脚) 10cm	(脚) 58cm
14番	11cm	16番	18cm	16番	35cm	尺八	(脚) 108cm
16番	9cm					(脚) 14cm	(脚) 60cm
						二尺	(脚) 107cm
							(脚) 11cm
							(脚) 66cm
							(脚) 119cm

Photographs of the workshop in Mito, Japan

Dim to Warm LED technology


Tekiò allows you to modulate the light intensity and colour temperature, offering a versatility that allows you to fill each moment with the desired light.

Control

1-10 V / DALI (UL: 1-10 V)

Wireless dimming: Casambi allows Dim to Warm technology to be dimmed from a mobile device with its wireless system.

[Watch video](#)



Anthony Dickens

“Tekiò has a quiet, unassuming presence that can fill large volumes of space with warm inviting light.”

Anthony Dickens founded his product and furniture design studio in London in 1998. He initially designed and manufactured his own creations, learning to create innovative and functional objects that questioned the everyday life around him.

In 2010, he travelled to Japan to get to know the country and its rich culture. Dickens created the Tekiò lamp. It is a sculpted lamp dressed in paper and connected by magnets to create linear or circular shapes of different sizes. Indeed, Tekiò derives its name from the Japanese word for adaptation. The lamp was the winner of the 2018 edition of ADI-FAD's Golden Delta award for the best interior lighting product.



What inspired you to create Tekiò?

The idea for Tekiò evolved after spending five weeks travelling through Japan in 2009. I filled my sketchbook with thoughts and ideas after exploring the melting pot of ancient craft and cultural tradition with cutting-edge technology and modern-day consumerism. At first, it was a single light among a range of ideas that I planned to exhibit in London, but the rest were dropped in favour of exploring the endless adaptable possibilities of what became Tekiò.

What uses was the system born for?

The versatility and timeless quality of the design means it can comfortably inhabit a wide range of spaces, from crumbling old historic buildings right through to the clean lines of modern interiors.



We offer the possibility of adapting our products to the requirements of your contract project, modifying them to your needs.

Contact us

Santa & Cole

Parc de Belloch
08430 La Roca (Barcelona)

santacole.com

T. +34 938 619 100
global@santacole.com